

WWW.YAMAHA-EUROPE.COM

Yamaha Music Europe GmbH, Siemensstrasse 22-34, 25462 Rellingen, Germany
Yamaha Music Europe GmbH, Rellingen, Branch Switzerland in Zurich, Seefeldstrasse 94, 8008 Zürich, Switzerland
Yamaha Music Europe GmbH, Branch Austria, Schleiergasse 20, 1100 Wien, Austria
Yamaha Music Europe, Branch Benelux, Clarissenhof 5b, 4133 AB Vianen, The Netherlands
Yamaha Music Europe GmbH Sp.z o.o. Oddzial w Polsce, ul. 17 Stycznia 56, 02-146 Warszawa, Poland
Yamaha Music Europe GmbH (UK), Sherbourne Drive, Tilbrook, Milton Keynes, MK7 8BL, United Kingdom
Yamaha Music Europe, 7 rue Ambroise Croizat, Zone d'activités Pariest, 77183 Croissy-Beaubourg, France
Yamaha Music Europe GmbH Germany filial Scandinavia, JA Wettergrensgata 1, 421 30 Västra Frölunda, Sweden
Yamaha Music Europe GmbH, Tyskland – filial Denmark, Generatorvej 6A, 2730 Herley, Denmark
Yamaha Music Europe GmbH Germany - Norwegian Branch, Grini Naeringspark 1, 1332 Österas, Norway
Yamaha Music Europe GmbH Ibérica, Sucursal en España, Ctra.de la Coruna Km. 17,200, 28231 Las Rozas (Madrid), Spain
Yamaha Music Europe GmbH, Branch Italy, Viale Italia 88, 20020 Lainate (Milano), Italy
Yamaha Music Europe GmbH, Turkey/Spring Giz Plaza, Maslak Meydan Sokak No:5, Bagimsiz Böl.No:3, Sisli/Istanbul, Turkey





PRODUCT GUIDE 2013/2014

ACOUSTIC GUITARS

ELECTRIC GUITARS

ELECTRIC BASSES

PROFESSIONAL AUDIO

MUSIC PRODUCTION

DTX DRUMS

DRUMS



• Apps	2	PROFESSIONAL	CONTENTO		
ACOUSTIC GUITARS		• DSR Series	87	CONTE	VIS.
_		 Speaker Accessories 	88		
• A-Series	6	 DXR/DXS Series 	91		
APX Series	9	MSR Series	92		
SRT System	12	 Stagepas Series 	98		
CPX Acoustic	14	Studio Monitors	100		
Silent Guitars	18	HS Series	102		
• Electric Nylon	20	 Passive Club V Series 	104	DTX DRUMS	
Folk Guitars	23	 Passive BR Series 	106		
• Folk Guitars with Pick-Up	32	 Power Amps 	108	 DTX950MK 	146
• Grand Concert	40	Digital Mixers	110	 DTX900MK 	147
• Classical Guitars	42	 Analogue Mixers 	114	• DTX750K	148
		 Powered Mixers 	118	• DTX700K	149
		 Digital Recorders 	122	• DTX562K/542K	150
ELECTRIC GUITARS		Signal Processors	124	• DTX532K/522K	151
		General Accessories	126	• DTX450K	152
• SG Series	50			• DTX430K	153
Pacifica Mike Stern	54			• DTX400K	154
Pacifica Series	55	MUSIC PRODUCTION		• DTX-Multi 12	155
Starter Sets	62			• DTX Systems	156
• RGX	64	• CP	129	 MS Monitor Systems 	158
Semi Acoustic	67	Motif XF	132	Accessories	159
Guitar Amplification	66	• MOXF	134		
Guitar Accessories	70	• S Series	135		
		• MM61/MM49	136	DRUMS	
		• Tenori-On	137		
ELECTRIC BASSES		Motif-Rack XS	138	• PHX	162
	-	 Digital Mixing Studios 	139	Absolute Series	164
Billy Sheehan	74	USB Mixing Studio	140	Recording Custom	167
Nathan East	75	Audiogram	141	• Live Custom	168
• John Pattitucci	74	Accessories	142	Club Custom	172
• TRB Series	76		–	Stage Custom Birch	174
• TRBX Series	77			• Gig Maker	1 <i>7</i> 6
BB Series	80			Snare Drums	178
• RBX Series	84			Hexrack II	180
				Hardware	182
				Hardware Packages	188

Get more performance from your Yamaha instruments and mixers. With Yamaha's smart little helpers making music will be twice the fun! Applications that make sense for your creations and your emotions. Available from the App Store.



PIANO



PIANO DIARY

Piano Diary - your personal "piano playing diary". Record your own piano playing for later replay, make up your playing statistics and enjoy rewards for your continuous piano practice.



E3 CONTROLLER

Remote control for all instruments of the Disklavier E3 series. This application offers full functionality including the display of all controls of the Disklavier control unit.





A metronome app built with all of the know-how that Tempo and easy one-handed control.

RECORDING / PA



MGP EDITOR

MGP Editor gives you additional control of your MGP mixer's REV-X and SPX effects parameters.



M7CL STAGEMIX

M7CL StageMix focused in the requirements for adjusting monitor mixes on stage via a wireless connection.



LS9 STAGEMIX

Remotely control your LS9 digital mixing console from anywhere within wireless range using a simple, intuitive graphical interface.



CLOUD AUDIO RECORDER

Cloud audio Recorder allows you to record the sound of musical instruments to your iOS devices via the built- in





SET LIST ORGANIZER

Set List Organizer can be used to create the set list for a live performance, including Program Changes and texts



FADERS & XY PAD

Faders & XY Pad offers 8 sliders each with up to 3 control change parameters. A unique XY-Pad mode let's you control multiple faders.



METRONOME

only Yamaha can provide. MIDI synchronization, Tap

GUITAR



THR SESSION

Learn songs faster and easier and play along with your music library like never before. THR Session will change your daily guitar practice forever.

DTX DRUMS



SONG BEATS

Song Beats makes it easy to learn to play the drums along with your favorite songs!



DTX400 DRUM LESSONS

This free iPhone app teaches you the basic skills of drumming, from correctly holding the sticks to playing your first beat. Use it with the Yamaha DTX400K or anywhere you go for inspiration and useful drumming tips.

PORTABLE KEYBOARD



NOTESTAR

Keyboard players can practice with a real band. The app provides easy- to- read sheet music, accompanied by audio tracks with vocals.



It provides digital scores for all present songs stored in the EZ-220 and turns pages at the right time. This app can even record audio racks of your playing and sin-



SCALE TUNER

Allows you to change the tuning of a compatible Yamaha keyboard or digital piano to Arabic or pure temperament tunina.



MY MUSIC RECORDER

My Music Recorder is a free application designed for parents to easily record, archive and share their children's daily musical performances.



SOUND CONTROLLER

Sound Controller allows you to control and manipulate the sound of a compatible and connected Yamaha keyboard.



REPERTOIRE FINDER

Expand your Repertoire, maximize your musical enjoyment. Using Repertoire Finder you can quickly and easily find new registration song settings.



MUSICSOFT MANAGER

MusicSoft Manager manages your instrument content library from internal memory, connected storage devices, iPhone/iPad/iPod touch, computer and even Dropbox cloud storage service.



VISUAL PERFORMER

Visual Performer is an app for iPad/iPhone/iPod touch that creates visual animations from your MIDI-based performances.



SYNTH



MULTI EDITOR ESSENTIAL

The Multi Editor Essential gives you all the tools you need to mix your Songs and Patterns of Yamaha Synthesizer.



VOICE EDITOR ESSENTIAL

Voice Editor Essential is a simple editor application for editing the parameters in Yamaha synthesizer.



KEYBOARD ARP & DRUM PAD

Keyboard Arp & Drum Pad includes a keyboard, arpeggiator and assignable drum pads.



PERFORMANCE EDITOR ESSENTIAL

Performance Editor Essential enables you to edit the Performances of a Yamaha synthesizer.



The appeal of TNR-I isn't just limited to its faithful duplication of the TENORI-ON concept. Connected to a network, you can participate in sessions with up to four distant friends



CLOUD AUDIO RECORDER FOR MOTIF XF

Cloud Audio Recorder for MOTIF XF allows you to record the sound of your MOTIF XF via WI-FI. The recorded data can be processed on the iOS device and shared on SoundCloud.




MOBILE MUSIC SEQUENCER

With built-in phrase patterns, this sequencer allows the user to intuitively create compositions in a manner that is in tune with the creative process by building up sections to build songs.



SYNTH ARP & DRUM PAD

Synth Arp & Drum Pad is an iPad app with arpeggiator and drum pad that allows you to easily play the internal synthesizer or any connected MIDI device and produce music with phrases having an abundant variety of musical styles.



NCOUSTIC

Built to perform, the **A-SERIES** is designed to meet the creative demands of today's acousticelectric guitarists, delivering incredible playability, superior sound, and true versatility. This new series features new neck profiles, gargeous aesthetics and rich dynamic tones. Whether on stage, at home, or in the studio, these guitars deliver studio quality sound.






- Dreadnought With Cutaway
- Top: Solid Sitka Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany
- Fingerboard: Ebony
- Bridge: Ebony
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Rosewood/Mahogany Sound Hole Rosette
- Rosewood Fingerboard Binding
- Mahogany Body Binding
- SRT System 63 Modeling
- Pickup: SRT Piezo
- Controls: Focus/Wide, Resonance, Blend, 3-Band EQ, A.F.R. (Auto Feedback Reduction), Chromatic Tuner
- Colours: Natural, Vintage Sunburst

STUDIO RESPONSE TECHNOLOGY - SRT

Using advanced Digital Signal Processing and real-world insight into audio technology and recording techniques, Yamaha have developed SRT - a pickup and preamp system capable of delivering an amazingly natural, studio quality acoustic guitar tone. Sounds that were, until now, only attainable by professional recording engineers using expensive vintage microphones in world-class acoustic spaces are now easily recreated by any player, on stage or in the studio.





- Dreadnought With Cutaway
- Back & Sides: Solid Mahogany
- Dreadnought With Cutaway
- Top: Solid Sitka Spruce
- Back & Sides: Rosewood
- Fingerboard: Rosewood
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")

- Controls: 3-Band EQ, Volume,
- Vintage Sunburst
- Back & Sides: Mahogany



AC3R

CONCERT-SIZE WITH CUTAWAY BODY

- Top: Solid Sitka Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany
- Fingerboard: Ebony
- Bridge: Ebony
- Rosewood/Mahogany Sound hole Rosette
- Rosewood Fingerboard Binding
- Mahoaany Body Bindina
- SRT System 63 Modeling Preamp
- Pickup: SRT Piezo
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Controls: Focus/Wide, Resonance, Blend, 3-Band EQ. A.F.R. (Auto Feedback Reduction). Chromatic Tuner
- Colours: Natural, Vintage Sunburst



As AC3R

• Back & Sides: Solid Mahogany

AC1R

CONCERT-SIZE WITH CUTAWAY BODY

- Top: Solid Sitka Spruce
- Back & Sides: Rosewood
- Neck: Mahogany
- Fingerboard: Rosewood
- Bridge: Ebony
- Rosewood Fingerboard Binding
- Mahagany Body Binding
- SRT System 66 Preamp
- Pickup: SRT Piezo
- Nut Width: 43 mm
- Controls: 3-Band EQ, Volume, Chromatic Tuner
- Colours: Natural, Vintage Sunburst



As AC1R

• Back & Sides: Mahogany









(HG

AC1M

AC1R VS

SERIES

APX-SERIES: Globally acclaimed for its playability and powerful on stage performance, the APX is now available in all solid wood and equipped with Studio Response Technology. In addition to the quick response and attack that famously characterises the APX-SERIES, the addition of solid rosewood back and sides offered by the APX1200 supports balanced response with exceptional clarity. Refined new cosmetics include mahogany wood binding, black button tuning pegs, and abalone/MOP position markers to promote a simple, elegant and distinctive appearance.

ΛPX1200



- Top: Solid Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany
- Fingerboard: Ebony
- Bridge: Ebony
- Frets: 22
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- SRT System 62 Modeling Preamp
- Pickup: SRT Piezo
- Controls: Focus/Wide, Resonance, Blend, 3-Band EQ, A.F.R. (Auto Feedback Reduction), Chromatic Tuner
- Hardware: Yamaha Black Button
- · Colours: Natural, Translucent Black

APX1000

NPX

- Top: Solid Spruce
- Back & Sides: Flamed Maple
- Neck: Nato
- Fingerboard: Rosewood
- Bridge: Rosewood
- Frets: 22
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- SRT System 63 Modeling Preamp
- Pickup: SRT Piezo
- Control: Focus/Wide, Resonance, Blend, 3-Band EQ. A.F.R. (Auto Feedback Reduction), Chromatic Tuner
- Hardware: Yamaha Gold
- · Colours: Natural, Mocha Black, Crimson Red Burst, Pearl White





∧PX700 II

- Top: Solid Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Bridge: Rosewood
- Frets: 22
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T. 1-Way, System 64
- Controls: 3-Band EQ, Volume, Tuner
- Hardware: Yamaha Chrome
- Colours: Black, Sand Burst, Natural, Vintage Sunburst, Brown Sunburst



LEFT HANDED VERSION AVAILABLE APX700L, COLOUR: NATURAL

APX500 II

- Top: Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Bridge: Rosewood
- Frets: 22
- Nut Width: 43 mm
- String Length: 634 mm (25 9/16")
- Pickup: System 55, SRT-Piezo
- Controls: 3-Band EQ, Volume, Tuner
- Hardware: Yamaha Chrome
- Colours: Natural, Black, Oriental Blue Burst, Old Violin Sunburst, Dark Red Burst, Vintage White, Red Metallic



NPX



THE ULTIMATE TRAVEL GUITAR

The original APX Travel series was launched December of 1994. As soon as it was released, APXT1 earned tremendous reputation, especially in Japan, being a front runner to form the first compact guitar market. Its portability and durability as well as playability were accepted by a wide range of players throughout the world; however, due to the aggressively emerging competitors and the closure of our factory, APX Travel series faced difficulties both internally and externally. It was finally discontinued in 2001. In 2012, APXT2 has been redesigned to offer better sound, playability and experience to all players in different genre. It will be manufactured in the new YMMI production line with Yamaha's technology and extensive care. APXT2 is an acoustic-electric guitar with an ART-based new pickup system and a Yamaha's proprietary tuner for much better sensitivity and accuracy. The guitar comes with an exclusive gigbag which is essential when it comes to compact/ travel guitars. APXT2 is a great pick for holiday seasons for all players in the world.

APXT2

- Top: Spruce
- Back & Sides: Meranti
- Neck: Nato or Mahogany
- Fingerboard: Rosewood
- Bridge: Rosewood
- Scale Length: 580 mm
- Body Depth: 65-75 mm
- Body Binding: Ivory/Black ABS
- Tuner: Cluson Type
- Pick-Up: SYSTEM 68
- Colors: Natural (NT), Old Violin Sunburst (OVS), Black (BL), Dark Red Burst (DRB)




SRT SYSTEM

BRINGING BACK LOST AMBIENCE - YAMAHA'S NEW SRT SYSTEM

The same tone that, until now, was only attainable by professional recording engineers in the world's finest studios is now easily usable by any player, on-stage or in the studio.

When professional guitarists want to record real acoustic guitar tone, they'll record the guitar with a microphone. That holds true for guitarists who prefer using electricacoustics on stage as well. Electric-acoustics are very effective in live situations due to their ability to adjust sound and balance volume with the other instruments in the band.



The SRT-Series brings studio quality acoustic guitar sound to the stage that will amaze your audiences.

ADVANCED FEATURES FOR PLAYING LIVE AND RECORDING


THREE HIGH-END MIC TYPES

Select from models of three microphones most-favoured by recording engineers around the world. (Mic models are created using data collected from these microphones.)



TYPE 1: **NEUMANN U67**

namic response. Good for follows phrasing well. Recommended for comping and rock playing.





TYPE 2: **NEUMANN KM56**

curate and delicate highend. Recommended for arpeggios, ballads, finger picking, etc.



TYPE 3: **ROYER R-122**


high-end and thick and picking into a rounder tone. Recommended for Jazz and Blues playing.

PROFESSIONAL MIC POSITION

Choose miking positions close or far.



FOCUS: On mic setting (mic positioned 20-30cm from the auitar). Captures string and body resonance clearly to deliver a fat, expansive sound and excellent projection.



WIDE: On Mic combined with Off Mic setting (mic positioned a few meters away from the guitar). Close to the ambient sound that the ear hears when listening to a guitar. Recommended for solo and ensemble playing.



ADJUSTABLE BODY RESONANCE

The RESONANCE knob allows you to add body resonance to the sound, emphasing the natu ral tone of the guitar.



BLENDING PIEZO AND MIC SOUND SOURCES

Blend piezo pickup and microphone sources to create a wide palette of tonal variations. Blending the sound from the piezo pickup with the sound from the built-in mic adds sharpness.

KEEP FEEDBACK UNDER CONTROL

These instruments incorporate Yamaha's original A.F.R. (Auto Feedback Reduction), which automatically detects the frequency causing the feedback and applies a notch filter to suppress the problem frequency. When feedback occurs, simply switch the A.F.R. button ON. Up to five filters can be applied.



(full left) Piezo pickup only

> (full right) Mic sound only



Designed as an electric-acoustic guitar, CPX has all the natural body resonance of a true acoustic guitar. This all solid CPX1200 benefits from the addition of solid rosewood back and sides for enhanced depth and clarity, and when combined with SRT its natural acoustic sound and playability shine through – the perfect guitar for both studio and stage. Refinements of this top of the range model are mahogany wood binding, black button tuning pegs and newly designed MOP/Padauk position markers.



CPX1200

- Top: Solid Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany
- Fingerboard: Ebony
- Bridge: Ebony
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- SRT System 62 Modeling Preamp
- Pickup: SRT Piezo
- Control: Focus/Wide, Resonance, Blend,
 3-Band EQ, A.F.R. (Auto Feedback Reduction),
 Chromatic Tuner
- Hardware: Yamaha Gold
- Colours: Translucent Black, Vintage Sunburst

CASECPX

• Case for CPX

CPX1000

- Top: Solid Spruce
- Back & Sides: Flamed Maple
- Neck: Nato
- Fingerboard: Rosewood
- Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- SRT System 63 Modeling Preamp
- Pickup: SRT Piezo
- Control: Focus/Wide, Resonance, Blend,
 3-Band EQ, A.F.R. (Auto Feedback Reduction),
 Chromatic Tuner
- Hardware: Yamaha Black Button
- Colours: Natural, Ultramarine, Translucent Black, Brown Sunburst





CPX700 II

- Top: Solid Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: 1-Way A.R.T., System 64
- Controls: 3-Band EQ, Volume, Tuner
- Hardware: Yamaha Chrome
- Colours: Natural, Sand Burst, Dusk Sun Red, Black, Tinted



CPX500 II

- Top: Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: SRT Piezo, System 65
- Controls: 3-Band EQ, Volume, Tuner
- Hardware: Yamaha Chrome
- Colours: Black, Natural, Old Violin Sunburst Dark Red Burst



CPX15A

The flagship of the Compass series is hand-crafted from selected premium materials and our unique 2-Way pickup system guarantees perfect reproduction of the amplified tone.

■ CPX15∧

- Top: Solid Spruce
- Back & Sides: Rosewood
- Neck: Mahogany
- Fingerboard: Indian Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T. 3-Way System
- Control: 3-Band EQ, Param. Mid, Volume, Balance
- Hardware: Yamaha Gold
- Colour: Natural

CPX15SA (SOUTH)

- Top: Solid Spruce
- · Back & Sides: Sycamore
- Neck: Mahogany
- Fingerboard: Indian Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T. 3-Way System
- Control: 3-Band EQ, Param. Mid, Volume, Balance
- Hardware: Yamaha Gold
- Colour: Miami Ocean Blue



■ CPX15EA (EAST)

- Top: Solid Spruce
- Back & Sides: Quilted Mahogany
- Neck: Mahogany
- Fingerboard: Indian Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T. 3-Way System
- Control: 3-Band EQ, Param. Mid, Volume, Balance
- Hardware: Yamaha Gold
- Colour: Sunburst

CPX15NA (NORTH)

- Top: Solid Spruce
- Back & Sides: Sycamore
- Neck: Mahogany
- Fingerboard: Indian Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T. 3-Way System
- Control: 3-Band EQ, Param. Mid, Volume, Balance
- Hardware: Yamaha Gold
- · Colour: Arctic White

CPX15WA (WEST)

- Top: Solid Spruce
- Back & Sides: Walnut
- Neck: Mahogany
- Fingerboard: Indian Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T. 3-Way System
- Control: 3-Band EQ, Param. Mid, Volume, Balance
- Hardware: Yamaha Gold
- Colour: Antique Violin Sunburst



Originally designed as ideal practice and travel instruments, the Silent Guitars quickly became popular with touring auitarists who love its practical, feedback-free facility for live applications and unique modern appearance. The SILENT GUITARS lack of a hollow body keeps its acoustic sound output very low but when the guitar is experienced through a pair of headphones, or played through a PA on stage it delivers rich, natural acoustic guitar tone with zero feedback.



SLG130NW

- Body: Solid Maple, Maple Frame
- Neck: Mahogany
- Fingerboard: Ebony
- Bridge: Rosewood
- Frets: 19
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Pickup: B-Band Preamp
- Controls: Volume, Bass, Treble, Effect Select, Line Out, Aux In, Level Control, Phones Out, Phones On/Off
- Effects: Reverb 1, Reverb 2, Delay, Chorus
- Colour: Light Amber Burst





SLG110N

- Body: Solid Maple, Plastic Frame
- Neck: Mahogany
- Fingerboard, Bridge: Rosewood
- Frets: 19
- Nut Width: 50 mm
- String Length: 650 mm (25 9/16")
- Hardware: Gold-Plated With Pearloid Buttons
- Pickup: B-Band Preamp
- Controls: Volume, Bass, Treble, Effect Select, Line Out, Aux In, Level Control, Phones Out, Phones On/Off
- Effects: Reverb 1, Reverb 2, Delay, Chorus

SLB100

• Colours: Tobacco Brown Sunburst. Black Metallic, Natural






- Body: Solid Maple, Plastic Frame
- Neck: Mahogany
- Fingerboard, Bridge: Rosewood
- Frets: 22
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Hardware: Gold-Plated With Pearloid Buttons
- Pickup: L.R. Baggs
- Controls: Volume, Bass, Treble, Effect Select, Line Out, Aux In, Level Control, Phones Out, Phones On/Off
- Effects: Reverb 1, Reverb 2, Delay, Chorus
- Colours: Tobacco Brown Sunburst, Black Metallic, Natural

ELECTRIC DOUBLE BASS for almost soundless practising or stage performances. Maple neck, ebony fingerboard, three-ply body (spruce, mahogany, spruce), ebony tail piece, "Supreme" strings, 2 piezo pickups, height-adjustable bridge, string length 1,054 mm (normal 3/4 scale length), LINE OUT for amplifier or recording, headphones output, AUX IN for playback, 9V battery power supply, highly transportable thanks to detachable frame.



Soft Case For SLB100





NX-SERIES guitars represent a new style of nylon string guitars designed with pickups systems that faithfully reproduce the tone, character, and dynamics of the instrument. Developed in consultation with Rodrigo y Gabriela, Antonio Forcione and other master players, the NX guitars are designed to Rock! These top-of-the-line models are designed and crafted drawing upon the vast knowledge, craftsmanship and expertise acquired from over 40 years of hand crafting classical Spanish guitars.

NCX2000R

 $A \cdot R \cdot E \cdot))$

- Top: Solid Hokkaido Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: African Mahogany
- Fingerboard: Ebony
- Frets: 19
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T.
- Preamp: 3-Band EQ, On-Board Tuner
- Coating: Polyurethane

NCX2000FM

As NCX2000R

- Back & Sides: Solid Flamed Maple
- Soft Case Included



SC

SOFT CASE

INCLUDED



NCX1200R

ELECTRIC

NYLON



NCX1200R

- Top: Solid Sitka Spruce
- Back & Sides: Solid Rosewood
- Neck: African Mahogany
- Fingerboard: Ebony
- Frets: 19
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T.
- Preamp: 3-Band EQ, On-Board Tuner
- Coating: Polyurethane

NEWLY DEVELOPED CONTACT PICKUP A.R.T.

Contact PickupYamaha acoustic-electric guitars have consistently used piezoelectric pickups to repdoduce the pure sounds of the acoustic guitar. But piezoelectric pickups tended to overreact to changes in attack, which in turn caused distortion. To achive ideal playability, we had to improve the way that these dynamics were controlled. To provide a solution to this issue, the new pickup was designed with a multilayer structure consisting of six layers of different materials. This dampens excessive vibration from the topboard while picking up small resonances to achieve ideal sensitivity and outstanding dynamic balance. Also, because the pickup is fitted directly beneath the topboard, it functions as a transducer attached to the body.

3-WAY CONFIGURATION

In addition to two main pickups mounted under the saddle, this system has one each on the bass and treble sides to capture the vibrations of the entire length of the strings and body, as well as the sound's bass and treble components. The pickups are laid out in such a way as to achieve clear reproduction even during high-position soloing.



NCX700BL

Preamp: 3-Band EQ, On-Board Tuner

• Coating: Polyurethane

Colours: Natural, Black

NTX-SERIES



NTX1200R

- Top: Solid Sitka Spruce
- Back & Sides: Solid Rosewood
- Neck: African Mahogany
- Fingerboard: Ebony
- Frets: 22
- Nut Width: 48 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T./2-Way, System 61
- Control: 3-Band EQ, Volume, Tuner
- Coating: Polyurethane

NTX900FM

- Top: Solid Engelmann Spruce
- Back & Sides: Flamed Maple
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 22
- Nut Width: 48 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T./2-Way, System 61
- Control: 3-Band EQ, Volume, Tuner
- Coating: Polyurethane

NTX700NT

NTX900FM

• Top: Solid Spruce

NTX1200R

- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 22
- Nut Width: 48 mm
- String Length: 650 mm (25 9/16")
- Pickup: A.R.T./2-Way, System 61
- Preamp: 3-Band EQ, On-Board Tuner
- Coating: Polyurethane

NTX700SB As NTX700NT





FOLK

GUITARS

ELECTRIC

NYLON

A DETAILED LOOK INSIDE L-SERIES

BODY TOP

Most manufacturers are using Sitka spruce tops for their high end models. In our experience we have found that Engelmann Spruce (Canada) naturally suits the role for top woods better than any other. The overriding quality for body top material is an allowance for resonance and Engelmann spruce has this attribute in abundance. A light wood that is easy to work and enables a good tone response with a wide harmonic range. Visually Engelmann spruce is comfortable on the eye, its opaque light yellow tint is reminiscent of a mature acoustic instrument.

BACK & SIDES

Yamaha uses rosewood for both back & sides on all the L-Series models. The rosewood blends extremely well with the Engelmann spruce top. It disperses resonance evenly and effortlessly.

NECK BLOCK

The neck block reinforces the neck joint. Yamaha have developed the conventional "C" block design by enlarging the surface area that is in contact with the top of the guitar. The block securely meets the underside of the top adding a real depth to the tone of the instrument.

BRACING

Non-scalloped X-bracing allocation with 90 degrees anale X bracing maps out the vibration patterns of the guitar. Each of the eight braces have been carefully positioned in order to bring out the tone in a balanced fashion and finding a natural harmony with the guitar's tone woods.


SQUARE BRACING (26 AND 36 MODELS)

Yamaha utilize vertical strips of mahagany around the sides of the body. Its starting point is as close to the neck joint as possible. These strips have two jobs. Firstly, to develop a fuller bass. This helps the guitarist to really feel the body and resonance of the guitar. Secondly, these strips naturally offer a structural role for the solid wood back and sides and aids in longevity.



As NTX700NT • Colour: Black







NTX700BI

LL-SERIES



A·R·E·))

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony; Nut Width: 44 mm
- HARD CASE String Length: 650 mm (25 9/16")
- INCLUDED • Form: LL-Shape 100-125 mm
 - Hardware: Yamaha Gold
 - Coating: Nitro



A·R·E·))

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony; Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- HARD CASE INCLUDED • Form: LL-shape 100-125 mm
 - Hardware: Open Gear Vintage Gold
 - · Coating: Polyurethane



- Top: Solid Engelmann Spruce
- · Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (3-ply)
- Fingerboard, Bridge: Ebony; Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- SOFT CASE • Form: LL-Shape 100-125 mm
 - Hardware: Yamaha Gold
 - · Coating: Polyurethane



LEFT HANDED VERSION AVAILABLE LL16L



116

- Top: Solid Engelmann Spruce
- Back & Sides: Rosewood
- Fingerboard, Bridge: Ebony; Nut Width: 44 mm
- String Length: 650 mm (25 9/16")

Neck: Mahogany, Rosewood (3-ply)

- SOFT CASE Form: LL-Shape 100-125 mm
 - Hardware: Yamaha Gold
 - Coating: Polyurethane
 - · Colours: Tinted, Sunburst, Natural



FOLK

GUITARS







LL16





A·R·E·))

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony; Nut Width: 44 mm
- String Length: 650 mm (25 9/16") HARD CASE INCLUDED
 - Form: LL-Shape 100-125 mm
 - Hardware: Yamaha Gold

 - Coating: Nitro



LS26

A·R·E·)))

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood • Neck: Mahogany, Padauk (5-ply)



HARD CASE INCLUDED

- Fingerboard, Bridge: Ebony • Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-120 mm
- Hardware: Open Gear Vintage Gold
- Coating: Polyurethane



SOFT CASE INCLUDED

LS16


- Top: Solid Engelmann Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Rosewood (3-ply) • Fingerboard, Bridge: Ebony; Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-120 mm,
- Hardware: Yamaha Gold
- Coating: Polyurethane











- Back & Sides: Rosewood
- Neck: Mahogany, Rosewood (3-ply)
- Fingerboard, Bridge: Ebony; Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-120 mm • Hardware: Yamaha Gold
- Coating: Polyurethane





LS16



A·R·E·)) LJ36

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Gold
- Form: Real Jumbo-Shape 100-120 mm
- Coating: Lacquer





• Fingerboard, Bridge: Ebony

• Nut Width: 44 mm

• String Length: 650 mm (25 9/16")

• Hardware: Yamaha Gold

• Form: Real Jumbo-Shape 100-125 mm

• Coating: Polyurethane





A·R·E·))

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Hardware: Open Gear Vintage Gold
- Form: Real Jumbo-Shape 100-120 mm
- Coating: Polyurethane





• Back & Sides: Rosewood

Neck: Mahogany, Rosewood (3-ply)

• Fingerboard, Bridge: Ebony

Nut Width: 44 mm

• String Length: 650 mm (25 9/16")

• Hardware: Yamaha Gold

• Form: Real Jumbo-Shape 100-125 mm

• Coating: Polyurethane




FG-SERIES

FG750S

FG750S

FG740S



- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Hardware: Vintage Look
- Colour: Natural

FG730S

FG740S

- Top: Solid Sitka Spruce
- Back & Sides: Flamed Maple

FOLK

GUITARS

- Neck: Nato
- Fingerboard: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Vintage Cherry Sunburst

FG730S

- Top: Solid Sitka Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 22
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Natural




FG720S

- Top: Solid Sitka Spruce
- Back & Sides: Maple
- Neck: Mahogany
- Fingerboard: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Natural, Dusk Sun Red,
 Oriental Blue Burst, Black, Brown Sunburst

FS720S

- Top: Solid Sitka Spruce,
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Nut Width: 43 mm
- Colours: Natural, Dusk Sun Red, Tropical Marine Blue, Black, Brown Sunburst





- Back & Sides: Nato
- Neck: Nato

FG700S

- Fingerboard: Rosewood
- Frets: 20
- Nut Width: 43mm
- Hardware: Yamaha Chrome
- String Length: 650 mm (25 9/16")
- Colours: Natural, Gloss



As FG700S, but in Matte Finish



FG700MS

28





F310P2/F310P2WS

F370

- Top: Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard & Bridge: Rosewood
- Frets: 20
- Nut Width: 43mm
- String Length: 634 mm (25")
- · Hardware: Yamaha Chrome, Die-Cast

FOLK

GUITARS

 Colours: Natural, Black Tobacco Brown Sunburst

F310

- Top: Spruce
- · Back & Sides: Meranti
- · Neck: Nato
- Fingerboard & Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 634 mm (25")
- · Hardware: Yamaha Chrome
- · Colours: Natural. Tobacco Brown Sunburst

F310 PACKS

F310 - A GENUINE BEGINNERS GUITAR

F310P2WS

- F310 Acoustic Guitar Tuitional DVD
- Strap, Strings, Picks Tuner Guitar Stand
- Gigbag Retail ready colour carton box

F310P2

- F310 Acoustic Guitar Tuitional DVD Tuner
- Strap, Strings, Picks Retail ready colour carton box



APX 12-STRING

The new twelve string APX700-12 features a comfortable cutaway and a neck that's so easy to play, even pampered electric players can play one without tiring. A solid spruce top and nato-wood back and sides give this electroacoustic a full tone and plenty of unplugged volume.

WESTERN GUITARS 12-STRING

∧PX700-12 II

• Top: Solid Spruce • Back & Sides: Nato • Neck: Nato • Fingerboard, Bridge: Rosewood • Frets: 22 • Nut Width: 46 mm • String Length: 634 mm (25 9/16") • Pickup: A.R.T. 1-Way, System 64 • Controls: 3-Band EQ, Volume, Tuner • Hardware: Yamaha Chrome • Colours: Natural, Black

CPX700-12 II

- Top: Solid Spruce Back & Sides: Nato Neck: Nato
- Fingerboard, Bridge: Rosewood Frets: 20 Nut Width: 46 mm
- String Length: 634 mm (25 9/16") Hardware: Yamaha Gold
- Pickup: A.R.T. 1-Way, System 64 Controls: 3-Band EQ, Volume, Tuner • Colours: Natural

FG720-12

- Top: Solid Sitka Spruce Back & Sides: Nato Neck: Nato
- Fingerboard, Bridge: Rosewood String Length: 634 mm (25")
- Nut Width: 46 mm Hardware: Yamaha Chrome

LL16-12

- Top: Solid Engelmann Spruce Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (3-ply) Fingerboard, Bridge: Ebony
- Frets: 20 Nut Width: 46 mm String Length: 634 mm (25")
- Hardware: Yamaha Gold

SCHOOL MODELS



- Top: Spruce Back & Sides: Poly Board (Mahogany Finish)
- Neck: Nato Fingerboard, Bridge: Rosewood Frets: 20
- Nut Width: 43 mm String Length: 540 mm (21 1/4")
- Hardware: Yamaha Chrome Colours: Natural, Tobacco Brown Sunburst

JR2S

As JR2, but Back & Sides: Mahogany Finish UTF; Hardware: Opened Chrome



- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard, Bridge: Rosewood
- Frets: 20 Nut Width: 43 mm
- String Length: 540 mm (21 1/4")
- Hardware: Yamaha Chrome Colour: Natural



JR2S

FGX-SERIES



FGX730SC

FGX720SC

FGX730SC

- Top: Solid Spruce
- Back & Sides: Rosewood
- Fingerboard, Bridge: Rosewood
- Frets: 22
- Neck: Nato
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 56 1-Way (A.R.T.)
- Hardware: Yamaha Chrome
- Colours: Natural, Brown Sunburst, Black

FGX720SC

- Top: Solid Sitka Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 55, 1-Way
- · Colours: Natural, Brown Sunburst, Black

FOLK

GUITARS

WITH

PICK-UP

FSX-SERIES



FSX730SC

FSX730SC

- Top: Solid Spruce
- Back & Sides: Rosewood
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 20
- Nut Width: 43 mm
- String Length: 634 mm (25")
- Hardware: Yamaha Chrome
- Pickup: A.R.T. 1-Way System 56
- Colours: Natural, Black, Brown Sunburst

FSX720SC

As FSX730SC

- Back & Sides: Nato
- Pickup: 1-Way Piezo



FJX-SERIES

FJX730SC

- Top: Solid Spruce
- Back & Sides: Rosewood Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 20 Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 56 1-Way (A.R.T.) • Hardware: Yamaha Chrome
- Colours: Natural, Brown Sunburst, Black

FJX720SC

- Top: Solid Spruce
- Back & Sides: Nato Neck: Nato
- Fingerboard, Bridge: Rosewood
- Frets: 20 Nut Width: 43 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 55, 1-Way
- Colours: Natural, Brown Sunburst, Black



FJX730SC

FJX720SC

FX-SERIES



FX370C

FX310

FX370C

- Top: Spruce Back & Sides: Nato
- Neck: Nato Fingerboard, Bridge: Rosewood
- Frets: 20 Nut Width: 43 mm
- String Lenght: 634 mm (25")
- Hardware: Yamaha Chrome
- Pickup: 1-Way Piezo
- Colours: Natural, Tobacco Brown Sunburst, Black

FX310

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard, Bridge: Rosewood
- Frets: 20 Nut Width: 43 mm
- Scale Length: 634 mm (25")
- Hardware: Yamaha Chrome • Pickup: System 53, 1-way
- Colours: Natural, Tobacco Brown Sunburst



The LLX-SERIES combines the finest materials, impeccable craftsmanship and exclusive features to give them a deserving place at the top of Yamaha's electro-acoustic guitar range. Matching the traditional dreadnought style body with the latest A.R.T. pickup system gives the LLX guitars immense character and a big, striking sound - on stage or off stage. The LLX26 and 36 models feature Yamaha's exclusive A.R.E. treatment where the Engelmann spruce tops are pre-aged - physically replicating the changes than an acoustic guitar undergoes with time. These guitars sound like they've been played for years, straight out of the box.



A·R·E·)))



LLX36C CUTAWAY

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 60 3-Way A.R.T.
- Form: LL-Shape 100-125 mm
- Hardware: Yamaha Gold
- · Coating: Lacquer



LLX26C CUTAWAY

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 60 3-Way A.R.T.
- Form: LL-Shape 100-125 mm
- Hardware: Open Gear Vintage Gold
- Coating: Polyurethane





HANDCRAFTED

LLX26

• Top: Solid Engelmann Spruce A.R.E.

A·R·E·))

- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-125 mm
- Hardware: Open Gear Vintage Gold
- Pickup: System 60 3-Way A.R.T.

LLX16

- Top: Solid Engelmann Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (3-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-125 mm
- Hardware: Yamaha Gold
- Pickup: System 60 3-Way A.R.T.
- · Colours: Natural, Black, Tobacco Brown Sunburst, Brown Sunburst

LLX6

- Top: Solid Engelmann Spruce
- Back & Sides: Rosewood
- Neck: Mahogany, Rosewood (3-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 59 1-Way A.R.T.
- Hardware: Yamaha Gold
- Coating: Polyurethane
- · Colours: Black, Sunburst, Natural, Tobacco Brown Sunburst, Brown Sunburst



COUSTIC

The **LSX-SERIES** is a guitar with an outstandingly clear and precise sound - a small bodied guitar that simply sounds huge. With a design that emphasises the mid-range response the LSX guitars are perfectly suited to intricate playing styles and detailed fingerstyle playing. Matched with the latest A.R.T. pickup system, the LSX guitars let you amplify every nuance of your performance. The LSX26 and 36 models feature Yamaha's exclusive A.R.E. treatment where the Engelmann spruce tops are pre-aged, physically replicating the changes than an acoustic guitar undergoes with time. These guitars sound like they've been played for years, straight out of the box.

FOLK
GUITARS
WITH
PICK-UP

A·R·E·)))



LSX36C CUTAWAY

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 60 3-Way
- Form: LL-Shape 100-125 mm
- Hardware: Yamaha Gold
- Coating: Nitro







HARD CASE



HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Pickup: System 60 3-Way
- Form: LL-Shape 100-125 mm
- Hardware: Open Gear Vintage Gold
- Coating: Polyurethane



A.R.E. (ACOUSTIC RESONANCE ENHANCEMENT)

A.R.E. is an original wood reforming technology developed by Yamaha. Instruments made with woods processed with this technology produce a tonal richness that is like vintage instruments that have been played for years. This technology is currently applied to the tops on L-Series 6 model acoustic guitars and LX-Series 9 model acoustic-electric guitars.

Yamaha's LJX guitars give a wide-open sound with a slightly softened mid-range making them ideally suited for modern chord and fingerstyle playing. Coupled with the latest A.R.T. pickup system these guitars are the perfect backing for singer-songwriters looking for maximum control over their performance. The LJX26 and 36 models feature Yamaha's exclusive A.R.E. treatment where the Engelmann spruce tops are pre-aged, physically replicating the changes than an acoustic guitar undergoes with time. These guitars sound like they've been played for years, straight out of the box.

FOLK GUITARS WITH PICK-UP



LJX36C CUTAWAY

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-125 mm
- Hardware: Yamaha Gold
- Pickup: System 60 3-Way A.R.T.
- · Coating: Lacquer

LJX26C CUTAWAY

HANDCRAFTED

- Top: Solid Engelmann Spruce A.R.E.
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (5-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: Real Jumbo-Shape 100-125 mm
- Pickup: System 60 3-Way A.R.T.
- Hardware: Open Gear Vintage Gold
- Coating: Polyurethane

LJX26CP CUTAWAY

As LJX26C Cutaway

• Pickup: System 62 SRT

LJX16 CP

- Top: Solid Engelmann Spruce
- Back & Sides: Solid Rosewood
- Neck: Mahogany, Padauk (3-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: LL-Shape 100-125 mm
- Hardware: Yamaha Gold
- SRT System 63 Modeling Preamp
- Pickup: SRT Piezo
- Controls: Focus/Wide, Resonance, Blend, 3-Band EQ, A.F.R. (Auto Feedback Reduction), Chromatic Tuner
- Colour: Natural







- Top: Solid Engelmann Spruce
- Back & Sides: Rosewood
- Neck: Mahogany, Rosewood (3-ply)
- Fingerboard, Bridge: Ebony
- Nut Width: 44 mm
- String Length: 650 mm (25 9/16")
- Form: Real Jumbo-Shape 100-125 mm
- Pickups: L.R. Baggs, System 45
- Hardware: Yamaha Gold
- Coating: Polyurethane



SOFT CASE

COUSTIC

YAMAHA

THE NEW GC-SERIES

Crafted with Tradition, Skill and Pride. It takes skill to craft a perfect guitar. Our master craftsmen learned the art of making classical guitars under the tutelage of master luthiers like M. Hernandez and E. Ferrer. The result is a collection of top-of-the-line handcrafted instruments that can each trace their roots back to their Spanish ancestry.

GC82S/C

- Top: Solid American Cedar / Solid Spruce
- Back & Sides: Solid Madagascar Rosewood

GRAND

CONCERT

- Neck: Cedro
- Fingerboard: Ebony
- Bridge: Madagascar Rosewood
- Finish: "Shellac Gloss"
- Nut / Saddle: Bone Nut
- Nut Width: 52.5 mm
- Tuning Machines: 35G510QC-M
- String Length: 650 mm
- Case: Hard Case

GC42S


- Top: Solid American Cedar
- Back & Sides: Solid Madagascar Rosewood
- Neck: African Mahogany
- Finger Board: Ebony
- Bridge: Rosewood

GC42C

- Finish: Polyester Gloss
- Nut / Saddle: Bone

- Nut Width: 52 mm
- Tuning Machines: YTM-81
- String Length: 650 mm
- Case: Semi-Rigid Case

- Top: Solid Spruce
 Back & Sides:
- Solid Madagascar Rosewood
- Neck: African Mahogany
- Finger Board: Ebony
- Bridge: Rosewood
- Finish: Polyester Gloss
- Nut / Saddle: Bone
- Nut Width: 52 mm
- Tuning Machines: YTM-81
- String Length: 650 mmCase: Semi-Rigid Case





GC22S/C

- Top: Solid Spruce/ Solid American Cedar
- Back & Sides: Solid Rosewood
- Neck: African MahoganyFingerboard: Ebony
- Bridge: Rosewood
- Fridge. Rosewoo
- Finish: Polyester Gloss
- Neck: Matte
- Nut / Saddle: Urea
- Nut Width: 52 mm
- Tuning Machines: YTM-81
- String Length: 650 mm
- Case: Semi-Rigid Case



- Top: Solid Spruce/Solid American Cedar
- Back & Sides: Solid Mahogany
- Neck: African Mahogany
- Fingerboard: Ebony
- Bridge: Rosewood
- Finish: Polyester Gloss
- Neck: Matte
- Nut / Saddle: Urea
- Nut Width: 52 mm
- Tuning Machines: YTM-81
- String Length: 650 mm
- Case: Semi-Rigid Case

More than 50 years ago, the very first guitar we built was a classical guitar. So for us, at Yamaha, the classical guitar has always been something special. Over the years we have been able to build some of the world's finest guitars for some of the world's best players. Just one result of those 50 years experience is our **CG-SERIES**, now newly designed and confirming its reputation for affordable excellence. Many features of the **GC-SERIES** have been incorporated to produce a beautifully finished guitar of outstanding tonal quality, that is a pleasure to play.

CG192S/C

CG182S

CG182C

• Top: Solid Engelmann Spruce (S), Solid American Cedar (C)



CG182S/C

 Top: Solid Engelmann Spruce (S), Solid American Cedar (C)

CLASSICAL

GUITARS

- Back & Sides: Rosewood
- Neck: Nato
- Fingerboard: Ebony
- Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Gold
- Colour: Gloss Natural



CG162S/C

- Top: Solid Engelmann Spruce (S), Solid American Cedar (C)
- Back & Sides: Ovankol
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Gold
- Colour: Gloss Natural

CG142S/C/SBL

- Top: Solid Engelmann Spruce (S) Solid Ceder (C)
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Gloss Natural, Black



CG142S CG142C CG142SBL

CG122MS/C

- Top: Solid Engelmann Spruce (S), Solid Ceder (C)
- Back & Sides: Nato
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome
- Colour: Matte Natural



GUITALELE

GL1

Guitalele, 6-String Ukulele

- Top: Spruce
- Back & Sides: Meranti
- Neck: Nato
- Fingerboard, Bridge: Sonokeling
- Nut Width: 48 mm
- String Length: 433 mm (17")
- Tuning: A/D/G/C/E/A
- Colours: Natural, Black, Tobacco Brown Sunburst, Persimmon Brown



CG102

Beginners' luck! Who didn't drive their parents and neighbours up the wall playing their first chords on this guitar? It's nice to know that the **CG102** still exists in its original form after all those years. Fortunately, parents have changed in the meantime.



CG102

- Top: Spruce
- Back, Sides & Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm

Total Section 1

• String Length: 650 mm (25 9/16")

CLASSICAL

GUITARS

- Hardware: YTM-01
- Colour: Gloss Natural

C80

- Top: Spruce
- Back, Sides & Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: YTM-06
- Colour: Gloss Natural

C70

- Top: Spruce
- Back & Sides: Meranti
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: YTM-01
- · Colour: Gloss Natural

C40

- Top: Spruce Body: Meranti Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Hardware: Yamaha Chrome Colour: Gloss Natural

C40M

• As C40, Colour: Matte

C40BL

• As C40, Colour: Black

CS40

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard, Bridge: Rosewood
- Nut Width: 48 mm
- String Length: 580 mm (22 13/16")
- Hardware: Yamaha Chrome
- Colour: Gloss Natural, Black



CGS104A

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard: Sonokeling
- Bridge: Rosewood
- String Length: 650 mm (25 9/16")
- Colour: Gloss Natural

CGS103A

3/4 Guitar – For beginners

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard: Sonokeling
- Bridge: Rosewood
- String Length: 570 mm
- Colour: Gloss Natural

CGS102

1/2 Size - For The Very Smallest Beginners

- Top: Spruce Back & Sides: Meranti
- Neck: Nato Fingerboard, Bridge: Rosewood
- String Length: 535 mm
- Colour: Gloss Natural



Following the long heritage of Yamaha's classical guitar range, the **CGX** nylon classical guitars combine select woods with decades of crafting experience. Offering several variations on this classic design, these electric/nylon acoustics offer amplified sound which is easy to control letting you concentrate on performing. Yamaha is yet again on trend with this full bodied Electro Classical Guitar. A no nonsense piezo system with Yamaha pre-amp (including on-board tuner) cuts it for those needing to perform live without fuss or concern.







CLASSICAL GUITAR / YAMAHA PRE AMP / ON-BOARD TUNER

- Top: Spruce
- Back & Sides: Nato
- Neck: Nato
- Fingerboard: Rosewood
- Frets: 22
- Nut Width: 48 mm
- String Length: 650 mm (25 9/16")
- Pickup/Controls: System 68N, 1-way with Tuner





- Top: Spruce
- Body: Meranti
- Neck: Nato
- Fingerboard, Bridge: Rosewood
- Nut Width: 52 mm
- String Length: 650 mm (25 9/16")
- Pickups: System50, Piezo,1-way, passive
- Controls: Volume, Tone
- Hardware: Yamaha Chrome
- Colour: Gloss Natural



Following in the footsteps of the classic **\$G2000**, the **\$G1820** is the Yamaha SG for the 21st century. Redesigned for today's music and today's players, the re-imagined SGs feature new body construction designed to give the heavy sounds & fluid sustain that today's players demand along with new finishes and totally upgraded & professional hardware. The new **\$G1820LTD** takes the road-ready spec of the **\$G1820** and adds a stunning AAAA flame maple top in order to craft a guitar that has knock-out looks to go with its devastating tone and playability.







SG

SERIES



HANDMADE IN JAPAN


Body: Mahogany/AAAA-Maple

Neck: Mahogany
Fingerboard: Rosewood
Scale Length: 24 3/4"

• Frets: 22
• Pickups: 2x S.Duncan '59er


Tuners: Grover LockingHardware: Yamaha Chrome,

T-O-M (TonePros)





Charcoal Grey



The Yamaha SG has been known as one of the "best ever" electric guitars for 35 years now. In 2010 Yamaha proudly presents the next generation SG: the SG1820. Designed by players for players, the **\$G1820** series meets all the demands made by today's rock quitarists. There are three models to choose from, three distinct characters, and each one is a Yamaha SG at heart. Awesome sound, effortless playability and rugged on-the-road reliability have made the Yamaha SG a world favourite.

WELCOME TO THE NEXT GENERATION ELECTRIC GUITAR FROM YAMAHA.







SG1820

CLASSIC • HANDMADE IN JAPAN

SG

SERIES

Vintage White

HARD CASE

INCLUDED

• Body: Mahogany Top: Maple

Mahogany, Set-In • Neck:

• Fingerboard: Rosewood • Scale Length: 24 3/4"

• Frets:

• Bridge: T-O-M (TonePros) • Pickups: 2x S.Duncan '59

• Tuners: Grover Locking • Hardware: Yamaha Chrome

Colours: Black, Vintage White, **Brown Sunburst**

THE SG1820 RANGE

There are three SG1820 models: Classic, Vintage and Modern. Each model is fitted with a different set of pickups and harware. All three feature set-neck design and are available in various finishes.

The Classic model combines nickel hardware with nickel-plated Seymour Duncan '59 humbuckers.

The Vintage model is the first Yamaha SG to feature P-90 pickups as a standard fitting. The SG 1820 Modern completes the range, with black nickel hardware and active EMG60/81-pickups.









SG1802

VINTAGE • HANDMADE IN JAPAN

• Body: Mahogany • Top: Maple

• Neck: Mahogany, set-in

• Fingerboard: Rosewood

• Scale Length: 24 3/4" • Frets:

• Bridge: T-O-M (TonePros)

• Pickups: 2x S.Duncan SP-90

• Tuners: Grover Locking Yamaha Chrome • Hardware:

Black, Gold • Colours:





MODERN • HANDMADE IN JAPAN

Body: Mahogany Top: Maple

Mahogany, set-in • Neck:

• Fingerboard: Rosewood • Scale Length: 24 3/4"

• Frets: 22

• Bridge: T-O-M (TonePros) • Pickups: 2x EMG 685/81 • Tuners: Grover Locking • Hardware: Yamaha Black Chrome

• Colours: Black, Silver Burst





Silver Burst





Jazz supremo **MIKE STERN'S** signature Pacifica combines traditional guitar construction with modern appointments to create an instrument of unparalleled playability, character and versatility. But be warned, this is no polite jazz-only guitar – it's more than happy on the heavier side of things...

PACIFICA MIKE STERN





1611MS

HANDMADE IN JAPAN

MIKE STERN SIGNATURE

• Body: Ash
• Neck: Maple
• Fingerboard: Maple
• Scale Length: 25 ½"
• Frets: 22

Bridge: Six Saddle Hardtail
Pickups: 1x Duncan HU '59,

1x Duncan Hot Rail

• Hardware: Yamaha Chrome

Colour: Natural

PACIFICA SERIES

PACIFICA611 VFM

Pacifica611 series gets a tremolo option in the shape of Wilkinson VS50-6 and Grover locking machine heads. These guitars genuinely accommodate a growing market niche; accomplished players looking for something different and complimentary to their guitar collection. Guitarists who can play at a reasonable level and have an understanding of tone will be interested in this guitar and intrigued by what Yamaha has done—"A boutique guitar at an affordable price."



611 VFM

Body: Alder/Flamed Maple Top
 Neck: Maple/Tinted

Neck: Maple/TintedFingerboard: Rosewood

• Tuning Machine: Grover Locking

• Scale Length: 25 ½"

Bridge: Wilkinson TremNut: Black TUSQ-XL

Pickups: 1 x Duncan SP 90,
 1 x Duncan Custom 5

Colours: Root Beer (RTB), Translucent
 Black (TBL), Tobacco Brown

Sunburst (TBS)



Root Beer

Translucent Black

Tobacco Brown Sunburst

First launched in 1990, and designed by Yamaha Guitar Development in Hollywood, the Pacifica series was driven by the Californian session scene of the day - where versatility, performance and individuality were key. Inspired by those custom-shop guitars, and that original vision, the latest Pacifica guitars are today's embodiment of the concept. Handselected, pro-grade hardware and components are matched with tonewood construction and stage-ready setup to ensure Pacifica's defining quality is the essence of an LA customshop quitar: Serious Performance.

611H

• Body: Alder/Flamed Maple Top

• Neck: Maple/Tinted • Fingerboard: Rosewood

Black TUSQ-XL • Nut:

• Scale Length: 25 1/2" Hardtail • Bridge:

• Nut: Black TUSQ-XL

• Pickups: 1 x Duncan SP 90, 1 x Duncan Custom 5

 Colours: Root Beer.

> Translucent Black, Translucent Purple,

Black, Light Amber Burst



311H

Vintage White

• Body: • Neck:

Maple • Fingerboard: Rosewood

• Tuning Machine: Grover Locking • Nut: Black TUSQ-XL

Alder

25 1/2" • Scale Length:

• Bridge: Hardtail • Neck PU: P-90

• Bridge PU: Nickel Cover HB

Colours: Red Metallic, Black, Yellow Natural Satin,

Vintage White



• Body: Alder

• Neck: Maple (Tinted)

• Fingerboard: Rosewood

• Tuning Machine: Grover Locking • Nut: Black TUSQ-XL

• Scale Length: 25 1/2"

• Bridge:

Vintage (Wilkinson) • Neck PU:

• Bridge PU: Duncan P-Rails • Colours:

Candy Apple Red, Sonic Blue, Black,

Old Violin Sunburst, White



Candy Apple Red

Sonic Blue

White

212VFM

@YAMAHA

• Body: Alder/Flamed Maple,

Matching Headstock Maple, Rosewood

Neck: Maple, Rosewood

Fingerboard: Rosewood
Scale Length: 25 ½"
Frets: 22

• Pickups: 1x HU (push/pull Split), 2x SC

Hardware: Yamaha Chrome Tremolo: Yamaha Vintage

Colours: Tobacco Brown Sunburst,

Translucent Black, Caramel Brown



Translucent Black

Caramel Brown

......

Translucent Black

212VQM

Body: Alder/Quilted Maple,
 Matching Headstock

Neck: Maple, Rosewood

• Fingerboard: Rosewood • Scale Length: 25 ½"

• Frets: 22

Pickups: 1x HU (push/pull Split),

2x SC

Hardware: Yamaha Chrome Tremolo: Yamaha Vintage

Colours: Tobacco Brown Sunburst,
 Translucent Black, Caramel Brown



......

.

Caramel Brown

Tobacco Brown Sunburst

PACIFICA SERIES



Yellow Natural Satin

Old Violin Sunburst

Black

112V

• Body: Alder

• Fingerboard: Rosewood

• Neck: Maple, Rosewood

• Scale Length: 25 ½" • Frets: 22

Pickups: 1x Alnico V Humbucker

(push/pull split), 2x Alnico V Single Coils

Hardware: Yamaha Chrome
 Tremolo: Yamaha Vintage

• Colours: Old Violin Sunburst, Black.

> Raspberry Red, Sonic Blue, Silver, Yellow Natural Satin



Silver

Raspberry Red

Sonic Blue

GUIT,

PACIFICA SERIES

112VCXBL

• Body: Alder • Fingerboard: Rosewood

Maple, Rosewood • Neck:

• Scale Length: 25 1/2" • Frets:

• Bridge: Vintage Tremolo with

Block Saddle

• Pickups: 2x Yamaha Alnico SC.

1x Yamaha Alnico HU,

HU splitting, push/pull pot Yamaha Chrome

• Hardware: • Tremolo: Yamaha Vintage

• Pickguard: Black • Colour:

112VMX



• Body: Alder • Fingerboard: Rosewood

• Neck: Maple, Rosewood

• Scale Length: 25 1/2" • Frets: 22

• Bridge: Vintage Tremolo

with Block Saddle

• Pickups: 2x Yamaha Alnico SC.

1x Yamaha Alnico HU, HU splitting, push/pull pot

Yamaha Chrome

• Hardware: Colour: Vintage White





• Body: • Fingerboard: Rosewood • Neck: Maple • Frets: 22 • Scale Length: 25 1/2" • Pickups: 1x HU

(push/pull Split),

2x SC

• Hardware: Yamaha Chrome • Tremolo: Yamaha Vintage

Black • Pickguard:

Yellow Natural Satin • Colour:



Metallic Red

112VM

• Body: Alder • Neck: Maple • Fingerboard: Rosewood 22 • Frets: • Scale Length: 25 1/2"

1x HU (push/pull Split), 2x SC • Pickups: • Hardware: Yamaha Chrome

• Tremolo: Yamaha Vintage Colour: Black, Metallic Red, Tobacco Brown Sunburst







Red Metallic





LEFT HANDED

VERSION AVAILABLE



112J

Lake Placid Blue

Alder • Body:

• Neck: Maple, Rosewood

• Frets: • Scale Length: 25 1/2"

1x Yamaha HU. 2x Yamaha SC • Pickups:

Yamaha Chrome • Hardware: • Tremolo: Vintage

Colours: Old Violin Sunburst, Red Metallic, Black, Yellow Natural Satin, Lake Placid Blue

LEFTHAND-MODEL PACIFICA112JL:

Black, Yellow Natural Satin Colours:

120H

• Body: Alder • Fingerboard: Rosewood Neck: Maple • Frets: 22 • Scale Length: 25 1/2" • Pickups: 2x HU • Hardware: Yamaha Chrome

• Pickguard: Black

Colours: Black, Tobacco Brown Sunburst,

Yellow Natural Satin. Vintage White





Yellow Natural Satin



Old Violin Sunburst

Black

GUIT,

Dark Blue Metallic

Red Metallic

STARTER SETS

012

Body: AgathisNeck: Maple

• Frets: 22

• Scale Length: 25 ½"

Fingerboard: Sonokeling
Pickups: 1 x HU, 2 x SC

Hardware: Volume, Tone

• Colours: Black, Red Metallic,

Dark Blue Metallic, Vintage White,

Black Sparkle

EG112

• Body: Alder

• Neck: Maple, Rosewood

• Pickups: 1 x HU, 2 x SC Power PUs

Hardware: Yamaha Chrome
 Tremolo: Yamaha

• Colour: Black

ERG121

• Body: Alder

• Neck: Maple, Rosewood

• Pickups: 2 x HU, 1 x SC

Hardware: Yamaha Chrome
 Tremolo: Yamaha

• Colour: Black



EG112UP

EG 112 incl. Gigbag, belt, pitch pipe, strings, 3 picks, string winder



EG112GP

Gigmaker EG - Plug & Play!
Perfect set for beginners.
EG 112 incl. 15 Watt Amp GA 15,
gigbag, belt, tuner YT 100, strings,
3 picks, string winder



ERG121GP

Gigmaker ERG - Plug & Play!
Beginner's choice in black...
ERG 121 incl.15 Watt Amp GA 15,
gigbag, belt, tuner YT 100, strings,
3 picks, string winder



GUIT,

RGX/2

Body: A.I.R.Neck: Maple

• Fingerboard: Rosewood • Scale Length: 25 ½"

• Hardware: Yamaha Custom

• Frets: 22

• Pickups: 2x Alnico Humbucker

Controls: Master Volume.

3-position Rotary Swich,

RGX

Pickup Indicator

Bridge: A.I.R. Mounting System

• Colours: White/Aircraft Gray, Black





"Black is beautiful", also applies to the hot RGXA2 series. All of the innovation, tone and endless sustain of the preceding version but packed into a stealthy black 3 kg body.



The conventional wisdom in building electric guitars has long been: the more uniform and heavy the material, the better the sound.

But not any more. Yamaha has shattered this concept with an advanced technology called Alternative Internal Resonance, or A.I.R. for short (patent pending). This revolutionary design approach means that lightweight materials can at last deliver equivalent or superior tonal characteristics compared to traditional materials.

The result? A smarter and lighter model with all of the sound quality you expect from a Yamaha.




THE SECRET OF A.I.R. TECHNOLOGY

Lightweight material is sandwiched between harder, heavier wood on both the front and back surfaces of the guitar's body. Special sound tubes pass through the body so that string vibrations normally resonating only the guitar's top are transmitted to the whole body. By exciting the entire body structure and shaping the tone with the hard top and back, A.I.R. construction creates a full, powerful tone with distinctive presence and body that is both totally usable and completely unique. Who said beauty was only skin deep?

PICKUP SELECTOR SYSTEM

This newly developed system uses high-intensity lights to indicate the active pickup, clearly showing which high-output pickup you have selected, even on the darkest stage.



RGX420DZ2

• Body: Alder

• Neck: Maple, Rosewood

• Frets: 24

• Tremolo: Floyd Rose Lic. (black)

• Pickups: 2 x EMG Humbucker (H4A/H4)

VICTOR SMOLSKI I RAGE

Hardware: Yamaha Black Nickel

• Colours: Satin Black, Black, White

RGX220DZ

• Body: Alder

• Neck: Maple, Rosewood

• Frets: 24

Metallic Blue

• Bridge: Floyd Rose Lic. (black)

RGX

• Pickups: 2 x Yamaha

Humbucker

• Hardware: Yamaha Black

• Tremolo: Vintage

• Colours: Metallic Red,

Metallic Black, Metallic Blue,

Dark Metallic Grey

Satin Black



LEFT HANDED VERSION AVAILABLE

RGX121Z

Body: Alder

• Neck: Maple, Rosewood

• Frets: 22

• Pickups: 2 x Yamaha Humbucker

• Hardware: Yamaha

Colours: Black, Flat Silver, Metallic Red

LEFTHAND-MODEL RGX121ZL:

• Colour: Black



HANDMADE IN JAPAN

• Body: Maple

• Neck: Maple, Ebony

Frets: 22Scale Length: 24"

• Pickups: 2 x Yamaha HU

• Bridge: T-O-M

Hardware: Yamaha Gold
Controls: Master Vol., Master Tone

• Colours: Violin Sunburst,

Brown Sunburst

HANDMADE IN JAPAN

• Body: Maple

• Neck: Maple, Rosewood

• Frets: 22
• Scale Length: 25 ½"
• Pickups: 2 x DiMarzio

Bridge: T-O-M

Hardware: Yamaha Gold

• Controls: Master Vol., Master Tone

• Colours: Orange, Pearl Snow White

GUITARS


WELCOME TO A NEW KIND OF AMP ...

THR is the first amp completely designed to fit how you play off-stage. With big amp response, incredible effects, and hi-fi stereo sound in a package that's built to meet all of your off-stage needs. You're about to begin a new chapter in your playing. Everything you need: tones that push amp modeling to a new level, recreating the exact experience of playing a tube amp thanks to Yamaha's exclusive Virtual Circuitry Modeling (VCM) technology, ultrarealistic reverbs and effects and true hi-fi quality stereo audio playback that no quitar amp can get close to - all wrapped up in a package designed to mirror how you really play.

THR10/5

- Amp Types: Clean, Crunch, Lead, Brit Hi, Modern
- Additional Amps (only with THR10) Bass, Acoustic, Flat
- Effects: Chorus, Flanger, Phaser, Tremolo, Delay, Delay/Reverb, Spring Reverb, Hall Reverb, Compressor*, Noise Gate*
- Connections: INPUT (Standard Mono Phone), PHONES (Standard Stereo Phone), AUX IN (Stereo Mini), USB
- Speakers: 8cm Full Range x 2
- Rated Output: 10W (5W + 5W)

*only available in the THR Editor



THR SESSION

Session app for practicing along to your favorite songs. Compatible with: iPhone 4S/iPhone 4/ iPhone 3GS/ iPod touch (4th generation) iOS5.0 or later



THR

.

With THR 10 save up to 5 amp

· 33333

and FX settings onboard

mr. 2.2

THR Editor for deep editing and preset librarian.

Multi effect section

Tap tempo function, chromatic tuner

LEAD @

CRUNCH @ TAP: TIME CLEAN

Full DAW Integration via USB 2.0 (Cubase, Logic etc.)

YOU SAY YOU WANT A REVOLUTION?

The **THR** revolution in home amplifiers continues with the introduction of three new THRs that bring inspiring and full-blown stage sounds into the home at a volume level the whole family will appreciate. An enormous variety of tones are now available from the ultimate auitarist's portable toolbox.



THRIOX. The Ultimate in High Gain Tone at Home. This Ammo Box contains 5 newly modeled VCM channels ripped from the glowing valve hearts of 3 world famous amplifiers and 5 hard-hitting cabinets. We then added our clean/crunch model from the original THR10 for even more versatility.



Olive Green



THRIOC. Combo and Boutique amplifiers drip from every vent on this blue baby, You'll swear that you smell the burning dust on the power tubes! 5 VCM Tweed 'n' Tolex amp & cabinet models that nail those often impossible to achieve 'just on the edge of breaking up' tones.





THR5A. Microphone and Tube Pre-amp Models with re-vamped effects for the Acoustic Player, All new VCM CONDENSER and DYNAMIC mic models plus a warm TUBE Pre-amp setting. Re-vamped effects & compression for the acoustic player, plus the compact THR5A chassis, make this THR a versatile busking partner and songwriter's toolkit.





THR SOFTCASE SCTHR

- Deluxe padded carry bag for Yamaha THR guitar amps
- Padded divider adaptes to THR5 or THR10 Models for custom fit
- Detachable shoulder strap



■ AMPS

GA15II

- Control Knobs: Drive, Drive Volumen, Clean Volumen, Bass, Middle, Treble
- Connections: Input, Phones (Mini Jack), Aux In (Mini Jack)
- Speakers: 16 cm Full Range x 1
- Rated Output: 15 W
- Dimensions: Width 291 mm, Height 189 mm, Depth 300 mm
- Weight: 5 kg



- CASE-APX Case for Flat APX Models
- CASE-CPX Case for CPX Models

■ MIDI FOOT CONTROLS

 MFC10 128 Presets, Foot Pedal, Bank Select

TUNERS

- · YT250 Guitar Tuner LCD, chrom. 7 Oct.
- YT150 Guitar Tuner LCD • YT100 Guitar Tuner LED



o 40 40 (00 a) a) a) (0)

YAMAHA



1Ε/X

YTC10



GUITAR

ACCESSORIES

YT250

NEW

YTC5

■ CLIP-ON GUITAR TUNERS

YTC10

- Sensitivity Option of High or Low depending on Background Volume
- Calibration/Pitch Shift: A4=415Hz, 435Hz-446hz
- On-Board Auto-Tune is featured and a useful automatic
- Power Off Function

YTC5

- Standard Pitch A4=415Hz
- Clip-On Tuner for Guitar Products (Guitar/Bass/Ukulele)
- Auto-Tune featured
- Backlight with a battery life of 25 hours

STRINGS FOR ELECTRIC GUITARS







STRINGS FOR BASS GUITARS








STRINGS FOR APX GUITARS





STRINGS FOR CLASSIC GUITARS



STRINGS FOR FOLK GUITARS







ELECTRIC GUITARS

• EN09 Super Light • EN10 Light • EN11 Standard • EN09HB Light Top / Heavy Bottom Light Top / Heavy Bottom • EN10HB • EN10DS Strings for Drop6 • EN11DS Strings for Drop6

BASS GUITARS

• EN12DS

 H4030II Bass Strings, 4-String (0.45-105) H4050II Bass Strings, 5-String (0.45-125) Bass Strings, 6-String (0.32-125) H4070II

Strings for Drop6

APX GUITARS

Phosphor Bronze Light AEN12 Standard Nylon

CLASSIC GUITARS

 CN 10 Standard Tension Nylon

FOLK GUITARS

• FB10 80/20 Bronze Super Light • FB12 80/20 Bronze Light • FB13 80/20 Bronze Medium • FB1200 80/20 Bronze Light 12-String Phosphor Bronze Super Light • FP10 Phosphor Bronze Light • FP12 Phosphor Bronze Medium • FP13 • FP1200 Phosphor Bronze Light 12-String • FS50BT Anti-Rust Light (0.12 - 0.52)





With Mr Big launching a new album and going back on the road in 2011, **BILLY SHEEHAN'S** incredible Attitude signature bass sees its 21st anniversary, its third major version, and the first major update in 17 years. Built to Billy's exacting requirements, the **Attitude Limited 3** features construction details first launched on the incredible Super-BB basses melded together with all-new details to make this the hardest-hitting, highest performance Yamaha bass to date.



HANDMADE IN JAPAN

• Body: Alder (A.R.E.)

Neck: Maple
Fingerboard: Maple
Scale: 863 mm
Frets: 21

 Pickups: 2x DiMarzio
 Hardware: Yamaha Black, HipShot (D-Tuner)

• Colours: Sonic Blue, Black





NATHAN EAST has appeared on countless albums and has toured with some of the biggest names in modern music. Whether he's playing blues with Eric Clapton, pop with Phil Collins, or contemporary jazz with Fourplay, Nathan relies on his **BBNE 2** signature 5-string bass to deliver the tone he needs. Featuring neck-through construction, the two-octave neck is built from maple and mahogany with an ebony fingerboard inlaid with figured abalone. Matching mother-of-pearl tuners complete the look. The unique BB body is made of maple and alder for a fat sound with plenty of definition. The BPZ-7 bridge features individual, machined saddles that provide precise intonation, a low profile, and an elegant look. The stacked Alnico humbuckers run through Yamaha's 5-control active electronics, which feature a custom 3-band EQ with a switchable mid-cut to provide sonic versatility for any situation.

BBNE 2

NATHAN

EAST

HANDMADE IN JAPAN

• Body: Alder

Neck: Maple, Mahogany

Fingerboard: EbonyFrets: 24Scale Length: 34"

• Pickups: 2x Alnico V Stack

Controls: Master Volume, Balancer,

3-Band EQ, MCF

Hardware: Yamaha GoldColours: Black, White










Perfectly matched to the incredible playing of it's creator, the **TRB JP2 JOHN PATTITUCCI** model offers incredible custom specification and premium construction to create a bass that's ready for any call. The **TRB JP2**'s alder/ash/maple body features sculpted cutaways that hug a super-low action 26-fret bolt-on neck and allow easy access to its upper reaches. Electronics include a pair of Alnico V humbuckers and an active 3-band EQ tuned to John's own specs. The **TRB JP2** sports full custom-spec hardware including white perloid peg heads which aid in balancing the long scale 35" neck while adding great looks. A solid brass bridge completes the package, delivering a clear, rich sound with huge sustain.





TRB JP2

HANDMADE IN JAPAN

Body: Alder, AshTop: Maple

• Neck: Ahorn, Maple

Fingerboard: EbonyFrets: 26Scale Length: 34"

• Pickups: 2 x Double Coil

Controls: Master Volume, Balancer,

3-Band EQ

• Hardware: Yamaha Gold

Colours: Amber, Translucent Dark Red



With high-grade Alder bodies crowned by stunning Quilted Maple tops and rock-solid 5-piece bolt-on Maple necks with Rosewood fingerboards, these four-, five- and six-strings dig low and stay punchy. The 35" super long scale offers a tight feel with plenty of attack, even on earth-shaking low notes.

All three **TRB**s feature two Alnico hum-canceling pickups, made exclusively for the series in our Japanese factory. The pickups are mated to an active preamp that features a three-band EQ, master volume and blend controls. High-precision die-cast machines ensure stress-free tuning, while solid brass bridges guarantee the perfect transfer of string vibrations to the body, delivering endless sustain.

TRB1005J

As TRB1006J, but 5-string version



TRB

SERIES

TRBX500 SERIES

ACTIVE - PASSIVE EQ / ALNICO PU / BATTERY ALERT / EASY TO PLAY

TRBX is clearly aimed at the Bass Guitar player moving through the ranks in instrument terms. Naturally intermediate players will be interested in TRBX. Partly because of the looks and partly because of the versatility TRBX offers versus what they currently play. However professionals will definitely be interested in the TRBX500 due to the competitive specifications (materials and pick ups) and that really useful Active/Passive option.

TRBX505 - 5 STRING

• Body: Mahogany

• Neck: Maple/Mahogany 5pc.

Rosewood • Fingerboard: • Scale: 864 mm • Frets:

• Hardware:

• Pickups: Yamaha Alnico HU/Active-Passive

Colours: Translucent Black (TBL), Translucent White (TWH),

Translucent Brown (TBN)

Yamaha Black Chrome

TRBX504 - 4 STRING

As TRBX505 but 4 Strings



TRBX

SERIES

Translucent Black

Translucent White

Translucent Brown

TRBX300 SERIES - 5 EQ STYLE SWITCH / CERAMIC PU / LAMINATED NECK/ THUMBREST

TRBX300 is clearly aimed at the Bass Guitar player moving through the ranks in instrument terms. Naturally intermediate players will be interested, partly because of looks and partly because of the versatility TRBX offers versus what they currently play.

TRBX305 - 5 STRING

• Body: Mahogany

Neck: Maple/Mahogany 5pc.

• Fingerboard: Rosewood • Scale: 864 mm • Frets:

Yamaha Ceramic HU/5 EQ Style Switch • Pickups:

(Slap, Pick, Flat, Finger, Solo)

Yamaha Black Chrome • Hardware: Colours: Black (BL), White (WH),

Candy Apple Red (CAR),

Pewter (PWT), Mist Green (MGR)

TRBX304 - 4 STRING

As TRBX305 but 4 Strings



Sunburst

TRBX 174

- Body: Alder • Neck: Maple
- Fingerboard: Sonokeling
- Scale: 863,6 mm
- Nut Width: 40mm
- Pickup: 1x Split SC, 1x SC
- Tuner: Yamaha Chrome
- Bridge: Vintage Chrome
- · Color: Black, Old Violin Sunburst, Red Metallic, Dark Blue Metallic





SUPER BB

The Yamaha BB has been on stage for 25 years now and is firmly established as an international bass favourite. In the studio, BB players have also laid down a huge number of mega-hit grooves. 2010 begins a new era in the history of the BB-Series. The leader in the world of high-end bass guitars is first to meet the demands of a new generation of players. The BB2024/2025 "Super BB" is the result of close cooperation between designers and top players, a new approach to producing the high-end bass of the future.

BB2025X

HANDMADE IN JAPAN

Alder (A.R.E.) • Body: Maple, Mahogany (5-ply) • Neck:

• Fingerboard: Rosewood • Scale Length: 35", Frets: 21 • Neck PU: 1 x Alnico V

• Bridge PU: 1 x Ceramic • Controls: Master Volume, Tone,

Togale Switch

• Pickguard: Black • Control Panel: Chrome

• Hardware: Yamaha Chrome

Black. • Colours:

Vintage

Vintage White, Vintage Sunburst

Vintage Sunburst

Œ

HARD CASE

INCLUDED

CLASSIC BB DESIGN

Black

The Super BB maintains the distinctive Yamaha BB design, made famous by major players like Billy Sheehan, Nathan East, Michael Anthony and Tony Kanal.



BB

SERIES

HARD CASE INCLUDED

BB2024X

Vintage

White

As BB2025X, but 4-string Colours: Black, Vintage White, Vintage Sunburst

Vintage

Sunburst

Black



BB2024

As BB2025,

but 4-string version

Vintage Sunburst

Colours: Black, Natural,

HARD CASE

INCLUDED

BB1025X

Body: Maple

• Neck: Maple, Mahogany (5-ply)

• Fingerboard: Rosewood • Scale Length: 35", Frets: 21 • Neck PU: 1 x Alnico V • Bridge PU: 1 x Ceramic

Vintage Sunburst

Controls: Master Volume/Tone,

Toggle Switch

 Pickguard: Black

Yamaha Chrome • Hardware:

Colours: Black, Caramel Brown, Vintage

White, Tobacco Brown Sunburst

BB2025

HANDMADE IN JAPAN

• Body: Maple (A.R.E.)

Maple, Mahogany (5-ply) • Neck: • Fingerboard: Rosewood

• Scale Length: 35", Frets: 21 • Neck PU: 1 x Alnico V • Bridge PU: 1 x Ceramic

• Controls: Master Volume/Tone,

Togale Switch

• Hardware: Yamaha Chrome • Colours: Black, Natural,

Vintage Sunburst







but 4-string version Colours: Black, Natural, Vintage Sunburst

• Control Panel: Chrome





Black



BB1025

• Body: Maple

• Neck: Maple, Mahogany (5-ply) • Fingerboard: Rosewood

• Scale Length: 35", Frets: 21 • Neck PU: 1 x Alnico V • Bridge PU: 1 x Ceramic

Master Volume/Tone, • Controls:

Toggle Switch

Red Lava

Yamaha Chrome • Hardware: • Colours:

Black, Caramel Brown Vintage White, Tobacco Brown Sunburst





As BB1025, but 4-string version

Colours: Black, Caramel Brown,

Vintage White

BB

SERIES

Vintage White

BB425

124

· Body: Alder

• Neck: Maple/Rosewood, Set-in

• Fingerboard: Rosewood • Scale Length: 35"

• Frets:

• Bridge: Yamaha Chrome 1x Split Single Coil, • Pickups:

1x Bar Single Coil

Vol., Tone, • Controls:

Toggle Switch Yamaha Chrome • Hardware:

• Colours: Black,

Red Metallic, Tobacco Brown Sunburst. Vintage White





The

CHIEF



• Frets: 21 Yamaha Chrome • Bridge:

1x Split Single Coil. • Pickups: 1x Bar Single Coil

Vol., Tone, Controls: Toggle Switch Yamaha Chrome • Hardware:

Black, Tobacco Brown • Colours: Sunburst, Vintage

White, Red Metallic

BB714BS (BILLY SHEEHAN)

• Body: Alder

Maple, Rosewood, Set-in • Neck:

• Frets:

YAMAHA (chrome) • Bridge: • Pickups: P/Subbass-PickUp • Tuner: Gotoh/Chrome • Controls: Volume, Balance, Tone

• Hardware: Yamaha Chrome • Colours: Red Lava, Black

SC SOFT CASE INCLUDED





· Body: Alder Maple/Mahogany • Neck:

(5-Piece)

• Fingerboard: Rosewood • Scale Length: 864 mm

• Frets:

1x Split Single, • Pickups: 1x Bar Single Coil

Hardware:

Colours:

Yamaha Chrome Black, Old Violin Sunburst, Vintage White, Red Metallic



• Body: Alder • Neck:

Maple/Mahogany (5-Piece)

• Fingerboard: Rosewood • Scale Length: 864 mm

• Frets:

1x Split Single, • Pickups:

1x Bar Single Coil • Hardware: Yamaha Chrome

21

• Colours: Black, Tobacco

Brown Sunburst, Vintage White, Red Metallic



Red Metallic

■ RBX5A2

Body: A.I.R.
 Neck: Maple
 Fingerboard: Rosewood

Frets: 24Scale Length: 34"

Tuners: Yamaha Custom
Pickups: 2 x Single Coil
Controls: Front Volume, Rear Volume

Master Tone

Bridge: A.I.R. Mounting System
 Colours: White/Aircraft Grey, Black

White/Aircraft Grey

■ RBX4∧2

Body: A.I.R.
Neck: Maple
Fingerboard: Rosewood
Frets: 24

• Scale Length: 864 mm

Tuners: Yamaha CustomPickups: 2 x Single Coil

Controls: Front Volume, Rear Volume,

Master Tone

Bridge: A.I.R. Mounting System
 Colours: White/Aircraft Grey, Black



White/Aircraft Grey

Black

RBX

RBX270

Body: Alder
 Neck: Maple
 Fingerboard: Rosewood

• Frets: 24

• Hardware: Yamaha Chrome

• Pickups: 2 x SC

• Colours: Black, Flat Blue, Silver,

Mist Green, Red Metallic, Yellow Natural Satin

POPULAR BY DESIGN... THE NEW RBX170EW

Ergonomic design, easy playability and an affordable price make the **RBX** our most popular bass. To make this bestseller even more attractive, it is now also available with a beautiful mango top as part of our Exotic Woods series. The new **RBX170EW** is the first choice for all ambitious beginners with the wish for individuality, playability and performance that just won't stop.

RBX170/RBX170EW

• Body: Agathis/Mango (EW only)

Neck: Maple
Fingerboard: Rosewood
Scale: 864 mm
Frets: 24

Pickups: YAMAHA Single Coil P/J

Hardware: YAMAHA Chrome

Color: Black, Dark Blue Metallic,
Old Violin Sunburst, Silver,

Old Violin Sunburst, Silver, Red Metallic, Light Amber Burst, Root Beer (EW), Natural (EW), Tobacco Brown Sunburst (EW)






The ideal entry-level set! ERB070 bass including YB15, gigbag, YT140 tuner, cable, strap and plecs



Tobacco Brown Sunburst





SOUNDING SO GOOD HAS NEVER BEEN THIS EASY

The **POCKETRAK PR7** is Yamaha's newest, ultra-portable linear PCM recorder that provides effortless high-quality recordings whenever and wherever you need. Equipped with a newly developed crossed XY stereo microphone, the PR7 captures high-resolution stereo recordings, achieving consistent quality and natural sound. An invaluable tool for any musician, the PR7 offers essential practice functions such as an onboard tuner and metronome, as well as powerful recording functions like overdubbing and marker editing – all easily accessed via a simple, intuitive interface. It even features five optimized presets tailored to a variety of applications, so whether you're rehearsing, songwriting, attending a speaking engagement or making a field recording, achieving studio quality sound has never been so easy.




POCKETRAK PR7

- Digital Recorder (compact & lightweight)
- Large crossed XY stereo microphone
- Up to 24 bit/96 kHz audio recording
- Features Overdubbing and Marker Editing during recording and playback
- 5 Recorder Presets
- Built-in tuner and metronome
- 2GB built-in memory
- Micro SD/SDHC card slot for up to 32GB storage
- Built-in speaker
- WaveLab LE included
- · High Pass Filter
- · Limiter for dynamic control

WAVELAB LE AUDIO EDITING SOFTWARE (BUNDLED)*

WAVELAB LE software provides 2-track audio editing with professional EQ and dynamics processing for mastering or enhancing your tracks.

*Access code for free download included in package















POWER PERFECTLY PROCESSED

DSR-SERIES loudspeakers takes portable loudspeakers to the extreme limits of their potential. Output levels are pushed to the highest sound pressure levels possible, yet in cabi- nets that are lightweight and compact. Sound resolution remains superb, no matter how hard or for how long the speakers are driven. Designed by applying our leading-edge digital and acoustic technologies developed over decades, the **DSR-SERIES** provides a listening experience that redefines high definition sound reinforcement.



••• EXTREMELY LOUD ••• COMPACT SPEAKERS WITH 48-BIT DSP AND FIR-X TUNING ••• PREMIUM GRADE TRANSDUCERS ••• 7-YEAR'S GUARANTY •••



Heavy-duty powdercoated steel grilles



LINE-X® coating (Damage resistant)



Locking IEC power connector



M10 rigging points for suspended installation (DSR115/ DSR112)
DSR112).



DSR

SERIES

Backside (DSR215/DSR115/ DSR112)

DSR215

- IF: 2x15" cone
- Voice Coil: 2.5"
- Magnet: Ferrite
- HF: Diaphragm 2"
- Type: 1" throat compression driver
- Magnet: Neodymium
- Output power:

Dynamic: 1500W (LF: 1020W HF: 480W) Continuous: 1300W (LF: 850W HF: 450W)

- Max. SPL: 138dB SPL
- Dimensions: W 467 mm, H 1158 mm, D 520 mm
- Net weight: 49.8 kg




DSR115

- IF: 15" cone
- Voice Coil: 3"
- Magnet: Neodymium
- HF: Diaphragm 2"
- Type: 1" throat compression driver
- Magnet: Neodymium
- Output power:

Dynamic: 1500W (LF: 1020W HF: 480W) Continuous: 1300W (LF: 850W HF: 450W)

- Max. SPL: 136dB SPL
- Dimensions: W 442 mm, H 755 mm, D 423 mm
- Net weight: 28 kg





DSR112

• IF: 12" cone

• Voice Coil: 3"

• Magnet: Neodymium

• HF: Diaphragm 2"

• Type: 1" throat compression driver

• Magnet: Neodymium

• Output power:

Dynamic: 1500W (LF: 1020W HF: 480W) Continuous: 1300W (LF: 850W HF: 450W)

• Max. SPL: 134dB SPL

Dimensions: W 370 mm, H 638 mm, D 368 mm

• Net weight: 21.2 kg

DSR118W

• LF: 18" cone

• Voice Coil: 3" • Output power:

> Dynamic: 1020W Continuous: 800W

• Max. SPL: 132dB SPL

• Dimensions:

W 520 mm, H 638 mm, D 584 mm

• Material: Wood (Paint, Black) • Pole socket: 35mm (Top x1)

• Net weight: 42 kg





Backside (DSR118W)

DSR

SERIES

	DSR215	DSR115	DSR112	DSR118W
Transducer: LF	2x 15"cone / 2,5" v.coil	15" cone / 3" v.coil	12" cone / 3" v.coil	1x 18" cone / 2,5" v.coil
Transducer: HF	2" Diaphragm	2" Diaphragm	2" Diaphragm	-
Power Rating	"1500W (LF:1020W/HF: 480W)"	"1500W (LF:1020W/HF: 480W)"	"1500W (LF:1020W/HF: 480W)"	"1020W
Maximum SPL	138 dB SPL	136 dB SPL	134 dB SPL	132 dB SPL
Frequency Range	45Hz - 20kHz	45Hz - 20kHz	55Hz - 20kHz	40Hz - 130Hz
DSP	D-Contour	D-Contour	D-Contour	-
Inputs / Outputs	In: XLR, Phone / Out: XLR	In: XLR, Phone / Out: XLR	In: XLR, Phone / Out: XLR	In: 2xXLR / Out: 2xXLR
Riggin Points	-	3 (fits for M10 x 18 mm eybots)	3 (fits for M10 x 18 mm eybots)	-
Pole Socket	-	35 mm (Bottom)	35 mm (Bottom)	35 mm (Top)
Cooling	Natural convection	Natural convection	Natural convection	Natural convection
Dimensions (WxHxD)	467 x 1158 x 520 mm	442 x 755 x 423 mm	370 x 638 x 368 mm	520 x 638 x 584mm
Material/Finish	Wood, Line-X	Wood, Line-X	Wood, Line-X	Wood, Line-X
Weight	49,8 kg	28,0 kg	21,2 kg	42,0 kg

SPEAKER COVERS FOR DSR-SERIES

Yamaha Music Europe is pleased to present a new line of tough-as-nails armored speaker covers for DSR-Series. These newly designed covers are compact, collapsable & light in weight. They are an excellent choice for all situations where a full hardshell case would prove impractical.







SCDSR112 FOR YAMAHA DSR112

- Padded Speaker Cover for DSR112
- Tearproof polyester material
- Pouch for cable
- Handle Cutout
- Yamaha Logo
- · Colour: Black

SCDSR115 FOR YAMAHA DSR115 • Padded Speaker Cover for DSR115

- Tearproof polyester material
- Pouch for cable
- Handle Cutout
- Yamaha Logo
- Colour: Black

SCDSR118 FOR YAMAHA DSR118W

- Padded Speaker Cover for DSR118W
- Tearproof polyester material
- Handle Cutout
- Yamaha Logo
- Colour: Black

POWER TO THE PEOPLE!

DXR SERIES LOUDSPEAKERS offer superb high-definition sound and class-leading sound pressure levels – yet in a more compact and extremely functional design that provides a level of versatility unmatched by any speaker in its class today. Each DXR speaker provides two Class D digital amplifiers, one D-Contour multi-band compressor and comprehensive DSP-protections. In addition, all full range models feature Yamaha's proprietary FIR-X tuningTM utilizing linear phase FIR filters for the crossover network.





COMPACT SPEAKERS WITH 48-BIT DSP AND FIR-X TUNING ··· 7-YEAR'S GUARANTY ···



Symmetrical Enclosure Design for Mirror-Mode Floor Monitoring (DXR12/DXR15)



High-Efficiency 1100W Class-D Amplifiers



Durable, Compact ABS Enclosures



DXR/DXS

SERIES

UP TO

1300W

Backside (DXR15/DXR12/DXR10/DXR8)



DXR15

- LF: 15" cone
- Voice Coil: 2.5"
- Magnet: Ferrite
- HF: Diaphragm 1.4"
- Type: 1" throat compression driver
- Magnet: Ferrite
- Output power:

Dynamic: 1100W (LF: 950W HF: 150W)
Continuous: 700W (LF: 600W HF: 100W)

- Max SPL: 133dB SPL
- Dimensions: W 445 mm, H 700 mm, D 380 mm
- Net weight: 22.5 kg

DXR12

- LF: 12" cone
- Voice Coil: 2.5"
- Magnet: Ferrite
- HF: Diaphragm 1.4"
- Type: 1" throat compression driver
- Magnet: Ferrite
- Output power:

Dynamic: 1100W (LF: 950W HF: 150W)
Continuous: 700W (LF: 600W HF: 100W)

- Max SPL: 132dB SPL
- Dimensions: W 362 mm, H 601 mm, D 350 mm
- Net weight: 19.3 kg





DXR/DXS SERIES

DXR10

- LF: 10" cone
- Voice Coil: 2"
- Magnet: Ferrite
- HF: Diaphragm 1.4"
- Type: 1" throat compression driver
- Magnet: Ferrite
- Output power:
- Dynamic: 1,100W (LF: 950W HF: 150W) Continuous: 700W (LF: 600W HF: 100W)
- Max SPL: 131dB SPL
- Dimensions: W 305 mm, H 502 mm, D 310 mm
- Net weight: 14.6 kg

DXR8

- LF: 8" cone
- Voice Coil: 2"
- Magnet: Ferrite
- HF: Diaphragm 1.4"
- Type: 1" throat compression driver
- Magnet: Ferrite
- Output power:
- Dynamic: 1,100W (LF: 950W HF: 150W)
 Continuous: 700W (LF: 600W HF: 100W)
- Max SPL: 129dB SPL
- Dimensions: W 280 mm, H 458 mm, D 280 mm
- Net weight: 13.5 kg



POWER IN VERSATILITY

DXS Series is a new line of compact, high output **ACTIVE SUBWOOFERS** that match perfectly with DSR and DXR full-range active loudspeakers.





DXS15

- LF: 15" cone
- Voice Coil: 2.5"
- Magnet: Ferrite
- Max SPL: 132dB
- Output power: Dynamic: 950W, Continuous: 600W
- Frequency Range: (-10dB): 45Hz-160Hz
- Dimensions: W 478 mm, H 618 mm, D 624 mm
- Material: Wood (Paint, Black)
- Pole socket: 35mm (Top x1)
- Net weight: 38.0 kg

DXS12

- LF: 12" cone
- Voice Coil: 2.5"
- Magnet: Ferrite
- Max SPL: 131dB
- Output power:
- Dynamic: 950W, Continuous: 600W
- Frequency Range: (-10dB): 47Hz-160Hz
- Dimensions: W 397 mm, H 563 mm, D 594 mm
- Material: Wood (Paint, Black)
- Pole socket: 35mm (Top x1)
- Net weight: 33.0 kg



U-BRACKETS FOR DXR-SERIES FOR FLYING APPLICATION

The durable, portable design of its enclosure makes the DXR-SERIES perfectly suited for use in a variety of environments. All DXRs come equipped with rigging points, allowing them to be flown from trussing with standard eyebolts. (DXR8/DXR10: M8 x 15 mm and DRX12/DXR15: M10 x 18 mm). When more versatility is required, optional U-Brackets allow simple and easy rigging in both horizontal and vertical configurations.





U-BRACKET FOR DXR8 UBDXR8 (piece) DXR10 UBDXR10 (piece) DXR12 UBDXR12 (piece) DXR15 UBDXR15 (piece)

DXR/DXS

SERIES

	DXR15	DXR12	DXR10	DXR8	DXS15	DXS12
Transducer: LF	15" cone/2" v.coil	12"cone/2" v.coil	10" cone/2" v.coil	8" cone/2" v.coil	1x 18" cone / 2,5" v.coil	1x 18" cone / 2,5" v.coil
Transducer: HF	1,4" Diaphragm	1,4" Diaphragm	1,4" Diaphragm	1,4" Diaphragm	-	-
Power Rating	"1100W (LF: 950W/ HF: 150W)	"1100W (LF: 950W/ HF: 150W)	"1100W (LF: 950W/ HF: 150W)	"1100W (LF: 950W/ HF: 150W)	"1020W	"1020W
Maximum SPL	132 dB SPL	132 dB SPL	131 dB SPL	129 dB SPL	132 dB SPL	132 dB SPL
Frequency Range	49Hz - 20kHz	52Hz - 20kHz	56Hz - 20kHz	57Hz - 20kHz	40Hz - 130Hz	40Hz - 130Hz
DSP	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)	D-Contour (FOH/Monitor)	-	-
Inputs/Outputs	In: XLR, Phone, RCA / Out: XLR	In: 2xXLR / Out: 2xXLR	In: 2xXLR / Out: 2xXLR			
Rigging Points	3 (fits for M10 x 18mm eybots)	3 (fits for M10 x 18mm eybots)	3 (fits for M8 x 15mm eybots)	3 (fits for M8 x 15mm eybots)	-	-
Pole Socket	35mm (Bottom)	35mm (Bottom)	35mm (Bottom)	35mm (Bottom)	35mm (Top)	35mm (Top)
Cooling	Fan cooling	Fan cooling	Fan cooling	Fan cooling	Fan cooling	Fan cooling
Dimensions (WxHxD)	445x700x380 mm	362x601x350 mm	305x502x310 mm	445x700x380 mm	478x61x624 mm	397x563x594 mm
Material/Finish	ABS, Matte black	ABS, Matte black	ABS, Matte black	ABS, Matte black	Wood, Paint, Black	Wood, Paint, Black
Weight	22.5 kg	19.3 kg	14.6 kg	13.5 kg	38 kg	33 kg

SPEAKER COVERS FOR DXR- AND DXS-SERIES



• Gaps for carrying handles

• Yamaha logo

• Material: synthetic

• Color: black/purple

PADDED SHEATH FOR DXR15 PADDED SHEATH FOR DXR12

• Gaps for carrying handles

MYAMAHA

- Yamaha logo
- Material: synthetic
- Color: black/purple



PADDED SHEATH FOR DXR10

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black



PADDED SHEATH FOR DXR8

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black



• PADDED SHEATH FOR DXS15

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black/purple



PADDED SHEATH FOR DXS12

- Gaps for carrying handles
- Yamaha logo
- Material: synthetic
- Color: black/purple



PORTABLE, COMPACT SOLUTIONS FOR SUPERIOR SOUND AND CONVENIENCE

The MSR100, MSR250 and MSR400 powered speakers can be used alone or in combination with the MSR800W powered subwoofer. You can create sound reinforcement systems from modest to massive that will sound superb while delivering the power and coverage you need for success in just about any venue or at any event.











· · · HIGH-QUALITY PORTABLE POWERED SPEAKER SYSTEMS · · · INPUT A VARIETY OF SOURCES ••• FULL RANGE SPEAKERS WITH RIGGING OPTIONS •••

	MSR400	MSR250	MSR100	MSR800W
Transducer: LF	12" cone	10" cone	8" cone	15" cone
Transducer: HF	1.75" V.C. driver	1" V.C. driver	1" V.C. driver	-
Frequency Response	50 Hz - 20 kHz	55 Hz - 20 kHz	55 Hz - 20 kHz	40 Hz - 120 kHz
Power Rating	400 Watt	250 Watt	100 Watt	800 Watt
Inputs	XLR/Jack	1: XLR/Jack, 2/3: Jack/RCA	1: XLR, 2/3: Jack	XLR
EQ	2-Band EQ	2-Band EQ	2-Band EQ	-
Pole Socket	-	-	Optional extra	- (top)
Weight	23 kg	14.1 kg	11 kg	45 kg

VERSATILE INPUT CHANNEL CONFIGURATION

For extra input flexibility the MSR100 and MSR250 feature several input channels. The signal from the inputs can be mixed together in the speakers. MSR100 features 3 channels with separated level control and one master 2-band EQ. MSR250 features 2 channels with separated level control and separated 2-band EQ.

CONVENIENT STEREO LINKING OPTION

MSR100 and MSR250 provide a link output. The signals from the inputs can be mixed and delivered via the speakers as well as the rear-panel link out connector, allowing convenient linking to other speakers or audio devices for easy system expansion.





MSR250 Rear Panel



SOUND YOU CAN FEEL

The MSR800W high-quality birch plywood bass-reflex cabinet houses a 15" cast frame woofer powered by an ultra efficient 800 watt amplifier, a configuration that can deliver the elusive 40 Hz through 120 Hz frequency range with precision and authority.



PORTABLE PA SYSTEMS

The new **STAGEPAS** features two sleek, lightweight speakers and a detachable powered mixer, along with one pair of speaker cables and a power cord, giving you a complete, extremely portable sound solution that can be set up quickly and easily in a variety of configurations and environments.











	STAGEPAS 600i	STAGEPAS 400i
Max. Power/Max. SPL	680 W / 129dB	400 W / 125dB
Speaker Unit	LF: 10" Cone / HF: 1.4" v.c. Driver	LF: 8" Cone / HF: 1" v.c. Driver
Channels	10 Channels	8 Channels
EQ	3-Band EQ	2-Band EQ
FX	SPX digital reverb	SPX digital reverb
Output Processor	Feedback Suppressor, 1-Knob Master EQ	Feedback Suppressor, 1-Knob Master EQ
Digital inputs	USB Audio for iPod/iPhone	USB Audio for iPod/iPhone
Speaker Mount	Yes	Yes
Phantom Power	30 Volt	30 Volt
Subwoofer Output	Yes	Yes
Dimensions (W x H x D)	Speaker: 335 x 545 x 319 mm	Speaker 289 x 472 x 275 mm
	Mixer: 348 x 197 x 135 mm	Mixer 308 x 180 x 116 mm
Weights	25.4 kg	17.8 kg


IPOD/IPHONE DIGITAL CONNECTION

Enjoy high-quality playback while also charging your iPod/ iPhone so you never have to worry about a drained battery messing with your performance.



SPX DIGITAL REVERB

One knob gives you access to four different high-quality reverb settings, perfect for vocals and acoustic instruments. Simply turn the knob to change the reverb type and time, and then you're ready to apply just the right amount of high-resolution effect to each channel.



FEEDBACK SUPPRESSOR

Avoid the uncomfortable feedback that plagues so many sound reinforcement novices and professionals alike. Usually found only on high-end gear, this intelligent function removes feedback automatically with the push of a button, giving you a clear, professional sound.

OPTIONAL ACCESSORIES

Trolley for Stagepas 400i SCSTAGEPAS300 (without image)

Trolley for Stagepas 600i SCSTAGEPAS500 (image similar)







Microphone Stand Adaptor (BMS-10A)

THE FIRST CHOICE

The **MSP-SERIES** is the choice of top recording and production engineers who demand unmatched accuracy and resolution that reveals critical sonic details.







STUDIO MONITORS







	MSP7STUDIO	MSP5STUDIO	SW10STUDIO
Power	130 Watt (80 Watt LF + 50 Watt HF)	67 Watt (40 Watt LF + 27 Watt HF)	180 Watt
Transducer:	LF: 6,5" / HF: 1"	LF: 5" / HF: 1"	LF: 10" /HF: -
Frequency Response	50 Hz - 40 kHz	50 Hz - 40 kHz	25 Hz - 150 kHz
Connectors	Inputs: XLR	Inputs: XLR/Phone	In/Outs: XLR
Controls	Level control, High/Low Trim	Level control, Low-Cut switch, High/Low Trim	Level control, High Cut, Phase Switch
Dimensions	W 218 x H 330 x D 235 mm	W 179 x H 279 x D 208 mm	W 328mm x H 459 x D 476 mm
Weight	12.2 kg	7.9 kg	26.5 kg

••• REFERENCE-QUALITY MONITORING ••• ADVANCED BI-AMP DESIGN ••• MAGNETIC SHIELDING ••• ONE-PIECE MOLDED ENCLOSURE WITH ROUNDED BAFFLE •••

MS101III

COMPACT MONITOR SPEAKER

- 10-cm full-range speaker with 10 watts output
- Three inputs: Mic 1 (Phone), Line ×2 (Phone & RCA Pin)
- Tone control (high/low)
- Line output allows addition of an external speaker
- Options for stand or wall mounting (sold separately)
- Dimensions: W 147mm, H 214mm, D 192mm





MSP3

REFERENCE MONITOR SYSTEM

- Precision, fatigue-free monitoring for music production systems
- High-performance 20-watt power amplifier built in
- Compact size with the high-quality sound you expect from the MSP-Series
- Input jacks and controls for extended connectivity and setup flexibility
- Optional brackets allow installation in a variety of applications
- Dimensions: W 144mm, H 236mm, D 167mm

When choosing reference monitors for mixing and music production, accuracy is the prime consideration. Speakers that sound "good" on first impression may not necessarily be accurate. The **HS-SERIES** monitors provide an honest reference for your mix, rather than monitors that have been tweaked or coloured to deceptively sound impressive.







	HS8	HS7	HS5	HS8S
Power	120 Watt (75 Watt LF/ 45 Watt HF)	95 Watt (60 Watt LF/ 35 Watt HF)	70 Watt (45 Watt LF/ 25 Watt HF)	150 Watt
Transducer: LF	8"	6,5"	5"	8"
Transducer: HF	1"	1"	1"	-
Frequency Response	38 Hz - 30 kHz	43 Hz - 30 kHz	54 Hz - 30 kHz	22 Hz - 160 Hz
Connectors	Inputs: XLR/Jack	Inputs: XLR/Jack	Inputs: XLR/Jack	Input: 2 x XLR / 2 x Jack Output: 2 x XLR (L&R) / 1 x XLR (EXT SUB)
Controls	Level Control / EQ: High Trim & Room Control	Level Control / EQ: High Trim & Room Control	Level Control / EQ: High Trim & Room Control	Level Control / PHASE / HIGH CUT control / LOW CUT control / LOW CUT switch
Weight	10.2 kg	8.2 kg	5.3 kg	12.5 kg


OPTIMUM RESPONSE IN ANY ROOM

HS Series full-range models give you extra room-matching speaker placement versatility with **ROOM CONTROL** and **HIGH TRIM** response control switches that are specifically designed to compensate for common acoustic deficiences and monitoring needs. For inputs, HS full-range speakers can accommodate a wide range of balanced and unbalanced sources such as mixers, keyboards and audio interfaces with XLR and TRS phone jacks.






IS10W (Former Model)



CUTTING EDGE NOISE REDUCTION TECHNOLOGY

By adopting an advanced noise reduction technology that incorporates a thorough analysis of a visual representation of the sound, Yamaha's engineers are able to control and reduce the vortex. Through this indepth analysis we have arrived at the ideal port design, resulting in a reduction of audible noise up to 6dB. The utilization of this state-of-theart technology allows HS Series studio monitors to meet the demands of more strict professional production environments.



*** REFERENCE MONITORS FEATURING THE LEGENDARY YAMAHA WHITE CONES ***
BI-AMPLIFICATION ***

CLUB V-SERIES AMERICAN SPEAKERS

Musicians all over the world made the first four generations of Yamaha American Series Speakers incredibly popular. Generation V continues this success story: larger enclosures for improved low-frequency performance, improved drivers for higher power handling, redesigned crossovers, stronger grills, and dual Speakon® and 1/4" connectors.

- Two unique versions: Spray-finished (S) and Rugged Carpet Covered (C)
- Ideally matched to EMX powered mixers or P-Series Amplifiers
- For Installation applications Flying (VA) Versions available
 35mm Pole Sockets (on all non-flying models)

	CM10 SM10V	CM12V SM12V	CM15V SM15V	C112V S112V	C112VA
TYPE	10" 2-way bass reflex	12" 2-way bass reflex	15" 2-way bass reflex	12" 2-way bass reflex	12" 2-way bass refle
Frequency range Power handling (programme)	70Hz-20kHz (-10dB) 250 Watts	60Hz-16kHz (-10dB) 350 Watts	55Hz-16kHz (-10dB) 500 Watts	60Hz-16kHz (-10dB) 350 Watts	60Hz-16kHz (-10dE 350 Watts
Impedance Sensitivity (1W,1m)	8 Ohm 96dB	8 Ohm 97dB	8 Ohm 99dB	8 Ohm 97dB	8 Ohm 97dB
COMPONENTS					
LF driver HF driver	10″cone 1″vc, Ph	12"cone 2"vc, Ti	15" subwoofer 2" pressure chamber, Ti	12"cone 2"vc, Ti	12"cone 2"vc, Ti
MISCELLANEOUS					
Textured paint Felt cover Handle	CM10V SM10V Strap handle x1	CM12V SM12V Recessed handle, metal x1	CM15V SM15V Recessed handle, metal x1	C112V S112V Recessed handle, metal x2	• -
Input terminals	SPEAKON x2, jack x2	SPEAKON x2, jack x2	SPEAKON x2, jack x2	SPEAKON x2, jack x2	Terminal connection
WEIGHT					
Dimensions mm (WxHxD) Net weight	556 x 349 x 273 C: 13.3 kg S: 13 kg	628 x 410 x 339 C: 21.8kg S: 21.4kg	715 x 479 x 339 C: 28.8 kg S: 28 kg	416 x 628 x 329 C: 21.3 kg S: 20.8 kg	416 x 620 x 329 21.8 kg







CM15V SM15V



S112V



PASSIVE

CLUB V

SERIES

C112VA



C115V S115V	C115VA	C215V S215V	CW115V SW115V	CW118V SW118V	CW218V SW218V
15" 2-way bass reflex	15" 2-way bass reflex	15″x2 2-way bass reflex	15" bass reflex	18" bass reflex	18″x2 bass reflex
55Hz - 16kHz(-10dB)	55Hz - 16kHz(-10dB)	42Hz - 16kHz(-10dB)	35Hz - 2kHz(-10dB)	30Hz - 2kHz(-10dB)	30Hz - 2kHz(-10dB)
500 Watts	500 Watts	1000 Watts	500 Watts	600 Watts	1200 Watts
8 Ohm	8 Ohm	4 Ohm	8 Ohm	8 Ohm	4 Ohm
99dB	99dB	99dB	95dB	96dB	98dB
15" cone	15" cone	15" cone x2	15" cone	18" cone	18" cone x2
1 <i>5"</i> cone 2"vc,Ti	15" cone 2"vc,Ti	15" cone x2 2"vc,Ti	15" cone -	18" cone -	18" cone x2 -
			15" cone -	18" cone -	18" cone x2 -
2″vc,Ti			15" cone - CW115V	18" cone - -	18" cone x2 - CW218V
	2"vc,Ti	2″vc,Ti	- "	-	-

485 x 715 x 373 C: 30.3 kg S: 29.4 kg

SPEAKON x2,

jack x2

485 x 715 x 373 29.9 kg

491 x 1163 x 593 C: 47.5 kg S: 47.2 kg

SPEAKON x2,

jack x2

500 x 607 x 528 C: 28 kg S: 28.2 kg

SPEAKON x2,

jack x2

605 x 720 x 637 C: 37.2 kg S: 39 kg

jack x2

SPEAKON x2,

1217 x 574 x 655 C: 64.7 kg S: 65.4 kg

jack x2

SPEAKON x2,



C115V \$115V



Terminal connection

C115VA



C215V S215V



SW115V



CW118V SW118V



CW218V SW218V

"SOUND DESIGN MADE IN USA"

Direct Descendents of the Legendary Concert CLUB-SERIES

While maintaining the great sound of the Concert CLUB-SERIES, the BR-SERIES provides cost-effective speakers in three configurations to match a wide range of applications. It's excellent portability and placement flexibility that characterized previous models in the series, and featuring the same tasteful design, makes the BR-SERIES a great sound solution in a medium-scale application for bands, clubs, halls, rehearsal studios, retail or school events.

BR15M



BR 10

• Outstanding audio quality with titanium diaphragm HF drivers.

BR15

- An ideal match for the EMX-Series powered mixers and P-Series power amps.
- Design that carries on the simple sophistication of the Concert Club-Series.
- Speaker stand pole sockets on all models.

TYPE	2-way Bass Reflex	2-way Bass Reflex	2-way Bass Reflex	2-way Bass Reflex	2-way Bass Reflex
Frequency Response	65Hz - 20kHz	65Hz - 20kHz	65Hz - 20kHz	65Hz - 20kHz	65Hz - 20kHz
Power Handling / Noise	200W	200W	150W	150W	125W
Programme	400W	400W	300W	300W	250W
Peak	800W	800W	600W	600W	500W
Impedance	8 Ohms	8 Ohms	8 Ohms	8 Ohms	8 Ohms
Sensivity (1W,1m)	98dB SPL	98dB SPL	97dB SPL	97dB SPL	96dB SPL
COMPONENTS					
LF	15" cone	15" cone	12" cone	12" cone	10" cone
HF	Horn with 1" voice coil & Titanium-diaphragm	Horn with 1" voice co & Titanium-diaphragn			
Dispersion	90H x 40V	40H x 90V	90H x 40V	40H x 90V	90H x 40V
FEATURES					
Felt Cover	•	•	•	•	•
Handles	2x metal handle	1x metal handle	1x metal handle	1x metal handle	1x metal handle
Connectors	2x 6.3mm jack	2x 6.3mm jack	2x 6.3mm jack	2x 6.3mm jack	2x 6.3mm jack
Dimensions	485 x 656 x 365	652 x 487 x 365	403 x 569 x 335	569 x 407 x 334	385 x 538 x 297
Weight	21.3kg	20.9kg	16kg	15.6kg	14.4kg

BR12









BR12M



P-SERIES - POWER AMPS

POWER

\MPS

Robust Power Output, Superior Audio Quality, Efficient Operation, Versatile I/O and Yamaha speaker processing in power amplifiers that deliver high performance and High Value. All models have XLR and 1/4" inputs, Speakon, Binding Post and 1/4" outputs. Processing includes: low-cut filter and subwoofer crossover, and Yamaha's Speaker Processor switching (YSP). Those on a budget will find the lineup's high power output and affordable prices offer superior quality without putting a strain on allotted funds. Further savings are realized with extremely efficient operation utilizing Yamaha's exclusive EEEngine technology, which keeps operational costs down by significantly reducing AC power consumption and heat generation.



2x 950 Watts 4 Ohm or 2x 700 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm





P5000S

2x 700 Watts 4 Ohm or 2x 500 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm

P3500S

2x 450 Watts 4 Ohm or 2x 350 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm

P2500S

2x 310 Watts 4 Ohm or 2x 250 Watts 8 Ohm Dimensions: W 480 x H 88 x D 456 mm









CAPTURE THE PERFECT MOMENT

The **01V96i** represents the next step in the evolution of an industry standard, building on the proven configuration of its predecessors to create a compact digital mixer that meets the needs of an expanding user base. Now, with 16 in/16 out USB 2.0 audio streaming at an impressive 96kHz, the full suite of Yamaha's acclaimed Virtual Circuitry Modeling DSP effects and newly improved studio-quality head amps.











01V96i




01V96i

- 24 Bit/96 kHz audio processing
- Integrated USB 2.0 interface streams 16x16 channels of audio
- Built-in VCM effects
- 40 inputs, 20 Buses at 96 kHz
- 16 analogue inputs
- Mini-YGDAI slot for I/O expansion
- Built-in optical ADAT interface
- 17 motorised faders (100 mm)
- Surround support
- Cascade link
- Studio Manager and Software Editor
- · Controller function for DAW software

96KHZ MULTI-TRACK LIVE RECORDING WITH A SINGLE CONNECTION

To meet the increasing demand for multi-track recording and playback in live sound applications, the 01V961 now features USB 2.0 CONNECTIVITY - allowing you to effectively take your studio on the road with you. With 16 IN/16 OUT LIVE AUDIO STREAMING AT 96KHZ AND SEAMLESS DAW INTEGRATION requiring just a single connection, it has never been easier to capture, edit and produce high quality, professional level recordings. USB connectivity also provides extensive two-way communication of MIDI data allowing you to seamlessly combine the precise physical control of your console with all the capability of the latest Cubase AI software that comes bundled with the 01V96i.



ADD-ON EFFECT PROGRAMMES - ALREADY INCLUDED!









Vintage Stomp Package

These incredibly unique **ADD-ON EFFECT PROGRAMMES** were specially designed for the 96kHz audio DSP in Yamaha digital consoles. Three of the four add-ons (AE-011 & AE-021 & AE-051) feature Virtual Circuitry Modeling that physically model analogue circuitry... right down to the last resistor and capacitor. VCM technology captures subtleties that simple digital simulations can't approach and faithfully recreates the sound of much sought after vintage gear. The packages include:





∧F-011

Channel Strip (Comp276/S, Comp260/S, EQ601)

Five models that employ VCM (Virtual Circuitry Modeling) technology to recreate the sound and characteristics of several classic compression and EQ units from the '70s. **Already included in 01V96i!**



∧E-021

Master Strip (OpenDeck: Swiss'70/'78/'85, American,70)

Open Deck VCM technology recreates both the analogue circuitry and tape characteristics that shaped the sound of open-reel tape recorders. The choice of "old" and "new" tape types, tape speed, bias, and EQ settings that can vary the "focus" of the sound, distortion and saturation characteristics are also available. Already included in 01V96i!



∧E-031

Reverb (REV-X Hall, REV-X Room, REV-X Plate)

"REV-X" algorithms, first introduced in the SPX2000 professional effect processor, deliver the richest reverberation and smoothest decay available. REV-X Hall, REV-X Room, and REV-X Plate programmes offering unprecedented definition and nuance control. **Already included in 01V96!**



∧E-051

Vintage Stomp Package

Here VCM technology is supplying genuine models of classic must-have footstompers from the 70s that helped to shape the sound of musical history. The package contains three different phasing stomp box models: MAX100, Vintage Phaser and Dual Phaser – all in that good old look. **Already included in 01V96!**

DIGITAL INTERFACES

INTERFACE	INPUTS AND OUTPUTS	CONNECTION	01V96	DA824
MY8-AD24	8 CH analogue In (24 Bit)	8x balanced 1/4 inch connectors	•	
MY4-AD	4 CH analogue In (24 Bit)	XLR-3-31 Typ x4	•	
MY4-DA	4 CH analogue Out (20 Bit)	XLR-3-32 Typ x4	•	
MY8-AT	8 CH ADAT In & Out (24 Bit)	Toslink Optical x2	•	•
MY8-AE	8 CH AES/EBU In & Out (24 Bit)	25-Pin D-Sub x1	•	•
MY8-TD	8 CH TDIF In & Out (24 Bit)	25-Pin D-Sub x1, BNC x1	•	•
MY8-AD96	8 CH analogue In (24 Bit, 96 kHz)	25-Pin D-Sub x1	•	
MY8-DA96	8 CH analogue Out (24 Bit, 96 kHz)	25-Pin D-Sub x1	•	
MY8-AE96	8 CH AES/EBU In & Out (24 Bit, 96 kHz)	25-Pin D-Sub x1	•	
MY8-AE96S	8 CH AES/EBU In & Out (24 Bit, 96 kHz with Sample Rate Converter)	25-Pin D-Sub x1	•	
MY8-AEB	8 CH AES/EBU In & Out (24 Bit)	BNC x8 (AES In x4, AES Out x4) BNC x1 (Reference Video In with "eXi- Clock"sync capability)	•	
MY8-ADDA96	8 CH analogue In & Out (24 Bit, 96 kHz)	Euroblock Connector	•	
MY8 SDI	8 CH Multiplex (24 Bit), 1xHD-SDI input	2×BNC	•	
MY8 SDI-ED	8 CH Multiplex (24 Bit), 2xHD-SDI input	4xBNC	•	
MY8-LAKE	Lake Mesa / Contour Processor, 8 In& Out, 96 kHz (SRC built in)	D-sub55pin (Aes/EBU 8 In & Out), RJ-45 (for Lake Controller	•	
DUGAN-MY16	Dan Dugan Automixer, support 16 CH, 8 x ADAT	Adat Optical (24 bit, 44.1/48kHz) x2, RJ-45 (10/100 Base T)	•	
MY16CII	16 CH Cobranet interface	2x RJ45 Terminals	•	
MY16-AT	16 CH ADAT In & Out (24 Bit)	Toslink Optical x4	•	
MY16-AE	16 CH AES/EBU In & Out (24 Bit)	25-Pin D-Sub x2	•	
MY16-AUD	16CH Dante format (24Bit)	2x RJ45, 1x 9-Pin	•	
MY16-TD	16 CH TDIF In & Out (24 Bit)	25-Pin D-Sub x2	•	
MY16MD64	16 CH MADI interface up to 64 CH with MY16EX	2x BNC, 2x Optical 2x RJ45 Terminals	•	
MY16ES64	16 CH EtherSound interface up to 64 CH with MY16EX RJ-45 x 2	Ethercon x2 9-Pin	•	
MY16EX	16 CH Expansion interface for Ethersound and MADI	RJ-45 x4	•	

DIGITAL HEART. ANALOG SOUL.

Not just for live bands and DJ's, the MG Series mixing consoles can easily adapt to a truly impressive range of applications from portable PA to fixed installation. Now with the newly added digital functions and superior sound of the MGP, the possibilities are endless.




MGP32X

- 32 channels
- 24 Discrete Class A D-PRE Mic Preamps
- Musical X-pressive EQ
- 16 Professional 1-knob Compressors with LED
- Dual Digital Effects Processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo Imager, Priority Ducker)
- Digital Connectivity for iPod/iPhone
- USB Devices recorder (16-bit WAV, MP3) and playback (Stereo Out)
- 31-band GEQ (9 flex-band /14 fixed-band)
- Master compressor (3-band) assigned to stereo bus
- Free MGP Editor

D-PRE

Studio-grade, discrete Class-A mic preamps employ an inverted Darlington circuit design that features multiple circuitry elements in a multi-layered configuration in order to deliver more power with lower impedance.




MGP

SERIES

X-PRESSIVE EQ

The precise response and very steep shelving of the high and low frequencies make the X-pressive EQ a powerful sound-shaping tool.



MGP24X

- 24 channels
- 16 Discrete Class A D-PRE Mic Preamps
- Musical X-pressive EQ
- 8 Professional 1-knob Compressors with LED
- Dual Digital Effects Processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo Imager, Priority Ducker)
- Digital Connectivity for iPod/iPhone
- USB Devices recorder (16-bit WAV, MP3) and playback (Stereo Out)
- 31-band GEQ (9 flex-band /14 fixed-band)
- Master compressor (3-band) assigned to stereo bus
- Free MGP Editor





••• PREMIUM MIXING CONSOLES WITH UP TO 32 CHANNELS ••• D-PRE CLASS A MIC PREAMPS ••• 2 SEPARATED EFFECTS PROCESSORS (REV-X & SPX) ••• 1-KNOB COMPRESSORS ••• 2 HYBRID CHANNELS WITH DSP EFFECTS (DUCKER, STEREO IMAGE, LEVELER) ••• IPOD/IPHONE APP •••



MGP16X

- 16 channels
- 10 Discrete Class A D-PRE Mic Preamps
- Musical X-pressive EQ
- 8 Professional 1-knob Compressors with LED
- Dual Digital Effects Processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo
- Imager, Priority Ducker)
- Digital Connectivity for iPod/iPhone
- DSP settings via iPod/iPhone
- Rugged, impact-resistant, powder-coated metal chassis
- Integrated rack-ears for easy rack mounting
- Internal universal power supply for world-wide use



MGP12X

- 12 channels
- 6 Discrete Class A D-PRE Mic Preamps
- Musical X-pressive EQ
- 4 Professional 1-knob Compressors with LED
- Dual Digital Effects Processors: REV-X and Classic SPX
- Stereo Hybrid Channels DSP Effects (Leveler, Stereo
- Imager, Priority Ducker)
- Digital Connectivity for iPod/iPhone
- DSP settings via iPod/iPhone
- Rugged, impact-resistant, powder-coated metal chassis
- Integrated rack-ears for easy rack mounting
- Internal universal power supply for world-wide use

MGP EDITOR BY YAMAHA CORPORATION

MGP EDITOR is a free software application that gives you additional control of your MGP mixer's DSP settings via your iPhone and iPod touch. With a simple and intuitive graphic display, MGP EDITOR gives you additional, detailed control of your REV-X and SPX effects parameters – as well as Hybrid Channel's Priority Ducker, Leveler and attenuator. With MGP32X and 24X, setting of GEQ and Mastercompressor can be adjusted. Direct playback of iTunes play list is also possible.











• Using a USB cable, connect your iPhone or iPod touch to the MGP's Apple Certified USB port.



	MGP32X	MGP24X	MGP16X	MGP12X
Mixing Channels	32	24	16	12
D-PRE Mic Preamps	24	16	10	6
1-knob Compressors	16	8	8	4
Equalizer	3-band X-Pressive EQ	3-band X-Pressive EQ	3-band X-Pressive EQ	3-band X-Pressive EQ
FX Processors	2 separated (SPX & Rev-X Reverb)			
Hybrid Channels	2 with DSP Effects (Priority Ducker, Leveller, Stereo Image)	2 with DSP Effects (Priority Ducker, Leveller, Stereo Image)	2 with DSP Effects (Priority Ducker, Leveller, Stereo Image)	2 with DSP Effects (Priority Ducker, Leveller, Stereo Image)
iPod/iPhone App	Yes (USB port to connect and charge iPod or iPhone)	Yes (USB port to connect and charge iPod or iPhone)	Yes (USB port to connect and charge iPod or iPhone)	Yes (USB port to connect and charge iPod or iPhone)
3-Band Master Compressor	Yes	Yes	No	No
Graphic EQ	Yes (feature 14 band and flex 9 band)	Yes (feature 14 band and flex 9 band)	No	No
USB Device Recording	Yes (WAV or MP3)	Yes (WAV or MP3)	No	No
Aux Sends	4 (2x Pre/2x Pre/ Post switchable)	4 (2x Pre/2x Pre/ Post switchable)	2 (1x Pre/1x Pre/ Post switchable)	2 (1x Pre/1x Pre/ Post switchable)
Groups	4	4	4	4
Matrix	2	2	No	No
Rackmounts	Yes	Yes	No	No
Dimensions (WxHxD)	1207 x 169 x 565 mm	819 x 169 x 565 mm	447 x 143 x 495 mm	348 x 143 x 495 mm

MIXING CONSOLES

Yamaha's MG-SERIES offers a console that will give you the capacity, control, and performance you deserve. All models are remarkably compact and lightweight for superior handling and portability

MG-SERIES: CX MODELS WITH COMPRESSORS AND SPX EFFECTS



MG206C

- 20 Input channels
- 16 Mic / 4 Stereo channels
- 3 band Equalizer
- 8 Compressors (1-Knob)
- Aux 4
- Group: 4
- Dimensions: W 478 x H 105 x D 496 mm

MG

SERIES

• Weight 6.0 kg



- 16 Input channels
- 10 Mic / 4 Stereo channels
- 3 band Equalizer
- 6 Compressors (1-Knob)
- SPX multi FX processor
- Aux: 3
- Group: 4
- Dimensions: W 478 x H 105 x D 496 mm
- Weight 5.5 kg



118

MG166C

- 16 Input channels
- 10 Mic / 4 Stereo channels
- 3 band Equalizer, 6 Compressors (1-Knob)
- Aux: 3
- Group: 4
- Dimensions: W 478 x H 105 x D 496 mm
- Weight 5.3 kg

MG-SERIES: C MODELS WITH COMPRESSORS







MG124CR





MG124CXR

- 12 Input channels
- 6 Mic / 4 Stereo channels
- 3 band Equalizer
- 4 Compressors (1-Knob)
- Rack Mount Kit available as optional extra (RKMG124)
- SPX multi FX processor
- Aux: 2
- Group: 2
- Dimensions: W 346.2 x H 86.1 x D 436.6 mm
- Weight 3.2 kg

MG124CR

- 12 Input channels
- 6 Mic / 4 Stereo channels
- 3 band Equalizer
- 4 Compressors (1-Knob)
- Rack Mount Kit available as optional extra (RKMG124)
- Aux: 2
- Group: 2
- Dimensions: W 346.2 x H 86.1 x D 436.6 mm
- Weight 3 kg

MG102C

- 10 Input channels
- 4 Mic / 4 Stereo channels
- 3 band Equalizer
- 2 Compressors (1-Knob)
- Rack Mount Kit available as optional extra (RKMG102)
- Aux: 1
- Group: -
- Dimensions: W 256.6 x H 62 x D 302.5 mm
- Weight 1.6 kg

MG82CX

- 8 Input channels
- 4 Mic / 3 Stereo channels
- 3 band Equalizer
- 2 Compressors (1-Knob)
- Rack Mount Kit available as optional extra (RKMG102)
- SPX multi FX processor
- Aux: 1
- Group: -
- Dimensions: W 256.6 x H 62.2 x D 302.5 mm
- Weight 1.6 kg



MG-SERIES: USB MODELS FOR LIVE RECORDING



MG206C-USB

- 20 Input channels
- 16 Mic / 4 Stereo channels
- 8 Compressors (1-Knob)
- SPX Multieffect processor
- USB Interface
- Cubase Al Software
- Aux: 4
- Group: 4
- Dimensions: W 478 x H 105 x D 496 mm

MG

SERIES

USB • CUBASE AI

CUBASE AI

CUBASE AI

• Weight 5.3 kg



MG166CX-USB

- 16 Input channels
- 10 Mic / 4 Stereo channels
- 6 Compressors (1-Knob)
- SPX Multieffect processor
- USB Interface
- Cubase Al Software
- Aux: 3
- Group: 4
- Dimensions: W 478 x H 105 x D 496 mm
- Weight 5.5 kg



MG166C-USB

- 16 Input channels
- 10 Mic / 4 Stereo channels
- 6 Compressors (1-Knob)
- USB Interface
- Cubase Al Software
- Aux: 3
- Group: 4
- Dimensions: W 478 x H 105 x D 496 mm
- Weight 5.3 kg

OPTIONAL ACCESSORIES



RACK MOUNT KIT FOR MG124CR, MG124CXR



RKMG102

RACK MOUNT KIT FOR

MG82CX, MG102C



MIXER SOFT CASE SCMG810 MG82CX/MG102C



SOFT CASE
SCMG12
MG124C/MG124CX




SOFT CASE SCMG1620 MG166C/MG166CX/ MG166C-USB/ MG166-CX-USB/ MG206C/MG206C-USB/ MGP16X/EMX 5014C/ EMX 5016CF



MICROPHONE STAND ADAPTOR (for MG82CX / MG102C)

What could be more convenient than having the MG82CX (or the MG102C) mounted on a microphone stand for freedom of placement and easy access? With the optional BMS-10A mic stand adaptor you can do just that, and have your sonic control center within easy reach all the time. This can be particularly handy when using the mixer as a submixer.



SERIOUSLY PROFESSIONAL POWERED MIXERS

If your sound reinforcement requirements are getting serious, but you still want convenience and reliable performance, check out the **EMX5014C** and **EMX5016CF** consoles. Both deliver an integrated power amplifier along with the input capacity and solid sound that critical live sound applications demand. Additionally, the **EMX-SERIES** provide flexible digital & analogue toolkits.





EMX5016CF

■ EMX5014C

SCMG1620 SOFT CASE

EMX5014C/EMX5016CF







RK5014

RACK MOUNT KIT

EMX5014C/EMX5016CF

••• POWERED MIXERS WITH 2X500 WATT ••• ONE-KNOB COMPRESSORS ••• FEEDBACK DETECTION AND GRAPHIC EQUALIZER ••• SPX DIGITAL EFFECTS •••

16 (8x Microphone)	14 (8x Microphone)
500 \\ : 500 \\ ! \ 0 \	
500 W + 500 W (4 Ohm)	500 W + 500 W (4 Ohm)
9-band Digital Graphic EQ	9-band Graphic EQ
2x SPX Effect Processors	SPX Effect Processor
8 Compressors (1-Knob)	6 Compressors (1-Knob)
Maximizer, Automatic Feedback Supressor	-
11 kg	10.5 kg
	P-band Digital Graphic EQ 2x SPX Effect Processors 3 Compressors (1-Knob) Maximizer, Automatic Feedback Supressor

INTEGRATED SOLUTIONS FOR SUPERIOR LIVE SOUND

When portability and convenience are important criteria the **EMX** powered mixers are the first choice. These sound systems provide the right features and performance to all experienced musicians, performers, speakers, and club operators.







EMX512SC

EMX312SC

EMX212S



RK512

RACK MOUNT KIT

EMX212S/312SC/512SC



SCEMXCUBE **SOFT CASE** EMX212S/312SC/512SC

PORTABLE LIGHT WEIGHT POWERED MIXERS *** SPX DIGITAL EFFECTS *** 7-BAND GRAPHIC EQUALIZER *** ONE-KNOB COMPRESSORS AND FEEDBACK-DETECTION (EMX312SC/512SC) ***

	EMX512S	EMX312SC	EMX212SC			
Inputs	12 (4x Stereo)	12 (4x Stereo)	12 (4x Stereo)			
Power	500 W + 500 W (4 Ohm)	300 W + 300 W (4 Ohm)	220 W + 220 W (4 Ohm)			
Equalizer	3-Band EQ 7-band Graphic EQ	3-Band EQ 7-band Graphic EQ	3-Band EQ 7-band Graphic EQ			
Effects Processor	SPX with 16 Programmes	SPX with 16 Programmes	SPX with 16 Programmes			
Compressors	4x Compressors (1-Knob)	4x Compressors (1-Knob)	-			
Weight	8 kg	8 kg	8 kg			

125

MULTI-EFFECT PROCESSOR





SPX2000

SPX WITH 24-BIT 96-KHZ PROCESSING AND ADVANCED **REV-X REVERB ALGORITHMS**


At the heart of the **SPX2000** is the effect processor, a 96-kHz audio DSP with 32-bit internal processing (58-bit accumulator). The 24-bit 128-times oversampling AD and DA converters deliver 106dB dynamic range and flat response from 20 Hz to 40 kHz at 96-kHz sampling

The SPX2000's rear panel houses XLR-type as well as input and output jacks for analogue connections, all fitted with +4dBU/-10dBu selector switches. Professional digital connection is secured with an AES/EBU-format interface and a BNC Wordclock IN connector.

"SPX2000 EDITOR" FOR MAC OSX AND WINDOWS


SPX2000 Editor gives you programming, data management and remote control of your effect device via computer. The professional software environment provided here is the same one that, as STUDIO MANAGER, already controls Yamaha Digital Consoles.

- Multi-Effect processor with 24-bit AD/DA converter
- Overall frequency 20 Hz 40 kHz
- Outstanding preset programmes and new REV-X reverb algorithms
- SPX 2000 editor for Mac OSX and Windows
- Superior presets for live and studio applications
- 19" rack mountable



SIGNAL

PROCESSOF







DIGITAL CONVERTERS

AD8HR



8-CHANNEL 24-BIT/96KHZ MIC-PREAMP

Inheriting the unprecedented sonic quality of the PM5000, an eight-channel analogue-to-digital converter supporting sampling rates of up to 96kHz and Head Amp Remote Control from the DM2000 and DM1000. This allows a high-degree of integration with digital mixers. The AD8HR features eight XLR connectors and 2x 8 channel AES/EBU terminals packed into a compact 1U design.



DA824

24-BIT D/A CONVERTER

- Balanced XLR and 1/4" jack outputs Adjustable maximum output level +4,+15,+18,+24dBu
- Mini-YGDAI card slot (ADAT, TASCAM, AES/EBU) Signal, Nominal and Peak LED indicators
- Wordclock input

EQUALIZER

Q2031B

GRAPHIC EQUALIZER

2 x 31-band graphic equalizer. 6 or 12dB boost/cut around mid-range frequencies in 1/3-octave intervals (ISO) from 20 Hz to 20 kHz. Offers both balanced XLR connections and unbalanced phone jacks. (19"/2HE)

MIC/LINE PREAMPLIFIER





8-CHANNEL MICROPHONE AMPLIFIER


- 80 Hz HPF, 26 dB PAD, 48V phantom power all per channel Outputs: 25-pin D-Sub and Euro block
- The ideal microphone line preamplifier for 01V96i (MY8-AD 96 required)

GENERAL ACCESSORIES



	Club V	BR- Series	MG 82CX/102C	MS 101111	STAGEPAS 600i	STAGEPAS 400i	DSR/ DXR	MSR 100	MSR 250/400	MSP3	MSP7
STAGEPASPKSTD High stand, aluminum, height adjustable, up to 2 m, very robust	•	•			•	•	٠	•	•		
BAS10 Free angle clamp, revolving table-top clamp stand				•						•	
BB251 Baton bracket black					•	-		•	•		
BCS251 Ceiling assembly black					•			·	•		
BMS10A Mic stand adapter, adjustable angle black			•	•	•					1	
BWS20 190 Wall assembly, diameter 20 mm length 190 mm				•							
BWS251 300 Wall assembly, distance to wall = 300 mi	m								•		

	Club V	BR- Series	MG 82CX/102C	MS 101111	STAGEPAS 600i	STAGEPAS 400i	DSR/ DXR	MSR 100	MSR 250/400	MSP3	MSP7
BWS251 400 Wall assembly distance to wall = 400 mm									•		
BWS50 190 Wall assembly, diameter 50mm, length 190mm								•			•
BW\$50 260 Wall assembly diameter 50mm, length 260mm								•			•
STAGEPASMOUNT			1								
Speaker flange for mount- ing speakers on stands											
STAGEPASMIXSTD Microphone stand to attach mixers with BMS10A adaptor			•		•						
	7										
STAGEPAS TROLLEY 300 Rolling soft case						•					
STAGEPAS TROLLEY 500 Rolling soft case					•						



















CP1

A-Piano Type

E-Piano Type





Speaker Simulator Power Amp/Compressor



The **CP1** is a premium instrument with a commitment to both tradition and innovation. Its unique new Spectral Component Modeling tone generation system recreates the sound of acoustic and vintage electronic pianos more faithfully than anything else before it. Yamaha even developed a special NW-Stage wooden key action specifically to meet the demands

CP1 STAGE PIANO

and input of top pros.

- YAMAHA'S STAGE PIANO FLAGSHIP
- SPECTRAL COMPONENT MODELING
- VINTAGE E-PIANOS & PIANO SOUNDS ACT LIKE REAL INSTRUMENTS
- NW-STAGE WOODEN KEYBOARD WITH SYNTHETIC IVORY KEYTOPS
- 88 weighted natural wooden keys (NW-stage balanced hammer)
- 128 note polyphony, 44 Performances, 44 User Performances, 44 External Performances (on USB stick)
- Spectral Component Modeling system based on 5 system blocks: Piano (AP-EP-FM), Pre-Amp, Modulation Effect, Power Amplifier/Compression, Speaker Simulator
- 17 Piano Types, unique sound enhancement: damper resonance, hammer stiffness, striking position
- · Real FM engine used for DX Piano
- Pre-amplifier with piano type optimized tone controls (bass, treble, overtone)
- Versatile collection of vintage modulation effects (phaser, flanger, pedal wah, chorus...)
- Power Amp/Compressor adds vintage character
- Reverb block of exquisite reverb algorithms developed by Yamaha
- 2 keyboard parts, 4-zones masterkeyboard, 5-band Master-EQ
- Half-damper pedal unit included, connectors for 3 additional pedals
- Connectors: Output XLR & jack, MIDI, USB, 5x pedals
- Optional stand LG800 available

The CP4 STAGE offers authentic acoustic- and electric-piano sounds of unparalleled auality, building on our decades of accomplishment in the production of stage pianos. By analyzing and replicating the sound-producing mechanisms of classic electric pianos using cutting-edge technologies, we have been able to faithfully reproduce many electric piano sounds now regarded as classics. In addition to piano Voices, the CP4 STAGE offers a diverse selection of other musical instruments, such as strings, guitar, and bass. With many versatile effects also built-in, you can easily create a rich tapestry of different sounds - for every stage simply the best!

THE CP4 STAGE FEATURES PREMIUM SOUNDS FROM YAMAHA'S FIRST CLASS GRAND PIANOS AND CLASSIC E-PIANOS













SOFT CASE





- PREMIUM PIANO & VINTAGE E-PIANO SOUNDS FEATURING THE YAMAHA GRAND PIANOS
- WOODEN GRADED HAMMER KEYBOARD WITH SYNTHETIC IVORY KEYTOPS (NW-GH)
- EXTRAORDINARY EASE OF USE CREATE LAYERS, SPLITS AND ADJUST VOLUMES IN SECONDS
- SLIM AND LIGHTWEIGHT DESIGN (17.5 KG) MAKES IT EASY TO TAKE TO GIGS
- 128 note polyphony, 128 User Performances
- 433 Voices, AWM Voices add essential sounds for band context
- Audio recording/playback functionality with USB flash memory device
- Three Parts for layer and split sounds
- · Masterkeyboard mode with up to four keyboard zones to control external MIDI instruments
- Aux In audio input for the connection of a portable music player
- FC3 half damper pedal included, connectors for three additional pedals
- Connectors: Output (XLR & jack), Phones, AUX IN jack, 4x pedals, MIDI In/Out, USB TO HOST and TO DEVICE

With the CP40 STAGE you have expressive acoustic piano and electric piano sounds and the acclaimed Yamaha Graded Hammer keyboard under your fingers. While the piano sounds are created by a specially adapted version of Yamaha's incomparable Spectral Component Modeling tone generation, the CP40 STAGE also offers a large number of bread-and-butter sounds based on AWM. This 128-voice sonic power is concentrated in a compact and transportable chassis with an attractive look - always willing to enter the stage with you.

THE CP40 STAGE FEATURES PREMIUM SOUNDS FROM YAMAHA'S FIRST CLASS GRAND PIANO CFILIS AND CLASSIC E-PIANOS













CP40 STAGE









- PREMIUM PIANO & VINTAGE E-PIANO SOUNDS
- EXTRAORDINARY EASE OF USE CREATE LAYERS, SPLITS AND ADJUST VOLUMES IN SECONDS
- SLIM AND LIGHTWEIGHT DESIGN (16.3 KG) MAKES IT EASY TO TAKE TO GIGS
- 88-key Graded Hammer (GH) keyboard
- 128 note polyphony, 128 User Performances
- 297 Voices, AWM Voices add essential sounds for band context
- Audio recording/playback functionality with USB flash memory device
- Two Parts for layer and split sounds
- Masterkeyboard mode with up to four keyboard zones to control external MIDI instruments
- Aux In audio input for the connection of a portable music player
- FC3 half damper pedal included, connectors for two additional pedals
- Connectors: Output (jack), Phones, AUX IN jack, 3x pedals, MIDI In/Out, USB TO HOST and TO DEVICE

MOTIF XF PREMIUM COLLECTION

NEW CLASSIC AND VINTAGE SOUNDS FREE WITH EVERY MOTIF XF





MOTIF

- Sixty-one CS-80 Waveforms amounting over 460MB data of Voice and Sample Banks of Yamaha's legendary CS-80 Synthesizer
- CP1 sampling library. Originally sampled from Yamaha's full concert grand piano CFIIIS, and specially adjusted for the MOTIF XF
- Plus Chick Corea's Mark V & Peter Jung's Symphonic Orchestra Sample Libraries
- Yamaha YC-3B tonewheel organ emulator & Steinberg Prologue substractive synthesizer
- 1024MB Flash-Rom Board
- 4GB USB-Stick



Also available as single item!



MOTIF XF - MUSIC PRODUCTION SYNTHESIZER

- 741 MB OF INTERNAL WAVE ROM (OVER TWICE THAT OF THE PREVIOUS MOTIF XS)
- UP TO 2 GB OF OPTIONAL FLASH WAVE MEMORY
- 128 MB OF ONBOARD VOLATILE SAMPLE RAM
- IMPROVED USER INTERFACE
- FSX (MOTIF XF6/7 with 61/76 keys) and BH (MOTIF XF8 with 88 weighted keys) keyboard action
- Sophisticated 8-Element synth architecture with XSpanded Articulation and 18 different filter types
- 1,664 Voices and 97 Drum Kits
- 512 Performances combine 4 Voices and 4 Intelligent Arpeggiators
- 3-band EQ for each Part, 8 Dual Insertion effects, 2 System effects, one global Master effect and one Master-EQ
- Direct-to-USB recording lets you record your final mixes to any connected USB memory device as CD-quality WAV-files
- Playback WAV-files on the XF from an USB memory device
- Free downloadable Editor Software available (stand-alone or as VST3-PlugIn)
- Optional stand LG800 available for MOTIF XF8
- Optional transport soft cases SCCMOTIFXS available for each model

APPLICATIONS FOR APPLE IPAD/IPHONE AVAILABLE













- Adds up to 2 GB of optional Flash Wave memory to the MOTIF XF (two slots)
- The FL512M offers 512 MB of Flash Memory
- The FL1024M offers 1024 MB of Flash Memory



FW16E

• Adds two \$400 FireWire ports (IEEE1394) to the MOTIF XF for digital audio and MIDI connection with DAWs • Compatible to Yamaha n8/n12 and Steinberg FireWire Interfaces MR816csx and MR816x • Drivers available for: Windows 7/Vista (SP1)/XP (SP3) 32 Bit,

Windows 7/Vista (SP1) 64 Bit, Mac OS X 10.4.x-10.6.x • Audio Inputs/Outputs: 6 Ins, 16 Outs

• Sampling Rate: 44,1 kHz, 48 kHz, 88,2 kHz, 96 kHz

The MOXF was designed so that players of every genre and level can easily enjoy truly high-quality sounds and advanced functions in creating and performing music. It draws on the high-quality sound of the famed MOTIF XF. Furthermore, in one of the most important advantages of the MOXF, an optional Flash Memory Expansion Board can be installed. Now, Sample (audio) data remains on the board, even when the power is turned off allowing you to instantly use the Waveforms when you turn the power back on, without the need to load them from an external USB storage device.

THE MOXF - A UNIVERSE OF SOUNDS FROM A DECADE OF MOTIFS

MOXF6

An 000 ** * * *



mox F6











MOXF MUSIC PRODUCTION SYNTHESIZER

- AWM2 TONE GENERATOR WITH THE SAME 741 MB WAVEFORM DATA FROM THE MOTIF XF
- XA (EXPANDED ARTICULATION), VCM EFFECTS, 128-NOTE POLYPHONY
- UP TO 1 GB OPTIONAL FLASH MEMORY EXPANSION MODULE FOR SAMPLES
- BUILT-IN USB AUDIO/MIDI-INTERFACE AND REMOTE CONTROL FUNCTION FOR DAWS
- LEIGHTWEIGHT AND PORTABLE
- MOXF8: 88 weighted keys (Graded Hammer Standard keyboard) / MOXF6: 61 semi-weighted keys
- 16 Parts multitimbral capacity
- 1,280 Preset and 384 User Voices, 73 Preset and 32 User Drum Kits, 256 User Performances, 128 Master settings
- 7,981 Preset and 256 User Arpeggio Types
- Comprehensive Sequencer for creating Songs and Patterns (up to approx. 226,000 notes)
- Powerful Performance Creator function for fast and easy Split/Layer creation
- Audio input, including Vocoder effect
- Free VST3 editor software, seamless music production with integration with Steinberg Cubase







Adds up to 1 GB of optional Flash Wave memory to the MOXE

SERIES







you can rely on to get your musical message across.

The **\$90X\$** and **\$70X\$** are the perfect blend between a stage piano and a workstation

synthesizer. Equipped with a Balanced Hammer weighted keyboard, it is an instrument







MUSIC SYNTHESIZER

- PERFECT BLEND BETWEEN SYNTHESIZER AND STAGE PIANO
- 88 KEY MODEL FOR FULL SCALE PIANO PERFORMANCE. AND 76 KEY MODEL FOR GREAT PORTABILITY
- BASED ON THE WAVE-ROM OF THE MOTIF XS-SERIES
- PLUS EXTRA 142 MB 3-LAYER S6 PIANO SAMPLE
- PERFORMANCE CREATOR FOR INSTANT SPLITS, LAYERS, AND DRUM PERFORMANCES

THE PERFECT PERFORMANCE

S70XS

- 88/76 weighted keys (Balanced Hammer)
- Master Keyboard functions: 4 assignable faders, 4 keyboard zones
- AWM2 technology with Expanded Articulation, 456 MB Wave-ROM (MOTIF XS plus extra piano)
- 128-note polyphony, 16 Parts multitimbral capacity
- 1,152 Preset and 512 User Voices, 512 User 4-Part Performances, 65 Preset and 32 User Drum Kits
- 6,779 Arpeggio preset types, 256 user types
- Half-damper function (works with optional footpedal FC3)
- FX: Chorus-, Reverb-, 8x Insertion effect, Vocoder, 5-Band-Master-EQ, and Master effect
- Mic Input (combo jack)
- Direct MIDI/Audio-file playback from USB devices
- Free VST3 editor software available



The MX SERIES synthesizers feature carefully selected sounds taken from the Yamaha MOTIF XS. That powerful sonic palette is packed into sleek packages (available in 49-and 61-note versions) that fit today's on-the-go life style. But the MX SERIES aren't just synthesizers; they are designed to bridge the gap between hardware and software. By adding extensive audio and MIDI USB connectivity, advanced DAW and VST controller features and a suite of powerful music production software, the MX integrate hardware reliability with controller flexibility to give you the best of both worlds at a ground breaking level of affordability.





- Over 1,000 Voices using Waveforms from the MOTIF XS
- 128 note polyphony, 16 part multitimbral
- Integrated USB-Audio-Interface
- Bundled with Steinberg Cubase AI DAW software



MX SOFTBAGS – Available in red or black colour for both MX49 and MX61



MX EDITOR SOFTWARE by specialist John Melas – incl. full Voice editing function

Download the software from www.jmelas.gr

MX61/ MX49























A MUSICAL INTERFACE FOR THE TWENTY-FIRST CENTURY

The **TENORI-ON**'s matrix of 16 x 16 LED buttons allows the performer to compose and perform music intuitively and visually. It brings a new musical dimension to live performance, studio work, and to artists' ability to sketch musical ideas.





TENORI-ON

- DESIGNED IN COLLABORATION WITH MEDIA ARTIST TOSHIO IWAI
- STAND-ALONE WORKSTATION DESIGN COMBINES TONE GENERATOR, SEQUENCER AND SAMPLER

I TNR-W


- UNIQUE SEQUENCER MODES FOR NEW, INTUITIVE, POLYRHYTHMICAL PATTERNS
- 16 x 16 LED matrix as user interface
- AWM2 tone generator
- 239 Preset Voices and 14 Drum Kits, 3 User Sample Voices
- 32 voices of polyphony, 16 parts multitimbral capacity
- Integrated stereo speakers
- MIDI connectors via special included cable
- SD memory card slot
- User Voice Manager software and power adapter included



MOTIF'S SOUND CONCENTRATED

The outstanding sound of the MOTIF XS in a handy rack-mountable format – that's the **MOTIF-RACK XS**. Thanks to its sophisticated DAW integration it can be used like a VST instrument embodied in real hardware.





- THE FULL SOUND OF THE MOTIF XS IN 1U RACK-MOUNTABLE FORMAT
- VINTAGE VCM EFFECTS (VIRTUAL CIRCUITRY MODELING)
- 5 ROTARY KNOBS FOR REALTIME CONTROL
- PERFECT INTEGRATION IN DAWS WITH VST3 EDITOR PLUG-IN
- 128-note polyphony, 16-part multimode, 355 MB Wave-ROM of the MOTIF XS
- 8 Elements per Voice, XA-mode
- 4-part Arpeggiator with 6,633 Phrases
- 1,024 Preset Voices, 64 Drum Kits, 128 GM-Voices + 1 GM-Drum Kit, 384 User Voices + 32 User Drum Kits, 128 User Multis
- 4 analogue outs, digital S/P-DIF out, Firewire optional







DIGITAL MIXING WITH ANALOGUE CONTROL

The **N12/N8** Digital Mixing Studio seamlessly integrates into Cubase. Connecting a computer via Firewire enables you to configure an ideal recording environment that is as easy to operate as an analogue mixing desk.















- DIRECT COMPUTER CONNECTION VIA FIREWIRE WITH INDIVIDUAL TRANSMISSION OF THE SINGLE CHANNELS
- PROFESSIONAL RECORDING WITH THE INCLUDED CUBASE AI
- MUSICAL COMPRESSORS AND HIGH-LEVEL, LOW-NOISE CLASS A PREAMPS
- EASY INSTALLATION AND CONFIGURATION
- 12(8) analogue inputs, 8(4) of them as class A mic inputs
- Internal processing in 24bit/96kHz
- 3-band EQ per channel
- 8(4) "Sweet Spot Morphing" compressors for seamless crossfades between different compression settings
- 8(4) analogue outputs for 4(2) monitor pairs (n12 can be set for surround mixing)
- 2 seperate headphones submixes
- Rev-X reverb for headphones monitoring and/or recording
- Firewire \$400 port transfers audio & MIDI signals
- Optimal integration in Cubase



Intuitive Analogue Interface



Firewire interface

HIGH-LEVEL ANALOGUE MIXING DESKS WITH AN INTEGRATED USB AUDIO INTERFACE

Owing to the inclusion of Steinberg's DAW software, "Cubase Al", each **MW MIXING DESK** is a powerful Computer Music Production that's easy to set up and easy to handle.







MW10C



MW8CX



MW12CX



MW USB MIXING STUDIO

- COMPACT ANALOGUE MIXING DESKS WITH AN INTEGRATED USB AUDIO INTERFACE
- TURNS EVERY COMPUTER INTO A MUSIC PRODUCTION SYSTEM (DAW SOFTWARE INCLUDED)
- EASY TO USE "ONE-KNOB" COMPRESSORS
- TWO MODELS INCLUDE SPX EFFECT PROCESSOR ("X"-MODELS)
- 4 models with 8-12 inputs (MW8cx/MW10c/MW12c/MW12cx)
- Built-in compressors
- USB port transmits stereo main mix or recording bus (MW12c/cx) to a connected computer
- Monitor mix for playback signal



LESS TO CARRY AND EASY TO SET UP

The **AUDIOGRAM-**Series from Yamaha is a complete package for simple computer-based recording and music production. By using the host system's audio drivers these audio interfaces are true plug and play.



AUDIOGRAN



∧UDIOGR∧M3

AUDIOGRAM6

USB AUDIO INTERFACE

- ULTRA COMPACT COMBINATION OF AUDIO INTERFACE & MINI MIXING DESK
- SMALLEST YAMAHA COMPUTER RECORDING SYSTEM
- 6(3) channel mixing desk
- 2(1) combo inputs (XLR/phone jack), 2(1) HiZ inputs
- Audiogram6 features 2 built-in "One-Knob" compressors
- Phantom power
- Recording and playback via USB with 44.1 kHz/16 bit
- 6,3 mm headphones connector
- USB powered, no power adaptor needed





■ FC3: Forte pedal, can be used as half pedal for: CP1, CP4, CP5, CP40, CP50, CP33, CP300, S90 ES, S90 XS, S70 XS, MOX, MOXF, MOTIF XS, MOTIF XF



■ **FC4:** Sustain pedal, Authentic piano look



■ FC5: Universal foot pedal





■ FC7: Expression pedal for keyboards with foot controller connection




■ MFC10: MIDI foot controller, programmable, 12 foot switches, 1 foot pedal, prg. change, note on/off, control change, song select etc.



■ HPE-170: Headphones for all keyboard instruments




■ HPE-150: Headphones for all keyboard instruments



■ I-MX1: The i-MX1 is a MIDI interface for Apple iPad/iPhone*, which enables you to connect it to your MIDI instruments and gear.

* iPad/iPhone not included



■I-UX1: The i-UX1 MIDI interface lets you connect your instruments with USB-To-Host port to iOS devices to expand your mobile music world.



■ UX16: USB-MIDI interface for Mac and PC. 1x USB to MIDI In and MIDI Out (16 MIDI channels each)



PA130A: 12V/750mA for CP33, QY100, GO44, Tenori-On

■ PA150A: 12V/1500mA for MM6, MO6/MO8, MOX, CP50, P85, P140, GO46



- **SCCMOTIFXF6:** Soft case for MOTIF XS/XF6
- **SCCMOTIFXF7:** Soft case for MOTIF XS/XF7
- SCCMOTIFXF8: Soft case for MOTIF XS/XF8 ■ SCP80: Soft case with rolls for CP33/CP50
- SCMOX6: Soft case for MOX6SCMOX8: Soft case for MOX8



■ **LG-800:** stand for CP1, CP4, CP5, CP40, CP50. MOTIF XF8



Information and demos: http://www.easysounds.de

SOUNDS FOR MOTIF / S-SERIES / MO-SERIES

Easy Sounds is producing an extensive sound library for Yamaha's synthesizers in cooperation with Yamaha Music Europe. Here's a selection of the available titles:

- Stage & Studios
- Magical Pads
- Dance Xpanded
- Synth Xtreme
- Mystic Spheres

- Organ SessionChill Xperience
- Phat Analogue
- Xtasyn

MUSIC PRODUCTION GUIDE

The free Music Production Guide is published monthly and contains news, tips & tricks, software offers, and interviews on and around Yamaha synthesizers of the MOTIF-Series, S-Series, MO-Series, MM-Series, Tenori-On, DTX-Series and articles about recording, software, and Computer Music Instruments.



SOUNDS & GOODIES FOR YAMAHA SYNTHESIZERS

Registered owners of Yamaha synthesizers are entitled to download free sound and info packages that were produced by Yamaha Music Europe in cooperation with Easy Sounds. To register simply send an e-mail to: motifnews@easysounds.de Please give us the following information: Model of your synthesizer and its serial number and your e-mail address. After the registration you will receive an e-mail from Easy Sounds with a password and a link where the file can be downloaded.

*YAMAHA DTX DRUMS

THE ONE TO BEAT

DTXDRUMS.YAMAHA.COM

THE ONE TO BEAT

The **DTX950MK**. THE pinnacle of electronic drumming technology. This system is built around the DTX900M Drum Trigger Module and is fully equipped with DTX-PAD drum pads which are the next-generation electronic drum pads. It also boasts the HEX-RACK, a genuine rack made by a dedicated drum hardware manufacturer.



- DTX-PAD SET
- HEX-RACK RACK SYSTEM
- DTX900M Drum Trigger Module, 1,326 Voices
- 64 note polyphony, 50 Preset Drum Kits, 50 User Drum Kits, up to 1,584 External User Kits (on USB stick)
- USB to DEVICE/to HOST, S/P-DIF output, 6 Individual Outputs,
 15 Trigger Inputs, Aux In/Sampling In
- Integrated Sequencer
- Hi-hat pad on real hi-hat stand





DTX950MK



DTX

950MK

THE DTX950MK CONSISTS OF:

- DTX900M Drum Trigger Module
- HXR4LD rack

DTP900 Pad Set

- PCY135 (3 zone cymbal pad) x 2
- PCY155 (3 zone cymbal pad) x 1
- RHH135 (2 zone hi-hat pad) x 1
- KP125W (kick pad)
- CH750 (cymbal holder) x 2
- SS662 (snare stand)

DTP902 Pad Set

- XP120SD x 1
- XP120T x 2
- XP100T x 2
- CH755 (cymbal holder) x 1
- HS740A (hi-hat stand) x 1

DTX 900MK

FEEL THE DIFFERENCE

The **DTX900MK** is built around the DTX900M Drum Trigger Module and fully equipped with DTX-PAD drum pads. It is versatile and professional in every sense and feature. Although large in sounds and features, it is compact in size thanks to the RS 130, an electronic drum rack born from Yamaha's extensive drum manufacturing division.

- DTX900M DRUM TRIGGER MODULE INCLUDING 512 MB SAMPLE-RAM
- DTX-PAD SET





- DTX900M Drum Trigger Module, 1,326 Voices
- 64 note polyphony, 50 Preset Drum Kits, 50 User Drum Kits, up to 1,584 External User Kits (on USB stick)
- USB to DEVICE/to HOST, S/P-DIF output, 6 Individual Outputs,
 15 Trigger Inputs, Aux In/Sampling In
- Integrated Sequencer
- Hi-hat pad on real hi-hat stand
- RS130 rack system



THE DTX900MK CONSISTS OF:

• DTX900M Drum Trigger Module

foot pedal not included

RS130 rack

DTP900 Pad Set

- PCY135 (3 zone cymbal pad) x 2
- PCY155 (3 zone cymbal pad) x 1
- RHH135 (2 zone hi-hat pad) x 1
- KP125W (kick pad)
- CH750 (cymbal holder) x 2
- SS662 (snare stand)

DTP901 Pad Set

- XP120SD x 1
- XP100T x 3
- CH755 (cymbal holder) x 1
- HS740A (hi-hat stand) x 1

CLEVERLY SMART. GRACEFULLY POWERFUL.

The new **DTX750K** Electronic Drum Kit offers state-of-the-art drum sounds for everyone. The new DTX700 module is the powerhouse of the line. It is equipped with the newest model of the professional DTX-Pad; the 8.5 inch 3 zone pad XP80 and the 10 inch snare pad XP100SD.

■ NEW DTX700 TONE GENERATOR FEATURING 64 MB FLASH-ROM

- NEW DTX-PAD SET
- DTX700 Drum Trigger Module with 100 MB Wave-ROM, 64 MB Flash-ROM for your own samples, and 1,396 Voices
- 64 note polyphony, 60 User Drum Kits
- USB to DEVICE/to HOST, 12 Trigger Inputs, Aux In/Sampling In
- Integrated sequencer
- Hi-hat pad on real hi-hat stand
- RS700 rack system







foot pedal not included

DTX

750K

DTX750K

THE DTX750K CONSISTS OF:

- DTX700 Drum Trigger Module
- RS700 rack

- DTP750P Pad Set
- XP100SD x 1
- XP80 x 3
- KP65 (kick pad)
- SS662 (snare stand)

DTP750C Pad Set

- PCY135 (3 zone cymbal pad) x 2
- PCY155 (3 zone cymbal pad) x 1
- RHH135 (2 zone hi-hat pad) x 1
- CH755 (cymbal holder) x 1
- CH750 (cymbal holder) x 2
- HS650A (hi-hat stand) x 1



COMPACT AND COMPLETE

The new **DTX700K** Electronic Drum Kit offers the same sound as the DTX750K with the DTX700 module as its heart & brain. However, it uses the new XP70 as toms (7.5 inch) and a XP80 as a snare and thus making it even more compact while maintaining the same great professional feel & sound.



- NEW DTX700 TONE GENERATOR FEATURING 64 MB FLASH-ROM
- NEW DTX-PAD SET
- DTX700 Drum Trigger Module with 100 MB Wave-ROM, 64 MB Flash-ROM for your own samples, and 1,396 Voices
- 64 note polyphony, 60 User Drum Kits
- USB to DEVICE/to HOST, 12 Trigger Inputs, Aux In/Sampling In
- Integrated sequencer
- Hi-hat pad on real hi-hat stand
- RS500 rack system







foot pedal not included

THE DTX700K CONSISTS OF:

• DTX700 Drum Trigger Module

RS500 rack

- XP70 x 3
 - XP/U X 3

• XP80 x 1

DTP700P Pad Set

KP65 (kick pad)

- DTP700C Pad Set
- PCY135 (3 zone cymbal pad) x 2
- RHH135 (2 zone hi-hat pad) x 1
- HS650A (hi-hat stand) x 1

151

THE PERFECT STUDIO PAD SET FOR SMALL MONEY

The new DTX 562K/DTX542K Electronic Drum Kits are the perfect choice for the aspiring drummer. The DTX500 module is responsible for the pro-quality sound, while the new XP70 toms (7.5 inch) and a XP80 as a snare (8.5 inch) belong to the family of the best & most realistic drum pads ever made. Outstanding value in a professional configuration that is perfect for the studio.





DTX500 TONE GENERATOR FEATURING 449 VOICES

- DTX-PAD SNARE
- DTX-PAD TOMS
- Professional sounds with exceptional playing feel
- 3-zone Snare Pad feels like a real snare drum
- Complete silicone Tom Pad set up
- Realistic set-up incl. real hihat stand
- Remarkably low Pad noise
- Perfect for home use on headphones
- 8 training functions
- USB To Host

DTX542K

THE DRUM-KITS CONSIST OF:

DTX562K

• DTX502 Drum Trigger Module

foot pedal not included

• RS502 Rack

DTP700P PAD SET

- XP80 x 1
- XP70 x 3
- KP65 (kick pad)

DTP700C PAD SET

- PCY135 (3-zone cymbal pad) x 2
- RHH135 (2-zone hi-hat pad) x 1
- HS650A (hi-hat stand) x 1

DTX542K

- DTX502 Drum Trigger Module
- RS502 Rack

DTP700P PAD SET

- XP80 x 1
- XP70 x 3
- KP65 (kick pad)

DTP520C PAD SET

- PCY135 (3-zone cymbal pad) x 1
- PCY100 (3-zone cymbal pad) x 2
- HH65 (hi-hat controller) x 1



foot pedal not included

DTX 532K/ 522K

REAL HI-HAT ACTION IN COMPACT SIZE

The DTX532K allows true drum playing techniques to be developed. The DTX-SILICONE PAD for the snare and the hi-hat pad - mounted on a normal hi-hat stand - deliver an absolut authentic playability while the DTX500 Drum Trigger Module renders an outstanding sound. Also the new DTX522K Electronic Drum Kit leverages our existing TP-pad technology in order to bring down the size, weight & cost. The DTX532K features two 3-Zone Cymbal Pads and a hi-hat on a real hi-hat stand.



DTX500 TONE GENERATOR FEATURING 449 VOICES

- DTX-PAD SNARE
- Professional sounds with exceptional playing feel
- 3-zone Snare Pad feels like a real snare drum
- Realistic set-up incl. real hihat stand
- Remarkably low Pad noise

DTX522K

- Perfect for home use on headphones
- 8 training functions
- USB To Host



DTX532K

• DTX502 Drum Trigger Module

THE DRUM-KITS CONSIST OF:

• RS502 Rack

DTP520P PAD SET

- XP80 x 1 • TP70 x 3
- KP65 (kick pad)

DTP700C PAD SET

- PCY135 (3-zone cymbal pad) x 2
- RHH135 (2-zone hi-hat pad) x 1
- HS650A (hi-hat stand) x 1

DTX522K

• DTX502 Drum Trigger Module

foot pedal not included

• RS502 Rack

DTP520P PAD SET

- XP80 x 1
- TP70 x 3
- KP65 (kick pad)

DTP520C PAD SET

- PCY135 (3-zone cymbal pad) x 1
- PCY100 (3-zone cymbal pad) x 2
- HH65 (hi-hat controller) x 1



foot pedal not included

WELCOME TO THE TRIBE!

Welcome the beginners to drummers' special world with reasonable price and true instruments. With a 3-zone snare pad the new **DTX450K** features top marks in expression, impression, and punch. All this in a minimal size ratio makes the **DTX450K** our best drum concentrate.



- DTX400 TONE GENERATOR FEATURING 169 DRUM VOICES AND 128 KEYBOARD-VOICES FROM ITS PRO-LEVEL SIBLINGS DTX900M/700
- NEW 7.5" 3-ZONE SNARE PAD
- KICK PAD AND FOOT PEDAL INCLUDED
- 32 note polyphony, 10 Drum Kits (overwritable presets)
- USB-to-Host, 9 Trigger Inputs, Aux in
- 10 songs, training functions
- 9 reverb types
- HH65 Hi-hat controller



DTX

450K

foot pedal included

THE DTX450K CONSISTS OF:

- DTX400 Drum Trigger Module
- Rack system
- TP70S (3-zone snare pad) x 1
- 7" tom pads (1-zone Pad) x 3
- KP65 (kick pad)
- FP6110A bassdrum foot pedal
- PCY90 (1-Zone cymbal pad) x 3
- HH65 (Hi-hat controller) x 1



FITS IN EVERY ROOM

Thanks to its ultra-compact design the **DTX430K** finds a place in any room. Put your headphones on and rock like the pros in your bedroom or programming space. USB hookup makes it also easy. Affordable price with Yamaha quality.



- DTX400 TONE GENERATOR FEATURING 169 DRUM VOICES AND 128 KEYBOARD-VOICES FROM ITS PRO-LEVEL SIBLINGS DTX900M/700
- KICK PAD AND FOOT PEDAL INCLUDED
- 32 note polyphony, 10 Drum Kits (overwritable presets)
- USB-to-Host, 9 Trigger Inputs, Aux in
- 10 songs, training functions
- 9 reverb types
- HH65 Hi-hat controller
- Apps for Apple iPad/iPhone available to support your drum training





THE DTX430K CONSISTS OF:

- DTX400 Drum Trigger Module
- Rack system
- 7" snare pad (1-zone pad) x 1
- 7" tom pads (1-zone Pad) x 3
- KP65 (kick pad)
- FP6110A bassdrum foot pedal
- PCY90 (1-Zone cymbal pad) x 3
- HH65 (Hi-hat controller) x 1





DRUMS FOR EVERYONE! WELCOME TO THE TRIBE!

Even though the **DTX400K** is the smallest kit in the new DTX400 line-up it has a very special feature: Thanks to the new kick unit KU100 the playing of the bass drum is so silent that the neighbours don't have anything to complain about. Yamaha provides pleasure of playing drums to everyone.



DTX400K


- DTX400 TONE GENERATOR FEATURING 169 DRUM VOICES AND 128 KEYBOARD-VOICES FROM ITS PRO-LEVEL SIBLINGS DTX900M/700
- SILENT KICK PEDAL
- 32 note polyphony, 10 Drum Kits (overwritable presets)
- USB-to-Host, 9 Trigger Inputs, Aux in
- 10 songs, training functions
- 9 reverb types
- Apps for Apple iPad/iPhone available to support your drum training

THE DTX400K CONSISTS OF:

- DTX400 Drum Trigger Module
- Rack system
- 7" snare pad (1-zone pad) x 1
- 7" tom pads (1-zone Pad) x 3
- KU100 Kick Unit x 1
- PCY90 (1-zone cymbal pad) x 3
- Hi-hat controller x 1











Apps for iPad/iPhone available to support your drum training



No foot pedal required, kick unit included

MULTI-LEVEL, MULTI-PLAY, AND MULTI-PURPOSE!

The **DTX-MULTI 12** is the most powerful, portable, all-in-one percussion pad and suits anyone from a beginner to an expert. Use it as a miniature drum kit for gigs, or alongside your acoustic kit to extend it with percussion and sound effects. You can even add your own samples using the 64 MB of Flash-ROM – the samples remain in the instrument even if it is powered off. Convenience and Portable Power!



DTX-

MULTI 12

- 5 additional Trigger Inputs
- 1,277 Drum- & Percussion Voices
- 64 voices of polyphony
- 50 Preset and 200 User Drum Kits
- Integrated Sequencer
- USB to Host/USB to Device
- Stick-, Hand-, and Finger-Mode
- AUX In for external audio signals (CD/mp3-player)
- Yamaha Hardware Integration: MAT1 and PS940 hardware stand









PERSONAL STYLE? HOW ABOUT A PERSONAL KIT?

Perhaps you prefer to have your drums mounted on traditional stands instead of a rack system - we can help you get to wherever you may be headed. We have arranged nine different sets of DTX kits and pads onto our renowned professional System Hardware, from a very basic set to accompany your acoustic drum kit to a full-blown mammoth kit. Build, mix, match ... Have it all!

DTX SYSTEMS

DTX ON SYSTEM HARDWARE

9 DIFFERENT SETUPS IDEAS:

• Traditional

Essential

Powerful

• Essential Multi

Studio

• Essential Multi Extension

Heavy

• Multi 12 Travel

Technical

AND THOUSANDS OF YOUR OWN INDIVIDUAL IDEAS!

POWERFUL









■ ESSENTIAL




ESSENTIAL MULTI

TECHNICAL









ENJOY THE SOUND

Our DTX monitor systems are designed to perfectly fit with the DTX Electronic Drum range. The satellite speakers fit directly onto the rack systems. The addition of a subwoofer provides the widest possible depth of sound. These Monitor systems are perfect for home rehearsal or as stage monitor systems that will project the full power of your performances. There are three systems with a variety of power levels available: MS40DR, MS50DR, and MS100DR.

- SATELLITE SPEAKERS FITS ONTO RACK SYSTEM
- NATURAL STEREO WITH RICH LOW FREQUENCY SOUND WITH SATELLITE SPEAKERS AND SUBWOOFER
- COMPACT SIZE AND EASY TO OPERATE

MS40DR:

- 2 x 20 W 2-way satellites plus 40 W subwoofer
- Speaker units: Satellite speakers: Tweeter 3/4" dome Midrange: 3" cone
- Subwoofer: 6,5" cone

MS100DR:


- 2 x 40 W 3-way satellites plus 100 W subwoofer
- Satellite speakers: Tweeter 1" dome Midrange 2" cone Woofer: 4" cone
- Subwoofer: 10" cone

MS50DR:

- 2 x 20 W 3-way satellites plus 50 W subwoofer
- Speaker units: Satellite speakers: Tweeter 1" dome Midrange: 2" cone Woofer: 4" cone
- Subwoofer: 8" cone









MS50DR Drum Monitor System MS100DR Drum Monitor System



MS

MONITOR

SYSTEMS

SPAT1 Speaker Attachment

ACCESSORIES

The MAT1 is the holder for the DTXMULTI 12. Attach it to the Multipad to mount it on a stand or Yamaha



DOUBLE FOOT PEDAL The DFP9500C is Yamaha's top of the range double bass drum pedal featuring a double chain drive for acoustic Drums and DTX Drums. This pedal is smooth, quick

The **PS940** is perfect for stand mounting your DTX-MULTI 12 Percussion Pad alonaside hand percussion or up next to your kit.

TRIGGER DT10 / DT20

Electronic drum triggers, compact design, shock-resistant design to mount directly onto a drum shell or drum head attachment.



and responsive. SINGLE FOOT PEDAL

The **FP9500C** is Yamaha's top of the range bass drum pedal featuring a double chain drive for acoustic Drums and DTX Drums. This pedal is smooth, quick and responsive.

DOUBLE FOOT PEDAL DFP9500CL: Left-foot model of the DFP9500C.



TOM HOLDER

- RCL500
- CL940B
- TPCL500





CYMBAL ARM

- CYAT500
- RCL500 • CH755



MODULES

DTX900M





HIHATS

 HS740A HS650A



CYMBALS

- PCY155 PCY135
- PCY100
- PCY90AT • RHH135



KICKS

- KP125W • KP65
- KU100



SNARES

- XP120SD XP100SD
- XP80 TP70S



TOMS

- XP120T XP100T
 - XP70 • TP70



RACK SYSTEMS

- HXR4LD
- RS700
- RS502
- RS130


















WWW.YAMAHA-EUROPE.COM



DAVID GARIBALDI

The Ultimate In Design

Yamaha's flagship PHX-Phoenix drum kit has been developed and handcrafted after years of extensive research at Yamaha's new drum laboratory. Working with world leading Artists, Sound Engineers and Drum Technicians, the aim was to build the best possible sounding drum kit. Using Yamaha's 40 years of craftsmanship know-how, we completely re-designed and improved all the elements of the drum, in order to create the ultimate in quality and in appearance.



• Shell:

• Bearing edge:

• BD head Front:

• FT/TT head Top: Head: Top Clear Ambassador, Bottom: Clear Ambassador

• SD head Top:

• Lug:

• Hoop:

Aluminum Die-Cast hoops

Hook Lug

• Mount: Y.E.S.S. II (Yamaha Enhanced Sustain System)

Hybrid shell (Kapur, Jatoba, Maple, Ash)

White PS3 with Yamaha logo, Batter: PS3 Clear

Coated Ambassador, Bottom: Snare Ambassador


30 degree with different radiuses

(only 18" BD, Coated Ambassador)


THE SHELL


PHX

ASH VERSION (11-PLY)



MAPLE VERSION (11-PLY)





FINISHES

availability on request





Black Cherry SB



Polar White



Sapphire Fade (SPF)



Garnet Fade



	BD						
DIAMETER	24"	24"	22"	22"	20"	20"	18"
X DEPTH	x18"	x16"	x18"	x16"	x18"	x16"	x14"
MODEL	PHXB2418	PHXB2416	PHXB2218	PHXB2216	PHXB2018	PHXB2016	PHXB1814

Land Street	BD (R-Version	BD (R-Version without Pipe clamp)										
DIAMETER	24"	24"	22"	22″	20"	20"						
X DEPTH	x18"	x16"	x18"	x16"	x18"	x16"						
MODEL	PHXB2418R	PHXB2416R	PHXB2218R	PHXB2216R	PHXB2018R	PHXB2016R						

	FT			TT				
DIAMETER	18"	16"	14"	16"		14"		
X DEPTH	x16"	x15"	x13"	x13"	x14"	x11"	x12"	
MODEL	PHXF1816	PHXF1615	PHXF1413	PHXT1613	PHXT1614	PHXT1411	PHXT1412	

	тт							
DIAMETER	13"	13"	12"	12"	10"	10"	8"	8"
X DEPTH	x9"	x10"	x8"	x9"	x7"	x8"	x7"	x8"
MODEL	PHXT1309	PHXT1310	PHXT1208	PHXT1209	PHXT1007	PHXT1008	PHXT0807	PHXT0808

Choice of Gold or Chrome Hardware



QUALITY & CUSTOMIZATION

The Yamaha Absolute range has become the industry standard since it was introduced, because of its wide tuning and dynamic range; with new specification coming from the PHX design, including the new Y.E.S.S.-II mounting system, additional airholes and the option of a newly-designed hook lug. With a choice of Maple or Birch shell, along with some hot new finishes, the Absolute Maple-Series is perfect for any musical style.

MAMAY

• Shell: 100% Maple or 100% Birch

(7-ply BD and 6-ply FT/TT)

• Bearing edge: 45 degree/R1

• BD head Front: Ebony PS3 with Yamaha Logo/

Batter PS3 Clear

• FT/TT head Top: Top: Clear Emperor,

Bottom: Clear Ambassador

• SD head Top: Top: Coated Ambassador

Bottom: Snare Ambassador

• Lug: Hook Lugs or Classic Absolute Lugs

• Hoop: Aluminum Die-Cast hoops

Mount: Y.E.S.S.II (Yamaha Enhanced Sustain System)



CUSTOMIZED QUALITY

Your choice between the classic Absolute Lugs or the innovative Hook Lugs adapted from our PHX-Series, and between 24 stunning finishes.



OYAMAHA

						BIK	CH CUSIOM	AB:
	BD							
DIAMETER	24"	24"	24"	22"	22"	22"	22"	
X DEPTH	x18"	x18"	x16"	x20"	x20"	x18"	x18"	
MODEL	MAB2418/H	MAB2418R/HR	MAB2416/H	MAB2220/H	MAB2220R/HR	MAB2218/H	MAB2218R/HR	
	BD						A	
DIAMETER	20"	20"	20"	18"	18"	-	-	
X DEPTH	x18"	x18"	x16"	x14"	x14"			
MODEL	MAB2018/H	MAB2018R/HR	MAB2016/H	MAB1814/H	MAB1814F/HF			
	FT			тт				
DIAMETER	18"	16"	14"	16"	16"	14"	14"	
X DEPTH	x16"	x15"	x13"	x14"	×13"	x12"	x11"	
MODEL	MAF1816/H	MAF1615/H	MAF1413/H	MAT1614/H	MAT1613/H	MAT1412/H	MAT1411/H	
	тт							
DIAMETER	13"	13"	12"	12"	10"	10"	08"	
X DEPTH	x10"	x09"	x09"	x08"	x08"	x07"	x07"	
MODEL	MAT1310/H	MAT1309/H	MAT1209/H	MAT1208/H	MAT1008/H	MAT1007/H	MAT0807/H	



ABSOLUTE

SERIES



ABSOLUTE SERIES FINISHES

CLASSIC FINISHES



Red Pearl Natural (09)







Cherry Wood (04)



Cherry Black Fade (51)



Solid Silver (64)



Matte Natural (65)



Deep Blue (62)





Embossed

VINTAGE FINISHES



Vintage Black (02)





Vintage Natural (01)

White Marine Pearl

Silver (56)

ABSOLUTE

SERIES

Luminous White Sparkle (63)

SPARKLE FINISHES







Black Sparkle (08)



Black Sparkle SB (29)

(46)








Apple Sparkle Fade (28)

(57)

Blue Sparkle

Blue Ice Sparkle

Caramel Sparkle (58)





White Grape Sparkle (59)

Midnight Sparkle (52)

Midnight Sky Blue (61)

THE LEGEND IN NEW FINISHES!

The RECORDING CUSTOM is probably THE MOST SUCCESSFUL DRUM SERIES IN THE HISTORY OF STUDIO RECORDING. It has been recognized as the benchmark for studio sets FOR OVER 25 YEARS. It was also the first series to utilize our many years of experience in high gloss lacquer finishes.

100% Birch (7ply BD and 6Ply FT/TT)

BD922YJ

x16"

BD922Y

BD922YT

TT914YJ

TT914Y



• Shell:

• Lug:

• Hoop:

SIZES:

JAZZ SIZE X DEPTH

STANDARD SIZE X DEPTH

NUMBER OF TUNING BOLTS

TURBO SIZE X DEPTH

POWER SIZE X DEPTH

NUMBER OF TUNING BOLTS

DIAMETER

MODEL

MODEL

DIAMETER STANDARD SIZE X DEPTH

MODEL

Mount:

• Bearing edge:

60 degree R3 Stage Head with Yamaha Logo and • BD head Front:

big hole, Batter clear Pinstripe

• FT/TT head Top: Top: Clear Pinstripe, Bottom: Clear Ambassador High tension lugs

x14"

BD926YJ

TT916Y

Triple Flange Steel hoops Y.E.S.S.

BD924YI

x16"

BD924Y

x18"

BD924YT

x12"

TT915YJ

TT915Y

FT918Y

x7.5"

TT910YJ

TT910Y

FT916Y

TT908Y

FT914Y

x14"

BD918YI

TT912YJ

x14"

BD920YI

x16"

BD920Y

x18"

BD920YT

TT913YJ



RECORDING

CUSTOM



FINISHES





Solid Black



Antique Sunburst

Deep Blue

LIVE CUSTOM

LIVE FROM THE YAMAHA FACTORY

FOR 35 YEARS WE HAVE INSPIRED PROFESSIONAL DRUMMERS WITH OUR LEGEND-ARY RECORDING CUSTOM DRUMS, IT IS THE MOST RECORDED DRUM SET IN HISTORY ON THE MARKET.

Now we have combined feedback from our enviable artist stable, professional sound engineers and the knowledge of our craftsmen and we are very proud to introduce the all new Live Custom series. A drum set built to satisfy the demands of a performing drummer, made from 100% Oak with a lot of new features that include a new bass drum mount, new claws, new snare strainer, four new stunning finishes, black nickel plated hardware, a thicker bass drum shell and a black finished shell interior. Live Custom is destined to be a legendary drum kit.







• Mount:







New BD Claw

Diameter x Depth

Dark Hardware

Y.E.S.S. (Yamaha Enhanced Sustain System)

New FT Bracket

8"x7"

LNT0807

14"x5 1/2"

LNS1455

New Strainer

SIZE	BD					
Diameter x Depth	24"x18"	22"x18"	22"x16"	20"x14"	20"x16"	18"x14"
	-	LNB2218	LNB2216	LNB2214	LNB2016	LNB1814
R version without pipe clamp	LNB2418R	LNB2218R	-	-	-	-
he from	11-3					
SIZE	FT					
SIZE Diameter x Depth	18"x16"	16"x15"	14"x13"			

TOM PACK	FT	тт	тн	
LNP6F3	LNF1615	LNT1208	LNT1007	TH945B
	LNT1413	LNT1208	LNT1007	TH945B

13"x9"

LNT1309

12"x8"

LNT1208

10"x7"

LNT1007

16"x13"

LNT1613

14"x11"

LNT1411





Amber Shadow

Sunburst



Black Shadow

Sunburst





Emerald Shadow Sunburst

Black Wood

WELCOME TO THE CLUB

The **CLUB CUSTOM** is a totally new concept in drum design, producing a completely new and exciting sound. Boasting a dramatic and eye-catching retro appearance, and designed in partnership with legendary drummer and Yamaha artist Steve Jordan, the kit offers a unique sound and feel, thanks to a groundbreaking 'swirl lacquer' finish. This technique is not solely cosmetic; it delivers a real practical sonic advantage allowing the Kapur shells to more effectively vibrate, delivering extra flexibility for the creative drummer.

• Shell: 100% Kapur 6-ply
• Bearing edge: 60 degree/R3

• BD head Front: White PS3 with Yamaha logo,

Batter: PS3 Clear (only 18" BD, Coated Ambassador)

FT/TT head Top: Coated Ambassador, Bottom: Clear Ambassador
 SD head Top: Coated Ambassador, Bottom: Snare Ambassador

• Lug: Separate small lug (Oak lug)

• Hoop: Steel 1.6 mm triple flange hoop (TT/FT/SD)

Wood hoop (BD)

Mount: Y.E.S.S. mount (Yamaha Enhanced Sustain System)



CLUB

CUSTOM





BLACK WOOD

SIZES:

	BD						FT			тт			
DIAMETER	24"	22"	22"	20"	20"	18"	18"	16"	14"	13"	12"	10"	8"
X DEPTH	x15"	x15"	x15"	x15"	×15"	×15"	x16"	×15"	x13"	x9"	x8"	x7"	x7"
MODEL	CCB2415R	CCB2215R	CCB2215	CCB2015R	CCB2015	CCB1815	CFT1816	CFT1615	CFT1413	CTT1309	CTT1208	CTT1007	CTT0807
NUMBER OF TUNING BOLTS	10	10	10	10	10	8	8	8	6	8	6	6	5



@ YAMAHA

As with the introduction of Stage Custom in 1995 Yamaha once again sets the standards of value and sound. By borrowing from our legendary recording Custom drums, we are proud to introduce new 100% Birch Shell Stage Custom. The set comes with our road-proven 700 series hardware. Recently, we've managed to improve this world-renowned series by making it available with our new double-braced hardware set: HW680W.

Shell: 100% Birch shellBearing edge: 45 degree

• BD Head / Front: Yamaha Logo Ebony Ambassador,

Batter Yamaha Clear Ambassador

• FT/TT Head: Top: Yamaha Clear Ambassador, Bottom: Yamaha Clear Diplomat

• SD Head: Top: Coated Ambassador Bottom: Snare Ambassador

• Lug: Separate Lug

• Hoop: Triple Flange Steel hoops

• Mount: Y.E.S.S.



FINISHES



Raven Black



d Cranberry (CR)







Honey Amber (HA)

SPECIAL FINISHES (availability on request)

STAGE

CUSTOM

BIRCH



Dark Silver Metallic (DSM)







 	11	

BD				FT		
24"x17"	22"x17"	20"x17"	18"x15"	18"x16"	16"x16"	14"×14"
BBD624U	BBD622U	BBD620U	BBD618U	BFT618	BFT616	BFT614
8	8	8	8	8	8	6
TT						
16"x14"	14"x12"	13"x10"	12"x9"	10"x8"	8"x7"	
BTT616	BTT614	BTT613U	BTT612U	BTT610U	BTT608J	
8	6	6	6	6	5	
	24"x17" BBD624U 8 TT 16"x14" BTI616	24"x17" 22"x17" BBD624U BBD622U 8 8 TT 16"x14" 14"x12" BTT616 BTT614	24"x17" 22"x17" 20"x17" BBD624U BBD622U BBD620U 8 8 8 8 TT 16"x14" 14"x12" 13"x10" BTG16 BTG14 BTG13U	24"x17" 22"x17" 20"x17" 18"x15" BBD624U BBD622U BBD620U BBD618U 8 8 8 8 8 TT 16"x14" 14"x12" 13"x10" 12"x9" BTG16 BTG14 BTG13U BTG12U	24"x17" 22"x17" 20"x17" 18"x15" 18"x16" BBD624U BBD622U BBD620U BBD618U BFT618 8 8 8 8 8 TT 16"x14" 14"x12" 13"x10" 12"x9" 10"x8" BTT616 BTT614 BTT613U BTT612U BTT610U	24"x17" 22"x17" 20"x17" 18"x15" 18"x16" 16"x16" BBD624U BBD622U BBD620U BBD618U BFT618 BFT616 8 8 8 8 8 TT 16"x14" 14"x12" 13"x10" 12"x9" 10"x8" 8"x7" BTG16 BTG14 BTG13U BTG12U BTG10U BTG10U BTG08J

SETS*	BD	FT	TT	TH	SD
Set No.: SCB2FS51	BBD622U	BFT616	BTT610U	THB945B	BSD0655
Set No.: SCB0F51	BBD620U	BFT614	BTT610U	THB945B	BSD0655

	том том	CYMBAL STAND	HI-HAT STAND	SNARE STAND	FOOT PEDAL
Set No.: SCB12HW	BTT612U	CS755 x 2	HS740A	SS740A	FP7210A

^{*} A set consists of: Shell Box (SCB2FS51 or SCB0F51) and HW with 12" Tom Box (SCB12HW)

TAKES YOU TO NEW LEVELS

The Yamaha GIGMAKER drum kit is a not only great place to begin drumming but it has been designed to take you to the next level. The GIGMAKER doesn't just look good with it's sparkle colour finishes; the 5-piece drum set has been designed to be versatile for any style of music. It is available in two configurations and matched with Yamaha's built to last double braced hardware.

@YAMAHA

■ BL∧CK











BLUE ICE GLITTER





THE SNARE DRUM - THE HEART OF EVERY DRUM SET.

The snare is extremely important in a set-up, therefore completely different standards are applied during the design and production than for any other drum. After having lots of signature artist snares in the last 25 Years we discontinued all of them and will come up with limited Artists Models in the near future. Until then you have the chance to choose from of a huge variety of Steel, Copper, Brass and lots of different Wood Snares, including some mountable side snares.



SENSITIVE

The maple Sensitive Snares have been remodelled and now offer even more attractive features. What you see right away are the great new finishes (8 to choose from!) and chrome Lugs. What you hear right away are the precise attack and clearly defined tone produced by our innovative combination of 60° upper and 45° lower bearing edges.

COLOURS: Red Pearl Natural, Cherry Wood, Sea Blue, Black Maple, Turquoise Maple, Vintage Natural, Tobacco Sunburst, Amber Sunburst.

MSD1455 14" X 5,5" MSD1465 14" X 6,5" MSD1365 13" X 6,5"



LOUD

The new Oak snares are here in brand new finishes, with YD-Chrome offset Lugs and 9 sustain-reduction vents, making them first choice for a sound that rocks.

COLOURS: Matte Natural Oak, Musashi Black, Red Oak, Black Sparkle Sunburst, Blue Sparkle Sunburst, Habanero Sparkle.

NSD1455 14" X 5,5" NSD1470 14" X 7"



VINTAGE

The Heritage of 40 Years experience in crafting drums! A slim 4-ply maple shell and 6-ply reinforcement ring produce the rich open tone of the best of vintage kits of yesteryear.

COLOURS: Vintage Natural, Vintage Black, Vintage Red, Vintage Brown VSD1460 14" X 6"



■ ∧BSOLUTE

MAPLE CUSTOM

All Maple 6-ply, 6mm. Maple Custom snares are highly popular with top drummers throughout the world. Maple is distinguished by its warm tone, broad dynamic range and outstanding sustain. **COLOURS:** Available in all Absolute-Series colours

MAS1460H	14"	X	6"	HOOK L	JG	S
MAS1440	14"	X	4"	ABSOLU	ΓΕΙ	LUGS
MAS1460	14"	X	6"	ABSOLU	ΓΕΙ	LUGS
MAS1470	14"	X	7"	ABSOLU	ΓΕΙ	LUGS

BIRCH CUSTOM

All Birch 6-ply, 6mm. With the Birch Custom Absolute-Series the characteristics of birch are exploited to the full. These snares produce a sharp sound with solid highs. **COLOURS:** Available in all Absolute-Series colours

BAS1460H	14" X 6" HOOK LUGS
BAS1460	14" X 6" ABSOLUTE LUG
BAS1470	14" X 7" ABSOLUTE LUG



MUSASHI

7-ply Oak. The Musashi snare drums were named after honourable Samurai. The shells in this series are relatively small in circumference but unusually deep for these sizes. They produce a sharp attack and a full-bodied sound that knows how to assert itself. The NSD1260MBGW comes with a "Russ Miller Groove Wedge". **COLOUR:** Musashi Black

METAL

We have now also modified our Standard Snare range, fitting some of the drums with Nouveau lugs. In addition, 10 and 12 inch steel snares are available.

STEEL 10" X 5,5"	SD2055	BRASS 13" X 4"	SD4340	COPPER 14" X 4"	SD6440
STEEL 12" X 4"	SD2240	BRASS 13" X 5,5"	SD4355	COPPER 14" X 5,5"	SD6455
STEEL 12" X 5,5"	SD2255	BRASS 13" X 6,5"	SD4365	COPPER 14" X 6,5"	SD6465
STEEL 13" X 4"	SD2340	BRASS 14" X 4"	SD4440		
STEEL 14" X 5,5"	SD2455	BRASS 14" X 5,5"	SD4455	ALUMINIUM 14" X 5,5"	SD3455
STEEL 14" X 6,5"	SD2465	BRASS 14" X 7"	SD4470	ALUMINIUM 14" X 6,5"	SD3465










181

THE RETURN OF A LEGEND. Yamaha Drums proudly introduces the HEXRACKII.

Our new versions of the hexagonal rack give you 100% compatibility with the first generation of Hexrack, but with a MUCH LOWER PRICE. **HEXRACK II** provides huge flexibility and there are no creative limits in setting up stunning and eye-catching drumsets. Not only is the HEXRACK II more affordable than ever before, it is also much lighter in weight due to it being made of high-strength aluminum.



HXCP44II, HXCP36II, HXCP24II curved pipes



HXTL30II, HXTL23II T-shaped leg for HexRackII



HXR2LII



HXR2LII + HXREXII





HXCCII The cross clamp is used to connect two hexagonal tubes at 90-degree angles (for example, to connect a leg tube with a tube that has beenhorizontally set).



HXTCII This clamp attaches a tom clamp (CL945B, etc.) or cymbal holder (CH755, etc.) to the hex-shaped pipe and is compatible with 22.2 mm diameter pipes. Its vertical angle is freely adjustable.

YAMAHA FOOTPEDALS - FEEL, SPEED AND RELIABLE QUALITY

In close cooperation with international Top artists Yamaha have created a series of new foot pedals. Equipped with a new frame structure, an additional sub-frame, the pedals deliver greater stability and durability. Drummers will experience smoother and more stable movement. Improved bearings, foot plate, Bass drum hoop clamp and beater sum up the new frech appearance of the FP9500 & FP8500 pedals. Available with direct- or double chain drive. FP9500D and DFP9500D have direct drive. The pedals each come in handy protective soft bags. The base plate can be folded up, allowing space-saving storage of the pedals.









HARD

WARE



Double Foot Pedal, Drive: double-chain, base plate



FP9500C



FP7210∧

DFP9500C

Double Foot Pedal

DFP9500CL

DFP9500D

Double Foot Pedal,

Drive: direct drive, slim base plate

ditto but left-foot version

the extremely affordable alternative, without having to sacrifice the typical Yamaha hardware quality.

Single Foot Pedal, Drive: chain, no base plate



FP9500D

Single Foot Pedal Drive: direct drive, slim base plate





BT810A














SNARE STANDS

187

HARD-

TOM HOLDERS

BOOM COWBELL HOLDER

CWH940

Yamaha offers a variety of pre-packed hardware sets.



HW880 double braced

consists of: 2x CS865 Cymbal Boom stand HS850 HiHat stand SS850 Snare stand FP8500C double chain drive pedal



HW680W double braced light weighted version

consists of: 2x CS665 Cymbal Boom stand HS650W HiHat stand SS650W Snare stand FP7210A chain drive pedal



HARDWARE PACKAGES

HW780 single braced

consists of: 2x CS755 Cymbal Boom stand HS740 HiHat stand SS740 Snare stand FP7210A chain drive pedal



HW680 single braced light weighted version

consists of: 2x CS665 Cymbal Boom stand HS650 HiHat stand SS650 Snare stand FP6110 belt drive pedal



LC810∧



CLOSED HI-HAT

■ CHH930





