

Yamaha Music Europe GmbH · Siemensstr. 22-34 · 25462 Rellingen/Germany www.yamaha.com

The descriptions and photos in this brochure are for information only. YAMAHA reserves the right to change the products and technical data at any time without notice. As the technical data may vary from country to country, please obtain information from your Yamaha subsidiary. No liability is accepted for printing errors. Status: December 2023.





Genos2

F

*

0

0

YOUR NEXT MASTERPIEGE

Pushing the boundaries of Arranger Workstation sound, our new flagship, Genos2, includes the legendary DX7 FM technology, cutting-edge Ambient Drums and Steinberg's acclaimed REVelation Reverb. With Style Dynamics Control you're in charge of the energy and dynamics of all 800 preset Styles, bringing a whole new musical dimension to Style playing. Together with the new brighter, anti-reflective display and Live Control LEDs, the features of Genos2 combine to deliver the richest of musical experiences.







More than 1900 Voices and 800 Styles



S.Art2 Voices remain cutting edge in terms of their playability and realism, providing articulations and legato joins unparalleled in any hardware keyboard instrument. There are even more to choose from in Genos2, covering not only the full orchestral palette but also more ethnic flavors such as Duduk, Shakuhachi and Celtic Flute perfect for Movie scores.

With over 1900 of the highest quality Voices and 800 Styles with One Touch Settings covering a vast array of musical genres, you will immediately be inspired to play your favorite songs or even create new musical ideas and compositions. Over 200 Styles are brand new, with all existing Styles being fully upgraded to use new Voices and effects, including FM tone generation and the ability to use Ambient Drums and Style Dynamics Control. The result is a high-end professional production.

One of the most important sounds for any keyboard player is the Piano, so we have not only added new Pianos, but also reprocessed existing Pianos to a much higher quality. The CFX, being Yamaha's flagship grand piano, now has more dynamic layers, 88 keys sampling and double length samples compared to its predecessor. In addition, we can choose from a Character Grand, which is a German 1980s well played-in piano, giving a more edgy yet rounded sound, perfect for Pop and Jazz music. The U1 Upright being Yamaha's top end Upright piano has been tuned to provide a contemporary flavor for modern Pop songs. If it's a more cinematic sound you're looking for, you can try the rich melancholy sound of the new Felt Piano.

Legendary FM Synthesis



In an Arranger Workstation first, Genos2 features a dual engine tone generator with not only AWM technology but now also FM synthesis.

FM has a rich, dynamic sound and powered Yamaha's legendary DX7, an instrument which defined the sound of the 1980s. The iconic DX7 presets and a range of new, modern FM Voices are integrated into the Styles and One Touch Settings and available to play at the touch of a button, bringing a warm, fresh sound to Genos2.


MPAGIFUL

Ambient Drums



controller, you can choose anything between a punchy, dry, direct drum sound to a more distant, reflective, your Style playback. Drums are the backbone of any rhythm section so to have this level of control of the Drum is now yours. sound will really enhance your playing experience.

Style Dynamics Control



With the new Ambient Drums and using a single Live For the first time in an Arranger Workstation the energy and dynamics of all Styles, including User Styles, can be adjusted using a simple Live controller. Whether you ambient room sound, providing endless possibilities for want your backing band to play at a soft pianissimo level, a hard fortissimo level or anything in between, the choice

REVelation Reverb



Reverb is often overlooked but we experience it around us everyday. In Arranger Workstations, reverb is used on Voices, Styles, MIDI Songs, Multi-Pads and the Mic Input, which is why introducing REVelation Reverb from Steinberg has such a big impact on the sound of Genos2.

REVelation is extremely high resolution, resulting in a transparent, natural sound, making it the perfect partner for an Arranger Workstation where the reverb must work. across a wide range of Voices, Styles and even vocals.



INTUITIVE

Controllers, now with LEDs

The knobs and sliders are a convenient way to control many aspects of your performance. Genos2's updated Live Control surface now has LEDs to indicate, at a glance, the position of controls, which now also include a 'catch' function, reducing the risk of unintended operation during performance.



Big, bright and clear displays

At the center of Genos2's operation is the large 9-inch touch screen which is now brighter, includes an anti-reflective coating and has been tilted an additional 5 degrees towards the player. Additionally, the sub-display now includes selectable light and dark modes. So whether you're performing indoors, outdoors or under stage lighting, the Genos2 displays will be clearly visible.



Playlist

Playlist is the best way to organize Registration Memory banks into convenient Playlists for instant recall during performance. With the updated user interface, Playlist entries can be sorted A to Z, or Z to A, you can jump alphabetically through Playlist records as well as filter for a specific term in the records.

If you are importing MusicFinder records from an older instrument, the Style name will be automatically included in the new Playlist record name.

🕊 Voic	Preset User 🖋 ★	Care Care Search
	Revo Drums RockDrumKit	Revo Drums JazzBrushExpanded
	Revo Drums	Revo Drums
	PopDrumKit	JazzBrushKitComp
Woodwind	VintageOpenKit2	StandardKit2
	Revo Drums VintageMutedKit	BrushKit
		UUSIKI
	JazzStickKit2	RockKit3
DrumKit		τ.
Preset:/Leg		

INSPIRING

Vocal Harmony

Vocal Harmony presets, including standard duet, jazzy quartet, big choir and more, can be applied to your voice, adding multiple harmony parts and effects.

Be creative with the Synth Vocoder, manipulating synthesized sounds just by singing into a mic. Vocal Harmony gives the performer a wide range of vocal expression and possibilities which can be enjoyed at home or on stage.



Lyrics display

Connect your Genos2 to an external display or TV using the new HDMI port.

Perfect if you're entertaining a crowd or hosting a party, you can instantly show the lyrics of your MIDI and Audio songs for everyone to see and sing-along.

In addition, you can also mirror the main display or view a musical score, which can be useful if you're playing in a duo or band.



Chord Looper

The new panel buttons provide quick access to recording and playing back chord sequences in realtime. Whether you wish to free up your left hand to play full piano, build up sections of a song or practice a difficult piece of music, the Chord Looper enables you to store up to 8 chord sequences in each bank for easy access during your performance.

You can create an unlimited number of banks with your own chord progressions, or choose from a range of built-in presets.



POWERFUL

With it's powerful Voices, Styles, DSP and functionality, Genos2 is a versatile Arranger Workstation you can rely on whether it's being used at Home, on Stage or in the Studio.













DISCOVER, GREATE, INNOVATE

MIDI Song to Style



The magic begins by dragging and dropping your MIDI file into the application. In Easy mode, the conversion to a Style is automatic. Simply save the result and play the Style on your Arranger Workstation. In Edit mode you can personalize how your Style is created. For example, choose which tracks from the MIDI file should be used in your Style. Specify which regions of the MIDI file are used to make each of the style sections, or even revoice and remix to craft your perfect Style.

The application is free of charge and available for download from www.yamaha.com/2/midisong_to_style

USB Audio



The new USB Audio Interface allows for studio-quality audio to be recorded using the Rec'n'Share app or any DAW with just a single USB cable. Great for sharing your performance with your friends or for high quality music production.

Bluetooth® Audio



With your Bluetooth[®] device connected wirelessly to Genos2, you can enjoy to play along with your favorite songs or even record everything you hear, using the onboard audio recorder.



YOUR BENEFITS

Premium Pack

Genos2 includes Expansion memory, which means new Voices and Styles can be added in the future. By simply registering your Genos2, you can download the DX7 Pack, which adds to the preset Voices, completing the collection of 128 original Voices from DX7. In addition to exclusive expansion packs for Genos2, there's already a growing library of free Voice & Style Expansion packs for you to choose from. The packs providing everything from new Voices, Styles, One Touch Settings to Multi-Pads, enabling you to personalize your Genos2's content.



Voice&Style Expansion

Extended Warranty

Yamaha instruments are designed and meticulously crafted to inspire the player and deliver a lifetime of musical enjoyment. And as a premium brand, we offer a 5-year extended warranty for your new Genos2. To receive the extended warranty just register your instrument.











Bonus Playlists

With these bonus playlists you will have pre-arrange settings in Genos2, ready to play 1000+ songs of all genres.



flowkey

Register and enjoy three months of premium access to flowkey: one of the world's most popular apps for learning to play the piano. It's the ideal companion for all those starting or rediscovering their musical journey. Choose your favourite pieces from a wide range of interactive songs and start playing right away or take advantage of the many tutorials.



(2)



Top Panel

- ① [也] (Standby/On) switch
- [MASTER VOLUME] dial
- 3 [MIC GAIN] knob 4 MIC buttons
- 5 UPPER OCTAVE buttons
- 6 [ART. 1]/[ART. 2]/[ART. 3] buttons
- Joystick, [JOYSTICK HOLD] button
- 8 [PHONES] jack
- 9 Cross Fader
- **1** SONG A/SONG B buttons

- [] [RECORDING] button
- 12 STYLE CONTROL buttons
- CHORD LOOPER buttons
- [TAP TEMPO]/TEMPO buttons
- TRANSPOSE buttons
- 16 LIVE CONTROL (view/knobs/sliders)
- Touch LCD and related controls
- 18 Gateway buttons
- ASSIGNABLE [1]-[3], [A]-[F] buttons
- DIRECT ACCESS button

- REGISTRATION MEMORY buttons
- ONE TOUCH SETTING buttons
- 23 MULTI PAD CONTROL buttons
- 24 VOICE SELECT buttons
- 25 PART ON/OFF buttons
- (HARMONY/ARPEGGIO) button
- 2 [SUSTAIN] button
- 23 [USB TO DEVICE] terminal

Rear Panel and Bottom

- 29 Slots (TO RIGHT SPEAKER) jack
- 3 [HDMI] terminal
- (USB TO DEVICE) terminal
- (USB TO HOST] terminal
- 34 MIDI terminals
- (TO SUB WOOFER] terminal
- 36 LINE OUT jacks
- 3 AUX IN jacks
- ASSIGNABLE FOOT PEDAL jacks

- MIC INPUT jack
- 40 [+48V] switch
- 4 AC IN jack
- (TO LEFT SPEAKER] jack
 - (USB TO DEVICE) terminal
 - (underneath the instrument)



V


Specifications

Size/Weight Dimensions (W × D ×	Н)	1,234 mm × 456 mm × 151 mm (48-9/16" × 17-15/16" × 5-15/16")	Multi Pads Number of Multi Pa
Weight Control Interface		14.2 kg (31 lb, 5 oz)	Audio Link
Control Internace	Number of keys	76	Functions
Keyboard	Туре	Organ (FSX), Initial Touch/Aftertouch	Voices
	Touch Response	Normal, Easy1, Easy2, Soft1, Soft2, Hard1, Hard2	V01065
	Joystick Knobs	Yes (Assignable) 6 (Assignable, with LED gauge)	
Other Controllers	Sliders	9 (Assignable, with LED gauge), Cross Fader	Styles
	Assignable buttons	9 (A-F, 1-3)	
	Articulation buttons	ART. 1, ART. 2, ART. 3	Songs
	Туре	TFT Color Wide VGA LCD	
Main Display	Size	800 × 480 dots, 9 inch Yes	Multi Pads
	Touch Screen Language	English, German, French, Spanish, Italian	Registration Memo
	Туре	VA LCD (LIVE CONTROL View)	Playlist
Sub Display	Size	512 × 48 dots	Search
	Language	English	Demo
Panel	Language	English	
Voices Tone Generator		AWM Stereo Sampling, AEM technology, FM	
Polyphony (max.)		384 (128 for Preset AWM Voices + 128 for Expansion AWM Voices + 128 for FM Voices)	Overall Controls
	Number of Voices	1,991 Voices + 75 Drum/SFX Kits	o totali o ottaloio
Preset	Featured Voices	106 S.Articulation2, 437 S.Articulation, 141 FM, 123 MegaVoice,	
		25 OrganFlutes, 11 Ambient Drums/SFX, 11 Revo Drums/SFX	
O	Ensemble Voices	95	Manallana
Compatibility Keyboard Parts		XG, GM, GM2 (for Song playback) Right 1, Right 2, Right 3, Left	Miscellaneous
Effects		Right 1, Right 2, Right 0, Ear	Storage and Conne
	Reverb	85 Preset + 30 User	Storage
	Chorus	107 Preset + 30 User	Storage
	DSP	Variation: 363 Preset (with VCM) + 30 User, Insertion 1–28: 363 Preset (with VCM) + 30 User	
Types	Master Compressor Master EO	5 Preset + 30 User 9 Preset + 30 User	
Types	Part EQ	28 Parts	
	Vocal Harmony	54 Preset + 60 User (*) * The User number represents the total of Vocal Harmony and Synth Vocoder.	
	Synth Vocoder	20 Preset + 60 User (*) * The User number represents the total of Vocal Harmony and Synth Vocoder.	
	Others	Mic Effect: Noise Gate, Compressor, 3 Band EQ, Vocal Effect: 23	
Styles	Number of Styles	800	
_	Featured Styles	720 Pro, 69 Session, 11 Free Play	
Preset	Fingering	Single Finger, Fingered, Fingered On Bass, Multi Finger, Al Fingered, Full Keyboard, Al Full Keyboard	
	Style Control	INTRO × 3, MAIN VARIATION × 4, FILL × 4, BREAK, ENDING × 3	
Other Features	One Touch Setting (OTS)	4 for each Style	Connectivity
	Chord Looper	Yes	
Compatibility	Style Section Reset	Yes Style File Format (SFF), Style File Format GE (SFF GE)	
Expandability (Expansion	sion Packs)		
Expansion Voice		Yes (approx. 3 GB)	
Expansion Style		Yes (Internal Memory)	
Expansion Audio Styl	e	Yes (Internal Memory)	
Songs (MIDI) Preset	Number of Preset Songs	9 Demo Songs, 1 Preset Song	
110301	Number of tracks	16	
Recording	Data capacity	approx. 3 MB per Song	
	Function	Quick Recording, Multi Track Recording, Step Recording	
Format	Playback	SMF (Format 0, Format 1), XF SMF (Format 0)	Power Supply Auto Power Off
Songs (Audio)	Recording	SMIF (Format O)	Included Accessor
Recording	Data Capacity	approx. 0.8 GB (80 minutes) per Song	moludeu Accessor
	Playback	WAV (44.1 kHz, 16 bit, stereo), MP3 (44.1/48.0 kHz, 64/96/128/256/320 kbps or VBR, mono/stereo)	Separately Sold Ac
Format	Recording	WAV (44.1 kHz, 16 bit, stereo)	
	Playback (Multi)	.aud (Genos original: 44.1 kHz sample rate, 16 bit resolution, stereo)	
Time Stretch	Recording (Multi)	.aud (Genos original: 44.1 kHz sample rate, 16 bit resolution, stereo) Yes	
Pitch Shift		Yes	The contents of this
Vocal Cancel		Yes	download the manu
			vour Yamaha dealer

Multi Pads Number of Multi Pad B	anks	507 Banks × 4 Pads	
Audio Link		Yes	
Functions			
	Harmony/Echo	Yes	
/oices	Arpeggio	Yes	
	Panel Sustain	Yes	
	Mono/Poly	Yes	
Styles	Style Creator	Yes	
	OTS Information	Yes Yes	
Songs	Score Display function Lyrics Display function	Yes	
songs	Lesson/Guide	Follow Lights, Any Key, Karao-Key, Your Tempo	
Multi Pads	Multi Pad Creator	Yes	
	Number of buttons	10	
Registration Memory	Control	Registration Seguence, Freeze	
Plavlist	Number of Records	2,500 (max.) Records per Playlist file	
Search		Yes	
Demo		Yes	
	Metronome	Yes	
	Tempo Range	5 – 500, Tap Tempo	
	Transpose	-12 - 0 - +12	
Overall Controls	Tuning	414.8 - 440.0 - 466.8 Hz (approx. 0.2 Hz increments)	
	Octave button	Yes	
	Scale Type	9 Types	
	USB audio interface	44.1 kHz, 32 bit, stereo	
	Direct Access	Yes	
Miscellaneous	Text/Image Display function	Yes	
	Wallpaper Customization	Yes	
Storage and Connectiv)/ss (servers 15 OD)	
Storage	Internal memory (USER Drive) External drives	Yes (approx. 15 GB) USB Flash drive	
	Headphones	Standard stereo phone jack (PHONES)	
	Microphone	Yes (Combo Jack), Phantom Power (+48V) available	
	MIDI	MIDI A (IN/OUT), MIDI B (IN/OUT)	
	AUX IN	L/L+R, R, Standard phone jack	
	LINE OUT	MAIN (L/L+R, R), SUB (1, 2), SUB (3, 4 / AUX OUT), Standard phone jack	
	Display out	HDMI (1280 × 720p max.)	
	FOOT PEDAL	1 (SUSTAIN), 2 (ART.1), 3 (VOLUME), function assignable	
	USB TO DEVICE	Yes (×3)	
	USB TO HOST	Yes	
		Yes (*)	
		Yes (*)	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401–2483 MHz (channels 1–13)	
Connectivity		Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401–2483 MHz (channels 1–13) Others: 2401–2473 MHz (channels 1–11)	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401–2483 MHz (channels 1–13) Others: 2401–2473 MHz (channels 1–11) • Maximum RF output power: 14 dBm	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401–2483 MHz (channels 1–13) Others: 2401–2473 MHz (channels 1–11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401–2483 MHz (channels 1-13) Others: 2401–2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/Kg	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401–2483 MHz (channels 1–13) Others: 2401–2473 MHz (channels 1–11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg * May not be included, depending on your area. Check with your Yamaha dealer.	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg * May not be included, depending on your area. Check with your Yamaha dealer. Yes (*)	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WP	
Connectivity	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg • May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Bluetooth version: 5.0 • Supported profile: A2DP • Wireless output: Bluetooth class 2	
Connectivity	USB TO HOST	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA2-WPA2 mixed PSK • SAR value: 0.258 W/kg * May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Bluetooth version: 5.0 • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 m	
Connectivity	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA2-WPA2 mixed PSK • SAR value: 0.258 W/kg * May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Bluetooth version: 5.0 • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 m • Maximum output power (EIRP): +6.94 dBm	
Connectivity	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum R output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg • May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Bluetooth version: 5.0 • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 • Maximum output power (EIRP): +6.94 dBm • Type of modulation: GFSK, rt/4 DQPSK, &DPSK	
	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA2 mixed PSK • SAR value: 0.258 W/kg • May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Bluetooth version: 5.0 • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 m • Maximum output power (EIRP): +6.94 dBm	
Power Supply	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg • May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 m • Maximum communication distance: about 10 m • Maximum communication distance: Add Bm • Type of modulation: GFSK, rt/4 DQPSK, 8DPSK • May not be included, depending on your area. Check with your Yamaha dealer.	
Power Supply Auto Power Off	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum R output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg • May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Bluetooth version: 5.0 • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 • Maximum output power (EIRP): +6.94 dBm • Type of modulation: GFSK, rt/4 DQPSK, &DPSK	
Power Supply Auto Power Off	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WP	
Connectivity Power Supply Auto Power Off Included Accessories Separately Sold Access	USB TO HOST Wireless LAN Bluetooth	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg • May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Supported profile: A2DP • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 m • Maximum output power (EIRP): -64 dBm • Type of modulation: GFSK, π/4 DQPSK, 8DPSK • May not be included, depending on your area. Check with your Yamaha dealer. Yes • Owner's Manual • AC power cord • Music Rest, two Music Rest brackets	
Power Supply Auto Power Off Included Accessories	USB TO HOST Wireless LAN	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), AEC, WALL, AEC, WALL, AEC, AEC, WALL, AEC, AEC, AEC, WALL, AEC, AEC, AEC, AEC, AEC, AEC, AEC, AEC	
Power Supply Auto Power Off ncluded Accessories	USB TO HOST Wireless LAN Bluetooth	Yes (*) • Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) • Range of transmit frequency (channels): Models for Europe and Brazil: 2401-2483 MHz (channels 1-13) Others: 2401-2473 MHz (channels 1-11) • Maximum RF output power: 14 dBm • Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK • SAR value: 0.258 W/kg • May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) • Supported profile: A2DP • Supported profile: A2DP • Wireless output: Bluetooth class 2 • Maximum communication distance: about 10 m • Maximum output power (EIRP): -64 dBm • Type of modulation: GFSK, π/4 DQPSK, 8DPSK • May not be included, depending on your area. Check with your Yamaha dealer. Yes • Owner's Manual • AC power cord • Music Rest, two Music Rest brackets	

this manual apply to the latest specifications as of the publishing date. To obtain the latest manual, access the Yamaha website then nual file. Since specifications, equipment or separately sold accessories may not be the same in every locale, please check with your Yamaha dealer.

Options





Optional Stand: L-7B



Foot Pedal: FC4A Foot Switch: FC5 Foot Controller: FC7 Headphones: HPH-50/HPH-100/HPH-150 Wireless MIDI Adaptor: MD-BT01